Brain Research Bulletin, Vol. 5. Copyright © by ANKHO International Inc. Printed in the U.S.A.

BRAIN RESEARCH BULLETIN

VOLUME 5 1980

SUBJECT INDEX

A23187 ionophore
  body temperature, 75
  calcium, 75
  hypothalamus, 75
  ouabain, 75
  tetrodotoxin, 75
  thermoregulation, 75
Acetylcholine
  baclofen, b549
  biochemical characterization, 703
  digitonin, 703
  dopamine, b487
  dopaminergic receptors, 23
  dyskinesia, b487
  enriched environment, 9
  extrapyramidal system, b487
  glucose, 325
  glutamate, 325
  haloperidol, b549
  Huntington's chorea, b487
  impoverished environment, 9
  lateral hypothalamus, 325
  lateral preoptic area, 325
  limbic system, b487
  long-term recall, 9
  medial forebrain bundle, 325
  memory storage processes, 9
  microiontophoresis, 325
  muscarinic receptors, 703
  norepinephrine, 325
  ovariectomy, 23
  paradoxical sleep, 9
  Parkinson's disease, b487
  plasma gonadotropin, 23
  prolactin, 23
  schizophrenia, b487
  slow-wave sleep, 9
  sodium, 325
  striatum, b549
Acetylcholine levels and utilization
  bicuculline, b223
  cholinergic inhibition, b223
  cortico-striatal tract, b223
  GABA agonists, b223
  GABA antagonists, b223
  limbic system, b223
  muscimol, b223
  picrotoxin, b223
  striatum, b223
Acetylcholinesterase
  anteroventral thalamic nucleus, 519
  cholinergic pathway, 519
  horseradish peroxidase, 519
  histochemistry, 127
  locus ceruleus, 127
  norepinephrine, 127
γ-Acetylenic GABA
  gabaculine, b627
  GABA-T, b375
  GABA-T activity, b627
  GAD, b375
  GAD activity, b627
  enzyme turnover, b375
  isogabaculine, b627
  mouse brain GABA, b627
  γ-vinyl GABA, b375, b627
Acid secretion
  developmental disturbances, a43
  early life events, a43
  gastric erosions, a43
  maternal separation, a43
  peptic ulcer susceptibility, a43
  restraint stress, a43
  temperature regulation, a43
$ACTH_{4-9}$
  autoradiography, 509
  brain, 509
ACTH release
  baclofen, b447
  bicuculline, b447
  muscimol, b447
  picrotoxin, b447
Action
  amino acid release, b659
  cerebral cortex slices, b659
  pentobarbital, b659
Activation
  apomorphine, 745
  GABA, 745
  lateralization, 745
  perioral biting reflex, 745
  sensorimotor field, 745
Activity
  baclofen, b525, b585
  methylphenidate, b525, b585
  ontogenesis, b525, b585
  stereotypy, b525, b585
  temperature, b525, b585
Activity-stress
  psychological stress, a73
  stress-ulcer review, a73
  ulcer, a73
Acute
  chronic, b913
  GABA, b913
  GABA-T, b913
  GABA bindings, b913
  GAD, b913
  glutamate, b913
  pentobarbital, b913
Acute and chronic stress
  gastric emptying, a63

Acute and chronic stress (continued)
gastric secretion, a63
habituation, a63
unavoidable shock, a63
Acute epileptic foci
cortico-reticular epilepsy, b691
homotaurine, b691
kainic acid, b691
Adenylate cyclase
hippocampus, 649
norepinephrine, 649
χ-irradiation, 649
Adrenal efferents
adrenal nerve, d175
glucose sensitive afferents, d175
intraportal venous infusion, d175
pancreatic branch of the vagus nerve, d175
vagal pancreatic efferents, d175
Adrenal nerve
adrenal efferents, d175
glucose sensitive afferents, d175
intraportal venous infusion, d175
pancreatic branch of the vagus nerve, d175
vagal pancreatic efferents, d175
Affective disorder
CSF GABA levels, b731
glucose, b731
schizophrenia, b731
Afferent lamination
dentate gyrus, 217
development, 217
implants, 217
septohippocampal system, 217
Afferent projections
dorsal motor nucleus of vagus, 365
horseradish peroxidase, 365
Afterdischarge
afterdischarge threshold, 505
hippocampus, 505
neuroexcitability, 505
postictal depression, 505
Afterdischarge threshold
afterdischarge, 505
hippocampus, 505
neuroexcitability, 505
postictal depression, 505
Aggression
alpha-methyl-para-tyrosine, 81
catecholamine variations, 81
discrete brain areas, 81
dopamine, 81
isolation-induced, 81
norepinephrine, 81
Aging
neuronal RNA content, 117
rhesus monkey, 117
Allylglycine
audiogenic seizures, b815
epilepsy, b605
ethanol, b815
GABA-T inhibitors, b815
GAD inhibitors, b605
isoniazid, b605
receptor binding, b815
thiosemicarbazide, b605
Allosteric preconditioning
desensitization, b161
GABA receptor, b161
hysteric properties, b161
sensitization, b161
Alpha-methyl-para-tyrosine
aggression, 81
catecholamine variations, 81
discrete brain areas, 81
dopamine, 81
isolation-induced aggression, 81
norepinephrine, 81
Amacrine cell
GABA neurons, b21
glutamate decarboxylase, b21
immunohistochemistry localization, b21
retina, b21
Amine metabolism
CSF GABA, b755
depression, b755
mania, b755
Amino acids
dorsal root ganlia, b83
fever, 653
GABA binding, b83
GABA transport, b83
glycine, 661
hyperthermia, 653
peripheral glia, b83
serine, 653, 661
thermoregulation, 653, 661
Amino acid transmitters
gangliosides, b647
glutamate, b647
ethanol, b647
synaptic membranes, b647
Amino acid release
action, b659
baclofen, b513
cerebral cortex slices, b513, b659
differential inhibition, b513
pentobarbital, b659
γ-Aminobutyric acid transaminase
assay, b51
GABA, b51
succinic semialdehyde, b51
succinic semialdehyde dehydrogenase, b51
Aminooxyacetic acid
analgesia, b415
anorexia, b595
anticonvulsants, b13
apomorphine induced climbing, b433
baclofen, b433
bicuculline, b415, b433
body weight, b595
n-dipropylacetate, b13
ethanolamine-O-sulfate, b595
haloperidol, b433
metabolic compartmentation, b13
muscimol, b415, b433, b595
picrotoxin, b415, b433
tail flick, b415
γ-vinyl-GABA, b13
writhing, b415
3-Aminopropane sulphonic acid
binding, b141
brain synaptosomal membranes, b141
picrotoxin, b141
Ammonia
ascorbic acid, b781
convulsions, b781
lung damage, b781
oxygen toxicity, b781
pargyline, b781
succinic acid, b781
cAMP
CSF, b585
GABA binding, b347
GABA uptake, b347

ganglionectomy, b347
glial GABA, b347
cGMP, b347, b585
homovanillic acid, b585
pineal, b347
sodium valproate, b585
Amphetamine
dopamine, 539
GABA transaminase, b609
gonadal steroids, 539
lateralization, 539
rotational behavior, 539
sex differences, 539
stereotypy, b609
striatum, 539
γ-vinyl GABA, b609
Amplifier overload
electronic switch for prevention, 765
neurophysiology, 765
Amplitude-intensity function
auditory evoked potential, 207
EEG, 207
human, 207
latency-intensity function, 207
reliability, 207
Amygdala
arcuate nucleus, 291
bar press, d143
colchicine-induced disruption, 35
cross correlogram, 291
discrimination, d143
drive, d143
eating, d143
electrical activity, 291
estrous cycle, 291
hypothalamus, 683
lateral hypothalamus, d143
norepinephrine, 683
olfactory bulbectomy, 683
preoptic area, 291
reward, d143
sodium appetite, 35
unit activity, d143
Amyotrophic lateral sclerosis
CSF, b765
norepinephrine, b765
Analgesia
aminooxyacetic acid, b415
bicuculline, b415
muscimol, b415
picrotoxin, b415
tail flick, b415
writhing, b415
Analog switch
kindling, 485
multiple-unit recording, 485
stimulation, 485
Anatomy of bottlenose dolphin brain
aquatic mammals, c1
archicortex, c1
association cortex, c1
Balaenoptera physalus, c1
cetacea, c1
cetacean brain, c1
comparative neuroanatomy, c1
cortex cytoarchitecture, c1
cytoarchitectonics, c1
Delphinopterus leucas, c1
dolphin brain, c1
heterotypical isocortex, c1
homotypical isocortex, c1
Inia geoffrensis, c1
insula, c1
isocortex, c1
limbic cleft, c1
limbic lobe, c1
neocortex, c1
olfactory lobe, c1
paleocortex, c1
paralimbic cleft, c1
paralimbic lobe, c1
Phocaena phocaena, c1
rhinencephalon, c1
sulci and gyri of whale brain, c1
suprelimbic lobe, c1
telencephalon, c1
Tursiops truncatus, c1
whale brain, c1
Anesthetic agents
brain slices, b909
GABA degradation, b909
GABA "disposal", b909
GABA-T, b909
GABA uptake, b909
synaptosomes, b909
Anger
psychological stress, a67
ulcers, a67
Angiotensin
carbachol, 501
chemical brain stimulation, 501
drinking, 501
estrous cycle, 501
sodium appetite, 501
Animal heater
neonatal rodent, 491
temperature regulation, 491
Anorexia
aminooxyacetic acid, b595
body weight, b595
ethanolamine-O-sulfate, b595
intraportal adrenaline, d59
intraportal glucose, d59
muscimol, b595
satiation, d59
Anterior cingulate cortex
bed nucleus of stria terminalis, 425
dopaminergic terminals, 425
Fink-Heimer method, 425
6-hydroxydopamine, 425
lateral septal nucleus, 425
parabrachial nucleus, 425
Anterior commissure
anterior olfactory nucleus, 437
chemencephalon, 437
dentate gyrus, 437
diagonal band, 437
evoked potentials, 437
hippocampus, 437
lateral olfactory tract, 437
olfactory cortex, 437
olfactory tubercle, 437
perforant path, 437
prepyriform cortex, 437
pyriform cortex, 437
rhinencephalon, 437
septum, 437
Anterior hypothalamic area
autoradiography, 693
efferents, 693
Anterior olfactory nucleus
anterior commissure, 437
chemencephalon, 437
dentate gyrus, 437

Anterior olfactory nucleus (continued)
diagonal band, 437
evoked potentials, 437
hippocampus, 437
lateral olfactory tract, 437
olfactory cortex, 437
olfactory tubercle, 437
perforant path, 437
prepyriform cortex, 437
pyriform cortex, 437
rhinencephalon, 437
septum, 437
Anteroventral thalamic nucleus
acetylcholinesterase, 519
cholinergic pathway, 519
horseradish peroxidase, 519
Antianxiety
benzodiazepines, b839
conflict behavior, b839
diazepam, b839
muscimol, b839
punishment, b839
receptors, b839
suppressed responding, b839
Anticholinergic
benzodiazepines, b885
dopamine, b885
interaction, b885
neuroleptics, b885
stereotypies, b885
Anticipatory reflexes
diuresis, d97
glucagon, d97
gustatory projections, d97
insulin, d97
integration, d97
osmosensitive neurons, d97
satiation, d97
Anticonvulsants
amino-oxyacetic acid, b13
benzodiazepine binding, b833
convulsants, b43
diphenylhydantoin, b833
n-dipropylacetate, b13
epilepsy, b685
excitation, b43
GABA agonists, b685
GABA transaminase, b579
GABA uptake, b821
GABA uptake blockade, b685
GABAergic neurons, b833
inhibition, b43
metabolic compartmentation, b13
monoamine metabolism, b579
muscimol, b685
nipecotic acid, b685
spinal neurons, b43
synaptosomes, b821
valproate, b579
γ-vinyl-GABA, b13
Anticonvulsant activity
barbiturates, b873
benzodiazepines, b873
GABAergic transmission, b873
postsynaptic inhibition, b873
presynaptic inhibition, b873
Antidromic activity
excitability, 345
lateral geniculate, 345
rebound excitation, 345
Antidiuretic hormone
hepatic osmoregulation, d189
horseradish peroxidase, d189
ingestive behavior, d189
single-unit recording, d189
visceral afferents, d189
Antihistamines
benzodiazepines, b639
bicuculline, b639
GABAergics, b639
neuroleptics, b639
seizures, b639
tricyclic antidepressants, b639
Antihypertensive agents
blood pressure, b317
central control, b317
GABA receptors, b317
muscimol, b317
Antihypertensive properties
intracerebroventricular, b491
kojic amine baroreceptor reflexes, b491
muscimol, b491
Antinociception
baclofen, b553
drug discrimination, b553
morphine, b553
mouse jumping, b553
phenylquinone writhing, b553
pinch response, b553
tail-flick, b553
Antipyresis
bacterial infection, 69
fever, 69
mortality rate, 69
preoptic-anterior hypothalamus, 69
sodium salicylate, 69
Antischizophrenic drugs
chronic drug treatment, d897
contralateral turning behavior, d897
dopamine, d897
receptors, d897
side effects, d897
Antiserum production
cysteine sulfinate decarboxylase, b713
glutamate decarboxylase, b713
immunocytochemistry, b713
immunoelectrophoresis, b713
suicide substrate, b713
Anti-ulcer
gastric mucosa, a7
mucosal blood flow, a7
prostacyclin, a7
prostaglandin, a7
Anxiety
conflict behavior, b575
diazepam, b575
drug discrimination, b575
pentylenetetrazol, b575
valproic acid, b575
Aphagia
blood glucose, d109
body weight regulation, d109
2-deoxy-D-glucose, d109
free fatty acids, d109
gastric pathology, d109
insulin, d109
lateral hypothalamus, d109
lesions, d109
parasagittal knife cuts, d109
triglycerides, d109
Aplysia
electrical activity, 233
intracellular recording, 233
LHRH, 233

locomotion, 169, 179
motor neuron, 179
motor program, 169
pedal waves, 169, 179
white cells, 233
Apomorphine
activation, 745
baclofen, b427
dopamine, 349, 679
estrogen, 679
GABA, 745
growth hormone, b427
haloperidol, b427
lateralization, 745
l-dopa, b427
oxygen consumption, 349
perioral biting reflex, 745
pimozide, 349
primate, 349
prolactin, b427
sensorimotor field, 745
sodium valoproate, b427
stereotypy, 679
tardive dyskinesia, b427
temperature regulation, 349
Apomorphine induced climbing
aminooxyacetic acid, b433
baclofen, b433
bicuculline, b433
haloperidol, b433
muscimol, b433
picrotoxin, b433
Apparatus
gated electronic switch for stimulation and recording with a single electrode, 485
inexpensive electronic switch for preventing amplifier overload in neurophysiological recording, 765
low-cost 3 channel neural stimulator, 483
rabbit head holder to facilitate stereotaxic brain surgery, 769
semi-chronic electrode implant for very small animals, 479
simple modification to permit fast-flow perfusion of brain slices, 481
system with some unique features for maintaining desired body temperature in anesthetized and/or immobilized rodents, 491
wire-wrapped, dual-in-line chronic electrode connector system, 95
Aquatic mammals
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Archicortex
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Arcuate nucleus
amygdala, 291
cross correlogram, 291
electrical activity, 291
estrous cycle, 291
excitatory amino acids, b361
inhibitory amino acids, b361
neuroendocrine interactions, b361
preoptic area, 291
Arousal
bradycardia, 227
defense reaction, 227
diencephalon, 227
hypothalamus, 227
rabbit, 227
stimulation, 227
Arterial pressure
bicuculline, b303
cardiovascular reflexes, b303
heart rate, b303
muscimol, b303
nucleus ambiguus, b303
picrotoxin, b303
Ascorbic acid
ammonia, b781
convulsions, b781
lung damage, b781
oxygen toxicity, b781
pargyline, b781
succinic acid, b781
Assay
γ-aminobutyric acid transaminase, b51
GABA, b51
succinic semialdehyde, b51
succinic semialdehyde dehydrogenase, b51
Association cortex
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Astrocytes
barbiturates, b653
cell fractions, b95
diazepam, b653
GABA transport, b95
glia, b95
glial GABA transport, b389
glutamate, b389
glutamine, b389
ions, b95
neuronal GABA transport, b389
neuronal-glial interactions, b389
nerve terminals, b95
oxygen uptake, b653
phenobarbital, b653
potassium uptake, b653
C-6 Astrocytoma cells
halothane, b477
C-1300 neuroblastoma cells, b477
Atropine
chlorpromazine, a33
cimetidine, a33
electrochemical stimulation, a33
gastric mucosal ulceration, a33
medial amygdaloid nucleus, a33
Audiogenic seizures
allylglycine, b815
ethanol, b815
GABA-T inhibitors, b815
receptor binding, b815
Auditory evoked potential
amplitude-intensity function, 207
EEG, 207
human, 207
latency-intensity function, 207
reliability, 207
Autocorrelation
deafferentiation, 759
mediobasal hypothalamus, 759
neuronal interspike intervals, 147
relative interval coding, 147
serial order analysis, 147
single cell activity, 759
spontaneous activity, 759
Autonomic hypothesis
dopamine-β-hydroxylase, d119
gastric acid, d119
hyperinsulinemia, d119
lipoprotein lipase, d119
pyruvate dehydrogenase, d119
salivary glands, d119
sympathetic suppression, d119
vagal hyperactivity, d119
ventromedial hypothalamic obesity, d119

Autonomic nervous system
body weight, d103
eating, d103
gastric acid secretion, a19
gastric pathology, a19
gastrointestinal motility, a19
hypothalamus, a19
insulin secretion, d103
parasympathetic neural input, d103
physiological and morphological changes, a19
sympathetic neural input, d103
Autoradiography
$ACTH_{4-9}$, 509
anterior hypothalamic area, 693
^{3}H-(+)Bicuculline-methiodide, b149
brain, 509
cerebellum, b149
dorsal root ganglia, b77
efferents, 257, 693
^{3}H-Flunitrazepam, b149
GABA receptors, b145, b149
glial GABA uptake, b77
guinea pig, 257
hypothalamus, 257
H^3-muscimol, b149
preoptic area, 257
spinal cord, b149
tissue cultures, b149
Autoreceptors
baclofen, b531
dopamine, b531
norepinephrine, b531
picrotoxin, b531
Avian nocturnal hyperactivity
basal ganglia, b369
neurotransmitter metabolism, b369
locomotor activity, b369
Awake animals
chronic unit recording, 91
moveable chronic microelectrode, 91
single unit activity, 91

Baclofen
acetylcholine, b549
ACTH release, b447
activity, b585
amino acid release, b513
aminooxyacetic acid, b433
antinociception, b553
apomorphine, b427
apomorphine induced climbing, b433
autoreceptors, b531
baclofen derivatives, b507
bicuculline, b433, b447
cardiovascular and respiratory neurons, b565
cerebral cortex slices, b513
β-chlorophenyl GABA (Baclofen), b497
differential inhibition, b513
l-dopa, b427
dopamine, b531, b545
dose-response, b537
drug discrimination, b553
EEG, b507
electroshock, b519
feedback loops, b537
^{3}H-GABA binding, b503
GABA mimetics, b519
glutamate, b507
growth hormone, b427
haloperidol, b427, b433, b537, b549
inhibitory action, b565
intracranial self-stimulation, b559
kainic acid, b519
methylphenidate, b585
microiontophoresis, b507
morphine, b553
mouse jumping, b553
muscimol, b433, b447, b503
nerve terminals, b497
neurons, b565
norepinephrine, b531
novel GABA receptors, b497
Parkinsonian side effects, b537
phenyl quinone writhing, b553
picrotoxin, b531, b433, b447
pinch response, b553
potentiation, b537
prolactin, b427
rate dependency, b559
rotational behavior, b503
rotorod, b519
selective ligand, b497
serotonin, b545, b507
Sidman avoidance, b559
single unit recording, b537
sodium valproate, b427
specificity, b537
stereotypy, b585
striatum, b545, b549
substantia nigra, b537, b503
tail-flick, b553
tardive dyskinesia, b427
temperature, b585
vagus nerve, b565
vasomotor reflex, b565
Baclofen derivatives
baclofen, b507
EEG, b507
glutamate, b507
microiontophoresis, b507
serotonin, b507
Bacterial infection
antipyresis, 69
fever, 69
mortality rate, 69
preoptic-anterior hypothalamus, 69
sodium salicylate, 69
Balaenoptera physalus
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Barbiturates
activity, b525
anticonvulsant activity, b873
astrocytes, b653
benzodiazepines, b217, b873
chloride ionosphores, b919
convulsants, b217, b919
depressant, b919
diazepam, b653
GABA, b217
GABAergic transmission, b873
ionophores, b217
methylphenidate, b525
ontogenesis, b525
oxygen uptake, b653
phenobarbital, b653
picrotoxin, b217
picrotoxinin, b919
postsynaptic inhibition, b873
potassium uptake, b653
presynaptic inhibition, b873
purines, b217
receptors, b217

stereoisomers, b919
stereotypy, b525
temperature, b525
Bar press
amygdala, d143
discrimination, d143
drive, d143
eating, d143
lateral hypothalamus, d143
reward, d143
unit activity, d143
Basal ganglia
avian nocturnal hyperactivity, b369
behavior, b261
catalepsy, b261
dopamine, b261
limbic system, b261
locomotor activity, b369
neurotransmitter metabolism, b369
schizophrenia, b261
stereotyped behavior, b261
Basilar pontine nuclei
cerebro-cerebellar systems, 277
corticopontine system, 277
development, 277
pontocerebellar system, 277
Bed nucleus of stria terminalis
anterior cingulate cortex, 425
dopaminergic terminals, 425
Fink-Heimer method, 425
6-hydroxydopamine, 425
lateral septal nucleus, 425
parabrachial nucleus, 425
Behavior
basal ganglia, b261
catalepsy, b261
dopamine, b261
limbic system, b261
schizophrenia, b261
stereotyped behavior, b261
Behavioral changes
diazepam, 61
horseradish peroxidase, 61
kainic acid lesions, 61
thalamus, 61
Behavioral responses
brain stimulation, 711
olfactory bulbectomy, 711
pressor responses, 711
Benzodiazepine
antianxiety, b839
anticholinergic, b885
anticonvulsant activity, b873
antihistamines, b639
barbiturates, b873
bicuculline, b639
conflict behavior, b839
convulsions, b861
diazepam, b673, b705, b839
dopamine, b885
extrapyrimidal system, b673
GABA agonists, b701
GABA mechanisms, b673
GABAergic transmission, b873
GABAergics, b639
Huntington's chorea, b773
interaction, b885
ionophore, b829
isoniazid, b861
limbic system, b673
motion sickness, b705
muscimol, b839
neuroanatomical model, b673
neuroleptics, b639, b885
pathogenesis, b673
phospholipid methylation, b829
postsynaptic transmission, b873
presynaptic transmission, b873
prolactin, b701
prolactin release inhibition, b701
punishment, b839
receptors, b773, b829, b839
seizures, b639
stereotypies, b885
suppressed responding, b839
tardive dyskinesia, b673
triazolopyridazines, b861
tricyclic antidepressants, b639
treatment, b673
vestibuloocular reflexes, b705
Benzodiazepine binding
anticonvulsant, b833
diphenylhydantoin, b833
GABAergic neurons, b833
Benzodiazepine interactions
GABA receptor model, b867
Benzodiazepine receptor
binding, b167
development, b857
diazepam, b681
electronmicroscopic autoradiography, b155
flunitrazepam, b155, b857
GABA activation, b853
muscimol, b167
photoaffinity labeling, b155
phylogenetic characteristics, b167
stereoselective GABA agonists, b681
strychnine, b681
triton-treated membranes, b853
Benzodiazepine receptor affinity
cortical inhibition, b849
electrophysiological evidence, b849
Bicuculline
ACTH release, b447
acetylcholine levels and utilization, b223
aminooxyacetic acid, b415, b433
analgesia, b415
antihistamines, b639
apomorphine induced climbing, b433
arterial pressure, b303
baclofen, b433, b447
benzodiazepines, b639, b861
binding, b141
brain synaptosomal membranes, b141
cardiovascular reflexes, b303
cholinergic inhibition, b223
convulsions, b861
cortico-striatal tract, b223
eating, b453
electrode-cannula, b275
GABA agonists, b223
GABA antagonists, b223
GABAergics, b639
glucose, b453
haloperidol, b433
heart rate, b303
intracerebral infusion, b275
isoniazid, b861
limbic system, b223
motor activity, b275
muscimol, 275, b303, b415, b433, 447
neuroleptics, b639
nucleus ambiguus, b303
picrotoxin, 141, b223, b303, b415, b433, b447

Bicuculline (continued)
seizures, b639
self-stimulation, b275
striatum, b223
tail flick, b415
triazolopyridazines, b861
tricyclic antidepressants, b639
ventromedial hypothalamus, b453
writhing, b415
Bicuculline-methiodide
autoradiography, b149
cerebellum, b149
GABA receptors, b149
spinal cord, b149
tissue cultures, b149
Bilateral adrenalectomy
brain indoleamine metabolism, 451
developmental protein malnutrition, 451
nonesterified fatty acids, 451
plasma corticosterone concentrations, 451
systemic tryptophan metabolism, 451
tryptophan hydroxylase activity, 451
tryptophan pyrrolase activity, 451
Binding
3-aminopropane sulphonic acid, b141
benzodiazepine receptor, b167
bicuculline, b141
brain synaptosomal membranes, b141
t-butylbicyclophosphate, b141
isoguvacine, b141
methobromide, b141
muscimol, b167
phylogenetic characteristics, b167
Biochemical characterization
acetylcholine, 703
digitonin, 703
muscarinic receptors, 703
Biorhythms
enriched environment, 105
impoverished environment, 105
memory storage processes, 105
paradoxical sleep, 105
sleep circadian rhythmicity, 105
slow-wave sleep, 105
Blood-brain barrier
cerebrovascular permeability, 251
epinephrine, 251
immobilization, 251
malnutrition, 251
norepinephrine, 251
protein deprivation, 251
stress, 251
^{14}C-sucrose permeability, 251
Blood-CSF barrier
cerebrospinal fluid, 375
α-MSH, 375
Blood glucose
aphagia, d109
body weight regulation, d109
2-deoxy-D-glucose, d109
free fatty acids, d109
gastric pathology, d109
insulin, d109
lateral hypothalamus, d109
lesions, d109
parasagittal knife cuts, d109
triglycerides, d109
Blood glucose levels
eating, d17
food deprivation, d17
liver glycogen levels, d17
pancreatic glucagon, d17
short-term food intake regulation, d17
Blood platelets
enzyme kinetics, b115
GABA-T, b115
human brain, b115
Blood pressure
antihypertensive agents, b317
central control, b317
GABA receptors, b317
muscimol, b317
Body temperature
A23187 ionophore, 75
calcium, 75
hypothalamus, 75
ouabain, 75
tetrodotoxin, 75
thermoregulation, 75
Body weight
aminooxyacetic acid, b595
anorexia, b595
autonomic nervous system, d103
drinking, d7, d13
eating, d7, d13, d69, d103, 525
ethanolamine-O-sulfate, b595
genetic obesity, d69
humoral factors, d13
hypothalamic obesity, d69
insulin, d7
insulin secretion, d103
jejunoileal bypass, d69
lateral hypothalamus, 525
lesions, 525
meal patterns, d7
minipump, d7
muscimol, b595
parabiotic rats, d13
parasympathetic neural input, d103
propantheline bromide, 525
recovery of function, 525
regulation, d13
satiety, d7
spontaneous obesity, d69
streptozotocin-diabetes, d7
sympathetic neural input, d103
Body weight regulation
aphagia, d109
blood glucose, d109
2-deoxy-D-glucose, d109
free fatty acids, d109
gastric pathology, d109
insulin, d109
lateral hypothalamus, d109
lesions, d109
parasagittal knife cuts, d109
triglycerides, d109
Body shakes
gamma-vinyl-GABA, b805
morphine withdrawal, b805
Bombesin
cholecystokinin, d1
2-deoxy-D-glucose, d133
eating, d1
gastric acid secretion, d133
insulin, d1, d133
lateral hypothalamus, d133
long-term satiety signals, d1
neuroendocrine regulation, d1
neurotensin, d133
satiety signals, d1
short-term satiety signals, d1
somatostatin, d1
Bradycardia
arousal, 227
cardiac output, b329

defense reaction, 227
diencephalon, 227
hypotension, b329
hypothalamus, 227
intravenous GABA, b329
rabbit, 227
stimulation, 227
vascular resistance, b329
Brain
$ACTH_{4-9}$, 509
amygdala, 35, d143, 291, 683
anterior cingulate cortex, 425
anterior commissure, 437
anterior olfactory nucleus, 437
anteroventral thalamic nucleus, 519
arcuate nucleus, 291, b361
autonomic nervous system, a19
autoradiography, 509
basal ganglia, b261, b369, b897
basilar pontine nuclei, 277
bed nucleus of stria terminalis, 425
caudal spinal trigeminal nucleus, 751
caudate nucleus, b891
cerebellum, b149, 267, 421, b747
cerebral cortex, b37, b513, b643, b659, 725
cerebro-cerebellar systems, 277
chemencephalon, 437
cortex, 121, 553, 669
corticopontine system, 277
cortico-striatal tract, b223
dentate gyrus, 217, 437
diagonal band, 437
diencephalon, 227
dietary GABA, b245
dietary protein, b245
dorsal accessory olive, 267
dorsal midbrain, 359
dorsal motor nucleus of vagus, 365
dorsal nucleus of the vagus, b295
dorsal root ganglia, b77, b83, b471
dorsal tegmental pathway, 519
eating, b245
entopeduncular nucleus, b1
extrapyramidal system, b131, b421, b487, b673, b765, b897
forebrain, 31
frontal cortex, 111, 199
globus pallidus, b1
growth, b245
hind brain, 421
hippocampus, 51, 121, 285, 391, 437, 505, 649, 771
hypothalamus, a9, 75, 227, 239, 257, 307, 405, 473, 531, 683, 693, 735, 759, b793
inferior olive, 267
kidney, b245
lateral geniculate, 345, 687
lateral habenular nuclei, b1
lateral hypothalamus, d109, d133, d143, d151, 153, d163, d181, b237, 245, 315, 325, 525, 637, 643
lateral olfactory tract, 141, 437
lateral preoptic area, d181, 315, 325
lateral reticular nucleus, b295
lateral septal nucleus, 425
limbic system, b223, b261, b421, b487, b673
liver, b245
locus coeruleus, 127, 383, 637
medial accessory olive, 267
medial forebrain bundle, 13, d181, 315, 325, 643
medial habenular nuclei, b1
medial hypothalamus, 13
medulla, 203
medulla oblongata, 245
mesencephalon, d75
mesolimbic system, b231
motor cortex, d151
neostriatum, 725
negrostriatal dopamine pathway, b439, b897
nigrothalamic pathway, b7
noradrenergic system, 421
nucleus ambiguus, b295, b303, b325
nucleus centrum medianum, 41
nucleus of the tractus solitarius, b295
nucleus raphe dorsalis, b295
olfactory cortex, b291, 437
olfactory peduncle, 141
olfactory system, 383
olfactory tubercle, 383, 437
orbitofrontal cortex, 111, d151
parabrachial nucleus, 425
paramedian, 267
paraolfactory lobe, b369
paraventricular hypothalamus, b237
paraventricular nucleus, 301, 405, 473
perforant path, 437
periaqueductal gray, b295
pineal, b347
pituitary, 239
pontine tegmental area, 637
pontocerebellar system, 277
posterior vermis, 159
prefrontal cortex, 223
preoptic-anterior hypothalamus, 69
preoptic area, 257, 291, 515
prepyriform cortex, 437
protocerebrum, 667
pyriform cortex, 437
pyramidal tract, d151
rhinencephalon, 437
septohippocampal system, 217
septum, d89, 437
spinal cord, b149, b195, b665
stria medullaris, b1
striatonigral pathway, b897
striatum, b131, b223, 539, b545, b549, b613
substantia nigra, b105, b465, 487, b503, b537, 725, b825
superior colliculus, 687
thalamus, b7, 61, 121, 203, 547, 553, 725
trigeminal nucleus, 751
ventral tegmental area, b465
ventromedial hypothalamus, d43, d119, d127, b237, b253, b453
vermis, 267
visual cortex, 199
zona incerta, 593
Brain catecholamines
brain epinephrine, 589
harmaline, 589
monoamine oxidase, 589
pargyline, 589
Ro4-1284, 589
Brain cell-free protein synthesis
brain microsomes, 1
leucine incorporation, 1
liver cell-free protein, 1
neonatal hypothyroidism, 1
postnatal brian development, 1
thyroid hormones, 1
Brain development
EEG ontogeny, 51
GABA transport, b121
GABA uptake, b121
hippocampus, 51
power spectral analysis of EEG, 51
protein malnutrition, 51
slow wave sleep, 51
sodium dependence, b121
synaptosomes, b121
theta activity, 51

Brain epinephrine
brain catecholamines, 589
harmaline, 589
monoamine oxidase, 589
pargyline, 589
Ro4-1284, 589
Brain indoleamine metabolism
bilateral adrenalectomy, 451
developmental protein malnutrition, 451
nonesterified fatty acids, 451
plasma corticosterone concentrations, 451
systemic tryptophan metabolism, 451
tryptophan hydroxylase activity, 451
tryptophan pyrrolase activity, 451
Brain microsomes
brain and liver cell-free protein synthesis, 1
leucine incorporation, 1
neonatal hypothyroidism, 1
postnatal brain development, 1
thyroid hormones, 1
Brain slice
constant superfusion, 405
hippocampus, 391
hypothalamus, 405
neurosecretory neurons, 405
osmotic pressure, 405
paraventricular nucleus, 405
ultrastructure, 405
Brain slice technique
rapid perfusion, 481
tissue slice recording chamber, 481
Brain slices
anesthetic agents, b909
GABA degradation, b909
GABA "disposal," b909
GABA-T, b909
GABA uptake, b909
synaptosomes, b909
Brain stimulation
behavioral responses, 711
olfactory bulbectomy, 711
pressor responses, 711
Brain-stimulation reward
frontal cortex, 111
orbitofrontal cortex, 111
self-stimulation, 111
Brain synaptosomal membranes
3-aminopropane sulphonic acid, b141
bicuculline, b141
binding, b141
t-butylcyclophosphate, b141
isoguvacine, b141
methobromide, b141
Brain temperature
EEG, 479
electrode implant, 479
EMG, 479
small animals, 479
Branched-chain fatty acids
GABA degradation, b797
morphine abstinence syndrome, b797
valproate, b797
t-Butylbicyclophosphate
binding, b141
brain synaptosomal membranes, b141
picrotoxin, b141
γ-Butyrolactone
GABA synthesis, b89
glutamate decarboxylase, b89
muscimol, b89
pyridoxal-5′-phosphate, b89
synaptosomes, b89

Calcium
A23187 ionophore, 75
body temperature, 75
carbachol, a15
dibutyryl-cGMP, a15
16-16 dimethyl prostaglandin E_2, a15
gastric bicarbonate secretion, a15
gastric mucosal protection, a15
hypothalamus, 75
ouabain, 75
tetrodotoxin, 75
thermoregulation, 75
Capsaicin
neurophysiological effects, 755
thermoregulation, 755
Carbachol
angiotensin, 501
calcium, a15
chemical brain stimulation, 501
dibutyryl-cGMP, a15
16-16 dimethyl prostaglandin E_2, a15
drinking, 501
estrous cycle, 501
gastric bicarbonate secretion, a15
gastric mucosal protection, a15
sodium appetite, 501
Cardiac output
bradycardia, b329
hypotension, b329
intravenous GABA, b329
vascular resistance, b329
Cardiovascular reflexes
arterial pressure, b303
bicuculline, b303
heart rate, b303
muscimol, b303
nucleus ambiguus, b303
picrotoxin, b303
Cardiovascular and respiratory neurons
baclofen, b565
inhibitory action, b565
vagus nerve, b565
vasomotor reflex, b565
Carotid body
chemoreceptor, 195
immunofluorescence, 195
substance P, 195
Catecholamine variations
aggression, 81
alpha-methyl-para-tyrosine, 81
discrete brain areas, 81
dopamine, 81
isolation-induced aggression, 81
norepinephrine, 81
Catalepsy
basal ganglia, b261
behavior, b261
dopamine, b261
GABA agonists, b439
GABA-dopamine interactions, b439
limbic system, b261
nigrostriatal dopamine pathway, b439
receptor supersensitivity, b439
schizophrenia, b261
stereotyped behavior, b261, b439
Cats
dorsal nucleus of the vagus, b295
lateral reticular nucleus, b295
nucleus ambiguus, b295
nucleus of the tractus solitarius, b295
nucleus raphe dorsalis, b295
periaqueductal gray, b295

stereotaxic atlas, b295
Caudal spinal trigeminal nucleus
electroacupuncture, 751
jaw opening, 751
Caudate nucleus
dopamine, b891
electromyographical activity, b891
opioids, b891
rigidity, b891
Cell density
lateral hypothalamus, 643
medial forebrain bundle, 643
synaptic density, 643
Cell fractions
astrocytes, b95
GABA transport, b95
glia, b95
ions, b95
nerve terminals, b95
Cellular localization
GABA-transaminase, b71
Central control
antihypertensive agents, b317
blood pressure, b317
GABA receptors, b317
muscimol, b317
Central nervous system
eating, d63
gastric acid secretion, d63
histochemistry, 575
hypoglycemia, d63
immunocytochemistry, 575
insulin, d63
liver, d63
monoclonal antibodies, 575
substance P, 575
Central projection
conduction velocity, 687
lateral geniculate nucleus, 687
retinofugal axons, 687
superior colliculus, 687
Centrifugal modulation
evoked potential, 383
horseradish peroxidase, 383
locus coeruleus, 383
olfactory system, 383
olfactory tubercle, 383
unit activity, 383
Cephalic phase insulin response
hypothalamic hyperphagia, d127
hypothalamic obesity, d127
quinine, d127
saccharin, d127
VMH procainization, d127
Cerebellar degeneration
CSF GABA levels, b741
extrapyrimidal system, b741
involuntary movement disorders, b741
Cerebellum
autoradiography, b149
bicuculline-methiodide, b149
crus I, 267
crus II, 267
CSF, b747
dorsal accessory olive, 267
electrical stimulation, b747
epilepsy, b747
flunitrazepam, b149
GABA receptors, b149
hind brain, 421
horseradish peroxidase, 267
6-hydroxydopa, 421
inferior olive, 267
medial accessory olive, 267
morphine, 421
muscimol, b149
neural regenerative sprouting, 421
noradrenergic system, 421
paramedian, 267
seizure type, b747
spinal cord, b149
tissue culture, b149
vermis, 267
Cerebral arteries
cerebral blood flow, b335
cerebrovascular GABA receptor, b335
GABA-mediated vasodilation, b335
Cerebral blood flow
cerebral arteries, b335
cerebrovascular GABA receptor, b335
GABA-mediated vasodilation, b335
Cerebral blood vessels
cerebrovascular GABA receptor, b173
glutamate decarboxylase, b173
muscimol binding, b173
Cerebral cortex
dopamine, b643
ethanol, b643
GABAergic neurotransmission, b643
intracellular analysis, 725
neostriatum, 725
radioenzymatic assay, 609
serotonin, 609, b643
stimulation, 725
substantia nigra, 725
thalamus, 725
thin-layer chromatography, 609
Cerebral cortex slices
action, b659
amino acid release, b573, b659
baclofen, b513
differential inhibition, b513
pentobarbital, b659
Cerebro-cerebellar systems
basilar pontine nuclei, 277
corticopontine system, 277
development, 277
pontocerebellar system, 277
Cerebrospinal fluid
blood-CSF barrier, 375
α-MSH, 375
Cerebrovascular GABA receptor
cerebral arteries, b335
cerebral blood flow, b335
cerebral blood vessels, b173
GABA-mediated vasodilation, b335
glutamate decarboxylase, b173
muscimol binding, b173
Cerebrovascular permeability
blood-brain barrier, 251
epinephrine, 251
immobilization, 251
malnutrition, 251
norepinephrine, 251
protein deprivation, 251
stress, 251
14C-sucrose permeability, 251
Cetacea
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Cetacean brain
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1

Characterization
GABA-transaminase, b71
Chemencephalon
anterior commissure, 437
anterior olfactory nucleus, 437
dentate gyrus, 437
diagonal band, 437
evoked potentials, 437
hippocampus, 437
lateral olfactory tract, 437
olfactory cortex, 437
olfactory tubercle, 437
perforant path, 437
prepyriform cortex, 437
pyriform cortex, 437
rhinencephalon, 437
septum, 437
Chemical brain stimulation
angiotensin, 501
carbachol, 501
drinking, 501
estrous cycle, 501
sodium appetite, 501
Chemoreceptor
carotid body, 195
immunofluorescence, 195
substance P, 195
Chemosensitive neurons
eating, 153
electroosmosis, 153
gastric acid secretion, 153
gastrin, 153
lateral hypothalamus, 153
neuron population, 153
Chloride ionophores
barbiturates, b919
convulsants, b919
depressant, b919
picrotoxinin, b919
stereoisomers, b919
Chlorobutanol
Limulus ventral photoreceptor, 469
receptor potential, 469
Chlorpromazine
atropine, a33
cimetidine, a33
electrochemical stimulation, a33
gastric mucosal ulceration, a33
medial amygdaloid nucleus, a33
Cholecystokinin
bombesin, d1
eating, d1
insulin, d1
long-term satiety signals, d1
neuroendocrine regulation, d1
satiety signals, d1
short-term satiety signals, d1
somatostatin, d1
Choline acetyltransferase
dopamine, 461
glutamic acid decarboxylase, 461
monkey brain, 461
newborn monkey, 461
norepinephrine, 461
pubescent monkey, 461
Cholinergic inhibition
acetylcholine levels and utilization, b223
bicuculline, b223
cortico-striatal tract, b223
GABA agonists, b223
GABA antagonists, b223
limbic system, b223
muscimol, b223
picrotoxin, b223
striatum, b223
Cholinergic pathway
acetylcholinesterase, 519
anteroventral thalamic nucleus, 519
horseradish peroxidase, 519
Chronic
acute, b913
GABA, b913
GABA bindings, b913
GABA-T, b913
GAD, b913
glutamate, b913
pentobarbital, b913
Chronic decerebrate
ingestion and rejection responses, d79
regulatory responses, d79
sympathoadrenal response, d79
Chronic drug treatment
antischizophrenic drugs, b897
contralateral turning behavior, b897
dopamine, b897
receptors, b897
side effects, b897
Chronic electrodes
dual-in-line, 95
integrated circuits, 95
wire wrapped, 95
Chronic unit recording
awake animals, 91
moveable chronic microelectrodes, 91
single unit activity, 91
Cimetidine
atropine, a33
chlorpromazine, a33
electrochemical stimulation, a33
gastric mucosal ulceration, a33
medial amygdaloid nucleus, a33
Circadian rhythms
protocerebrum, 667
visual system, 667
Clinical investigations
control population selection, b721
CSF GABA, b721
Colchicine
amygdala, 35
sodium appetite, 35
Comparative anatomy—cetacean species
aquatic mammals, c1
archicortex, c1
association cortex, c1
Balaenoptera physalus, c1
cetacea, c1
cetacean brain, c1
comparative neuroanatomy, c1
cortex cytoarchitecture, c1
cytoarchitectonics, c1
Delphinopterus leucas, c1
dolphin brain, c1
heterotypical isocortex, c1
homotypical isocortex, c1
Inia geoffrensis, c1
insula, c1
isocortex, c1
limbic cleft, c1
limbic lobe, c1
neocortex, c1
olfactory lobe, c1
paleocortex, c1
paralimbic cleft, c1
paralimbic lobe, c1

Phocaena phocaena, c1
rhinencephalon, c1
sulci and gyri of whale brain, c1
supralimbic lobe, c1
telencephalon, c1
Tursiops truncatus, c1
whale brain, c1
Comparative neuroanatomy
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Computer modeling
diet dilution, d89
eating, d89
lesions, d89
meal patterns, d89
septum, d89
Conduction velocity
central projection, 687
lateral geniculate nucleus, 687
retinofugal axons, 687
superior colliculus, 687
Conflict
psychological stress, a67
ulcers, a67
Conflict behavior
antianxiety, b839
anxiety, b575
benzodiazepines, b839
diazepam, b575, b839
drug discrimination, b575
muscimol, b839
pentylenetetrazol, b575
punishment, b839
receptors, b839
suppressed responding, b839
valproic acid, b575
Constant superfusion
brain slice, 405
hypothalamus, 405
neurosecretory neurons, 405
osmotic pressure, 405
paraventricular nucleus, 405
ultrastructure, 405
Contralateral turning behavior
antischizophrenic drugs, b897
chronic drug treatment, b897
dopamine, b897
receptors, b897
side effects, b897
Control population selection
clinical investigations, b721
CSF GABA, b721
Convulsants
anticonvulsants, b43
barbiturates, b919
chloride ionophores, b919
depressants, b213, b919
dihydropicrotoxinin, b213
excitation, b43
inhibition, b43
ionophore, b213
picrotoxinin, b919
receptor, b213
spinal neurons, b43
stereoisomers, b919
Convulsions
ammonia, b781
ascorbic acid, b681
benzodiazepines, b861
bicuculline, b861
GABA metabolism, b789
GABA receptors, b209
GABA uptake, b209
isoniazid, b861
lung damage, b681
nerve endings, b925
oxygen, b789
oxygen toxicity, b777, b781
pargyline, b781
succinic acid, b781
synaptosomes, b209
triazolopyridazines, b861
Cortex
dyskinesia, b613
GABA-T inhibitors, b613
hippocampus, 121
morphine, 121
paralysis, 121
picrotoxin, b613
striatum, b613
succinylcholine, 121
thalamus, 121
urethane, 121
Cortex cytoarchitecture
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Cortical inhibition
benzodiazepine receptors, b849
electrophysiology, b849
Cortical responsiveness
sleep, 553
thalamic transmission, 553
waking, 553
Corticopontine system
basilar pontine nuclei, 277
cerebro-cerebellar systems, 277
development, 277
pontocerebellar system, 277
Cortico-reticular epilepsy
acute epileptic foci, b691
homotaurine, b691
kainic acid, b691
Cortico-striatal tract
acetylcholine levels and utilization, b223
bicuculline, b223
cholinergic inhibition, b223
GABA agonists, b223
GABA antagonists, b223
limbic system, b223
muscimol, b223
picrotoxin, b223
striatum, b223
Cross correlogram
amygdala, 291
arcuate nucleus, 291
electrical activity, 291
estrous cycle, 291
preoptic area, 291
Crus I
cerebellum, 267
crus II, 267
dorsal accessory olive, 267
horseradish peroxidase, 267
inferior olive, 267
medial accessory olive, 267
paramedian, 267
vermis, 267
Crus II
cerebellum, 267
crus I, 267
dorsal accessory olive, 267
horseradish peroxidase, 267
inferior olive, 267
medial accessory olive, 267

Crus II (continued)
paramedian, 267
vermis, 267
CSF
amyotrophic lateral sclerosis, b765
cAMP, b585
cerebellum, b747
cGMP, b585
clinical CSF GABA investigations, b721
control population selection, b721
DOPA, b769
electrical stimulation, b747
epilepsy, b747
ethanol, b809
GABA concentration, b725
GABA levels, b111
homocarnosine, b761, b905
homovanillic acid, b585
Huntington's disease, b761
lergotrile, b769
norepinephrine, b765
Parkinson's disease, b769
receptor binding, b809
rostrocaudal concentration, b111
seizure type, b747
sodium valproate, b585
stability, b725
stress, b809
vinyl GABA, b905
withdrawal, b809
CSF GABA
affective disorders, b731
amine metabolites, b755
cerebellar degeneration, b741
depression, b755
essential tremor, b741
extrapyrimidal system, b741
glucose, b731
high performance liquid chromatography, b737
Huntington's disease, b741
involuntary movement disorders, b741
mania, b755
neurological patients, b737
Parkinson's disease, b741
schizophrenia, b731
Cuff
duodenum, d55
pylorus, d55
satiety, d55
stomach, d55
Cultured astrocytes
GABA analogues, b403
GABA transport, b403
GABA transport inhibitors, b403
Current research
emotion, a51
future implications, a51
history, a51
restraint ulcer, a51
stress, a51
Current spread
jaw movement, 487
substantia nigra, 487
Cysteine sulfinate decarboxylase
antiserum production, b713
glutamate decarboxylase, b713
immunocytochemistry, b713
immunoelectrophoresis, b713
suicide substrate, b713
Cytoarchitectonics
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Cytology
horseradish peroxidase, 563
morphology, 563
Purkinje cells, 563

Deafferentiation
autocorrelation, 759
mediobasal hypothalamus, 759
single cell activity, 759
spontaneous activity, 759
Defense reaction
arousal, 227
bradycardia, 227
diencephalon, 227
hypothalamus, 227
rabbit, 227
stimulation, 227
Degenerated nerve elements
electron microscope, 13
medial forebrain bundle, 13
medial hypothalamus, 13
surgical transections, 13
Dehydration
dense core vesicles, 301
intranuclear vacuoles, 301
neuronal cilia, 301
neuronal membrane appositions, 301
neuroplasticity, 301
neurosecretion, 301
paraventricular nucleus, 301
Delphinapterus leucas
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Dense core vesicles
dehydration, 301
intranuclear vacuoles, 301
neuronal cilia, 301
neuronal membrane appositions, 301
neuroplasticity, 301
neurosecretion, 301
paraventricular nucleus, 301
Dentate gyrus
afferent lamination, 217
anterior commissure, 437
anterior olfactory nucleus, 437
chemencephalon, 437
development, 217
diagonal band, 437
evoked potentials, 437
hippocampus, 437
implants, 217
lateral olfactory tract, 437
olfactory cortex, 437
olfactory tubercle, 437
perforant path, 437
prepyriform cortex, 437
pyriform cortex, 437
rhinencephalon, 437
septohippocampal system, 217
septum, 437
2-Deoxy-D-glucose
aphagia, d109
blood glucose, d109
body weight regulation, d109
bombesin, d133
drinking, 593
eating, d37, 593
eyzymes, d37
free fatty acids, d109
galactose, d37
gastric pathology, d109

gastric acid secretion, d133
glucoprivation, d37, 593
glucose, d37
insulin, d37, d109, d133, 593
kainic acid, 593
lateral hypothalamus, d109, d133
lesions, d109
metabolism, d37
neurotensin, d133
ontogenesis, d37
osmoregulation, 593
parasagittal knife cuts, d109
phloridzin, d37
triglycerides, d109
zona incerta, 593
^{14}C-Deoxyglucose
diaphragm, d43
energy homeostasis, d43
glycolysis, d43
hunger, d43
metabolism, d43
optical density, d43
streptozotocin-diabetes, d43
ventromedial hypothalamus, d43
Depressants
barbiturates, b919
chloride ionophores, b919
convulsants, b213, b919
dihydropicrotoxinin, b213
ionophore, b213
picrotoxinin, b919
receptor, b213
stereoisomers, b919
Depression
amine metabolism, b755
CSF GABA, b755
epilepsy, b411
GABA mimetic, b411
Huntington's chorea, b411
mania, b755
schizophrenia, b411
SL 76 002, b411
spasticity, b411
Desensitization
allosteric preconditioning, b161
GABA receptor, b161
hysteric properties, b161
sensitization, b161
Deturgescence
endothelial pump, b485
glucose, b485
insulin, b485
rabbit corneal, b485
Development
afferent lamination, 217
basilar pontine nuclei, 277
benzodiazepine receptor, b857
cerebro-cerebellar systems, 277
corticopontine system, 277
dentate gyrus, 217
flunitrazepam, b857
GABA neurons, b37
GABA release, b37
GABA uptake, b37
implants, 217
induction, b381
metamorphosis, b381
pontocerebellar system, 277
septohippocampal system, 217
stereochemical sepcificity, b381
Developmental disturbances
acid secretion, a43
early life events, a43
gastric erosions, a43
maternal separation, a43
peptic ulcer susceptibility, a43
restraint stress, a43
temperature regulation, a43
Developmental protein malnutrition
bilateral adrenalectomy, 451
brain indoleamine metabolism, 451
nonesterified fatty acids, 451
plasma corticosterone concentrations, 451
systemic tryptophan metabolism, 451
tryptophan hydroxylase activity, 451
tryptophan pyrrolase activity, 451
Dexetimide
motor behavior, 223
neuroleptic inhibition, 223
prefrontal cortex, 223
self-stimulation, 223
spiroperidol, 223
Diagonal band
anterior commissure, 437
anterior olfactory nucleus, 437
chemencephalon, 437
dentate gyrus, 437
evoked potentials, 437
hippocampus, 437
lateral olfactory tract, 437
olfactory cortex, 437
olfactory tubercle, 437
perforant path, 437
prepyriform cortex, 437
pyriform cortex, 437
rhinencephalon, 437
septum, 437
Diaphragm
^{14}C-deoxyglucose, d43
energy homeostasis, d43
glycolysis, d43
hunger, d43
metabolism, d43
optical density, d43
streptozotocin-diabetes, d43
ventromedial hypothalamus, d43
Diazepam
antianxiety, b839
anxiety, b575
astrocytes, b653
benzodiazepine receptors, b681
benzodiazepines, b673, b705, b839
barbiturates, b653
conflict behavior, b575, b839
drug discrimination, b575
extrapyrimidal system, b673
GABA agonists, b705
GABA mechanisms, b673
horseradish peroxidase, 61
kainic acid lesions, 61
limbic system, b673
morphological and behavioral changes, 61
motion sickness, b705
muscimol, b839
neuroanatomical model, b673
oxygen uptake, b653
pathogenesis, b673
pentylenetetrazol, b575
phenobarbital, b653
potassium uptake, b653
punishment, b839
receptors, b839
stereoselective GABA agonists, b681
strychnine, b681

Diazepam (continued)
suppressed responding, b839
tardive dyskinesia, b673
thalamus, 61
treatment, b673
valproic acid, b575
vestibuloocular reflexes, b705
Diazepam receptors
GABA receptors, b879
Purkinje cell, b879
Dibutyryl-cGMP
calcium, a15
carbachol, a15
16-16 dimethyl prostaglandin E_2, a15
gastric bicarbonate secretion, a15
gastric mucosal protection, a15
Diencephalon
arousal, 227
bradycardia, 227
defense reaction, 227
hypothalamus, 227
rabbit, 227
stimulation, 227
Diet dilution
computer modeling, d89
eating, d89
lesions, d89
meal patterns, d89
septum, d89
Dietary GABA
brain, b245
dietary protein, b245
eating, b245
GABA transaminase, b245
growth, b245
kidney, b245
liver, b245
Dietary protein
brain, b245
dietary GABA, b245
eating, b245
GABA transaminase, b245
growth, b245
kidney, b245
liver, b245
Differential distribution
dorsal-ventral axis, 771
hippocampal formation, 771
norepinephrine, 771
serotonin, 771
Differential inhibition
amino acid release, b513
baclofen, b513
cerebral cortex slices, b513
Digitonin
acetylcholine, 703
biochemical characterization, 703
muscarinic receptors, 703
Dihydropicrotoxinin
convulsants, b213
depressants, b213
ionophore, b213
receptor, b213
16-16 Dimethyl prostaglandin E_2
calcium, a15
carbachol, a15
dibutyl-cGMP, a15
gastric bicarbonate secretion, a15
gastric mucosal protection, a15
Diphenylhydantion
anticonvulsant, b833
benzodiazepine binding, b833
GABAergic neurons, b833
Dipropylacetamide
dopamine, b421
extrapyramidal system, b421
GABA-dopamine interactions, b421
limbic system, b421
muscimol, b421
SL 76 002, b421
tyrosine hydroxylase, b421
n-Dipropylacetate
amino-oxyacetic acid, b13
anticonvulsants, b13
metabolic compartmentation, b13
γ-vinyl-GABA, b13
Dipsogenic effect
drinking, 719
L-5-hydroxytryptophan, 719
Discrete brain areas
aggression, 81
alpha-methyl-para-tyrosine, 81
catecholamine variations, 81
dopamine, 81
isolation-induced aggression, 81
norepinephrine, 81
Discrimination
amygdala, d143
bar press, d143
drive, d143
eating, d143
lateral hypothalamus, d143
reward, d143
unit activity, d143
Diuresis
anticipatory reflexes, d97
glucagon, d97
gustatory projections, d97
insulin, d97
integration, d97
osmosensitive neurons, d97
satiation, d97
Dolphin brain
anatomy, c1
comparative anatomy—cetacean species, c1
L-Dopa
apomorphine, b427
baclofen, b427
CSF, b769
dyskinesias, b589
growth hormone, b427
haloperidol, b427
lergotrile, b769
Parkinsonism, b589, b769
prolactin, b427
sodium valproate, b427, b589
tardive dyskinesia, b427
Dopamine
acetylcholine, b487
aggression, 81
alpha-methyl-para-tyrosine, 81
amphetamine, 539
anticholinergics, b885
antischizophrenic drugs, b897
apomorphine, 349, 679
autoreceptors, b531
baclofen, b531, b885
basal ganglia, b261
behavior, b261
benzodiazepines, b885
catalepsy, b261
catecholamine variations, 81
caudate nucleus, b891
cerebral cortex, b643

choline acetyltransferase, 461
chronic drug treatment, b897
contralateral turning behavior, b897
dipropylacetamide, b421
discrete brain areas, 81
dyskinesia, b487
electromyographical activity, b891
estrogen, 679
ethanol, b643
extrapyrimidal system, b421, b487
GABA, b231, 239
GABA-dopamine interactions, b421
GABAergic neurotransmission, b643
glutamic acid decarboxylase, 461
gonadal steroids, 539
Huntington's chorea, b487
hypothalamus, 239
interaction, b885
isolation-induced aggression, 81
lateralization, 539
LHRH, 239
limbic system, b261, b421, b487
mesolimbic system, b231
monkey brain, 461
muscimol, b421
newborn monkey, 461
norepinephrine, 81, 239, 461, b531
oxygen consumption, 349
Parkinson's disease, b487
picrotoxin, b531
pimozide, 349
pituitary, 239
primate, 349
prolactin, 239
pubescent monkey, 461
receptors, b897
rigidity, b891
rotational behavior, 539
schizophrenia, b487, b231, b261
serotonin, b545, b643
sex differences, 539
side effects, b897
SL 76 OV2, b421
stereotyped behavior, b261
stereotypies, b885
stereotypy, 679
striatum, 539, b545
temperature regulation, 349
tyrosine hydroxylase, b421
Dopamine-β-hydroxylase
autonomic hypothesis, d119
gastric acid, d119
hyperinsulinemia, d119
lipoprotein lipase, d119
pyruvate dehydrogenase, d119
salivary glands, d119
sympathetic suppression, d119
vagal hyperactivity, d119
ventromedial hypothalamic obesity, d119
Dopamine cells
feedback inhibition, b105
haloperidol, b109
muscimol, b109
noxious stimulus, b109
peripheral and striatal influences, b109
single-unit recording, b109
substantia nigra, b109
Dopamine neurons
GABA agonists, b465
muscimol, b465
substantia nigra, b465
THIP, b465
ventral tegmental area, b465
Dopamine synthesis
ethanolamine-O-sulfate, b633
GABA-T inhibition, b633
haloperidol, b633
Dopaminergic receptors
acetylcholine, 23
plasma gonadotropin, 23
prolactin, 23
ovariectomy, 23
Dopaminergic terminals
anterior cingulate cortex, 425
bed nucleus of stria terminalis, 425
Fink-Heimer method, 425
6-hydroxydopamine, 425
lateral septal nucleus, 425
parabrachial nucleus, 425
Dorsal accessory olive
cerebellum, 267
crus I, 267
crus II, 267
horseradish peroxidase, 267
inferior olive, 267
medial accessory olive, 267
paramedian, 267
vermis, 267
Dorsal midbrain
lesions, 359
lordosis, 359
Dorsal motor nucleus of vagus
afferent projections, 365
horseradish peroxidase, 365
Dorsal nucleus of the vagus
cats, b295
gastric acid secretion, 245
lateral hypothalamus, 245
lateral reticular nucleus, b295
medulla oblongata, 245
nucleus ambiguus, b295
nucleus of the tractus solitarius, b295
nucleus raphe dorsalis, b295
periaqueductal gray, b295
stereotaxic atlas, b295
vagal discharge, 245
vagus, 245
Dorsal root ganglia
amino acids, b83
autoradiography, b77
GABA binding, b83
GABA-mimetics, b471
GABA-responses, b471
GABA transport, b83
glial GABA uptake, b77
peripheral glia, b83
sensory neurones, b471
Dorsal-ventral axis
differential distribution, 771
hippocampal formation, 771
norepinephrine, 771
serotonin, 771
Dose-response
baclofen, b537
feedback loops, b537
haloperidol, b537
Parkinsonian side effects, b537
potentiation, b537
single unit recording, b537
specificity, b537
substantia nigra, b537
Drinking
angiotensin, 501
body weight, d7, d13

Drinking (continued)
carbachol, 501
chemical brain stimulation, 501
2-deoxy-D-glucose, 593
dipsogenic effect, 719
drugs, b237
eating, d7, d13, b237, 593
estrous cycle, 501
glucoprivation, 593
humoral factors, d13
insulin, d7, 593
kainic acid, 593
L-5-hydroxytryptophan, 719
lateral hypothalamus, b237
meal patterns, d7
minipump, d7
osmoregulation, 593
parabiotic rats, d13
paraventricular hypothalamus, b237
regulation, d13
satiety, d7
sodium appetitie, 501
streptozotocin-diabetes, d7
ventromedial hypothalamus, b237
zona incerta, 593
Drive
amygdala, d143
bar press, d143
discrimination, d143
eating, d143
lateral hypothalamus, d143
reward, d143
unit activity, d143
Drug
acetylcholine, 9, 23, b223, b369, b487, b549
γ-acetylenic GABA, b269, b375, b439, b461, b627
allylglycine, b439, b605, b815
amino-oxyacetic acid, b13, b415, b433, b461, b595, b701
3-aminopropane sulphonic acid, b141
amphetamine, b237, 539, b609
apomorphine, b269, 349, b427, b433, b439, 679, 745
alpha-methyl-para-tyrosine, 81
ascorbic acid, b781
atropine, a33
baclofen, b427, b433, b447, b497, b503, b507, b513, b519, b525, b531, b537, b545, b549, b553, b559, b565, b685
barbiturates, b873
benzodiazepines, b155, b167, b217, b639, b673, b681, b701, b705, b773, b829, b833, b839, b849, b853, b857, b861, b867, b873, b879, b885
bicarbonate, a15
bicuculline, b141, b223, b275, b303, b381, b415, b433, b439, b447, b453, b639, b681, b805, b861
bicuculline-methiodide, b149, b237, b681
t-butylbicyclophosphate, b141
γ-butyrolactone, b89, b519
calcium, a15
capsaicin, 755
carbachol, a15, b237, 501
chlordiazepoxide, 31, b805, b849
chlorpromazine, a33, b897
cimetidine, a33
clozapine, b849, b897
colchicine, 35
cysteine sulfinate decarboxylase, b713
2-deoxy-D-glucose, d37, d109, d133, 593
^{14}C-deoxyglucose, d43
dexetimide, 223
diazepam, 61, b519, b575, b673, b681, b705, b839, b879
dibutyryl-cGMP, a15
dihydropicrotoxinin, b213
dihydroxyphenylacetic acid, b369
digitonin, 703
16-16 dimethyl prostaglandin E_2, a15
diphenylhydantoin, b833
dipropylacetamide, b421
n-dipropylacetate, b13
DOPA (see L-DOPA)
dopamine, 81, b105, b231, b261, b269, b369, b439, b487, b531, b545, b643, 679, b885, b891, b897
(Des-Tyr^1)-leu-enkephalin, 415
(D-ala^2)-met-enkephalinamide, 415
epinephrine, d75
ethanol, 297, b647, b809, b815
ethanolamine-O-sulfate, b461, b595, b621, b633
ethylketocyclazocine, 615
etomidate, b805
fenfluramine, b237
flunitrazepam, b75, b149, b155
flurazepam, b237, b805, b849
gabaculine, b381, b627
glucose, b731
glutamate, b127, b389, b507, b647, b913
glutamate apodecarboxylase, b57
L-glutamate decarboxylase, b1, b21, b31, b57, b63, b173, b369, b713, b913
glutamine, b389, b1271
glycine, b237
haloperidol, b105, b427, b433, b439, b537, b549, b885, b897
halothane, b477, 619
harmaline, 589
homocarnosine, b761, b905
homotaurine, b691
homovanillic acid, b585, b369
4-hydroxybutyrate, b685
6-hydroxydopa, 421
6-hydroxydopamine, 425
5-hydroxyindoleacetic acid, b369
insulin, b485
iprindole, b639
isogabaculine, b627
isoguvacine, b141
isoniazid, b605, b861
isonicotinic acid hydrazide, b701
kainic acid, b131, b519, b691
kyotorphin, 415
L-DOPA, b427, b589, b769
lergotrile, b769
leucine, 1
Lioresal (baclofen), b565
methobromide, b141
methylphenidate, b525, b885
metrazol, b519
mianserin, b639
morphine, 121, d169, 421, b553, b797
muscimol, b12, b20, b21, b25, b36, b41, b66, b89, b105, b149, b167, b173, b201, b223, b237, b269, b275, b303, b317, b361, b415, b421, b433, b439, b447, b461, b465, b491, b503, b519, b595, b685, b839, b885, b897
naloxone, d169, 415, 615
nipecotamide, b601
nipecotic acid, b685
nomifensin, b639
norepinephrine, 81, b179, b531, 649, 683, b765, 771
ouabain, 75
oxygen, b777, b781, b789
pargyline, 589, b781
penicillin G, b621
pentazocine, 615
pentobarbital, b659, b665, b913
pentylenetetrazol, b575
phenylquinone, b553
phloridzin, d37
picrotoxin, b43, b141, b217, b223, b237, b303, b381, b415, b433,

b447, b519, b531, b613, b805, b919
pimozide, 349
propantheline bromide, 525
pyridoxal phosphate, b57, b101
γ-quanidinobutyric acid, b381
Ro4-1284, 589
serotonin, b507, b545, b643
serotonin N-acetyltransferase, b179
SL 76 002, b411, b421, b439, b487
sodium, 35
sodium salicylate, 69
sodium valproate, b427, b585, b589, b621
spiroperidol, 223
streptozotocin, d7, d43
strychnine, b237, b681
succinic acid, b781
succinylcholine, 121
tetrodoxin, 75
thiosemicarbazide, b605
THIP, b465, b681, b685, b885
triazolopyridazines, b861
tyrosine hydroxylase, b421, b439, b897
urethane, 121
valproate, b579, b797, b805
valproic acid, b575, b601
γ-vinyl GABA, b375, b609, b627
Drug discrimination
antinociception, b553
anxiety, b575
baclofen, b553
conflict behavior, b575
diazepam, b575
morphine, b553
mouse jumping, b553
pentylenetetrazol, b575
phenylquinone writhing, b553
pinch response, b553
tail-flick, b553
valproic acid, b575
Drugs
drinking, b237
eating, b237
lateral hypothalamus, b237
paraventricular hypothalamus, b237
ventromedial hypothalamus, b237
Duodenal ulcer
gastric acid secretion, a37
gastric emptying, a37
gastrin, a37
physiological abnormalities, a37
plasma pepsinogen, a37
Duodenal ulcer disease
psychosomatic model, a39
specificity hypothesis, a39
ulcer personality, a39
Duodenum
cuff, d55
pylorus, d55
satiety, d55
stomach, d55
Dyskinesia
acetylcholine, b487
cortex, b613
L-DOPA, b589
dopamine, b487
extrapyramidal system, b487
GABA-dopamine interrelationships, b269
GABA-T inhibitors, b613
Huntington's chorea, b487
limbic system, b487
locomotion, b269
movement disorders, b269
Parkinsonism, b487, b589
picrotoxin, b613
primates, b269
receptor hypersensitivity, b269
schizophrenia, b269, b487
sodium valproate, b589
stereotypy, b269
striatum, b613

Early life events
acid secretion, a43
developmental disturbances, a43
gastric erosions, a43
maternal separation, a43
peptic ulcer susceptibility, a43
restraint stress, a43
temperature regulation, a43
Eating
amygdala, d143
autonomic nervous system, d103
bar press, d143
bicuculline, b453
blood glucose levels, d17
body weight, d7, d13, d69, d103, 525
bombesin, d1
brain, b245
central nervous system, d63
chemosensitive neurons, 153
cholecystokinin, d1
computer modeling, d89
2-deoxy-D-glucose, d37, 593
diet dilution, d89
dietary GABA, b245
dietary protein, b245
discrimination, d143
drinking, d7, d13, b237, 593
drive, d143
drugs, b237
electroosmosis, 153
enzymes, d37
food deprivation, d17
free fatty acids, d23
GABA transaminase, b245
galactose, d37
gas chromatography-mass spectrometry, d23
gastric acid secretion, d63, 153
gastrin, 153
genetic obesity, d69
glucoprivation, d37, 593
glucose, d29, d37, b453
glycerol, d29
growth, b245
gustatory, d169
high fixed ratio schedule, d151
humoral factors, d13
hyperphagia, b793
hypoglycemia, d63
hypothalamic obesity, d69
hypothalamus, b793
inhibition, d169
insulin, d1, d7, d37, d63, 593
insulin secretion, d103
jejunoileal bypass, d69
kainic acid, 593
kidney, b245
lateral hypothalamus, d143, d151, 153, b237, 525
lesion, b793
lesions, d89, 525
liver, d63, b245
liver glycogen levels, d17
long-term satiety signals, d1

Eating (continued)
meal patterns, d7, d29, d89
metabolism, d37, b253
minipump, d7
morphine, d169
motor cortex, d151
naloxone, d169
neuroendocrine regulation, d1
neuron population, 153
obesity, b793
ontogenesis, d37
orbitofrontal cortex, d151
organic acids, d23
osmoregulation, 593
pancreatic glucagon, d17
parabiotic rats, d13
parasympathetic neural input, d103
paraventricular hypothalamus, b237
phloridzin, d37
propantheline bromide, 525
push-pull perfusion, b253
pyramidal tract neurons, d151
recovery of function, 525
regulation, d13, b253
reversible, d169
reward, d143
satiety, d7
satiety signals, d1
septum, d89
short-term food intake regulation, d17
short-term satiety signals, d1
somatostatin, d1
spontaneous obesity, d69
starvation, d23
streptozotocin-diabetes, d7
sympathetic-neural input, d103
twilight Zeitgebers, d23
unit activity, d143
ventromedial hypothalamus, b237, b253, b453
weight regulation, d29
zona incerta, 593
EEG
amplitude-intensity function, 207
auditory evoked potential, 207
baclofen, b507
baclofen derivatives, b507
brain temperature, 479
electrode implant, 479
EMG, 479
glutamate, b507
human, 207
latency-intensity function, 207
microiontophoresis, b507
reliability, 207
serotonin, b507
small animals, 479
EEG ontogeny
brain development, 51
hippocampus, 51
power spectral analysis of EEG, 51
protein malnutrition, 51
slow-wave sleep, 51
theta activity, 51
Efferents
anterior hypothalamic area, 693
autoradiography, 257, 693
guinea pig, 257
hypothalamus, 257
preoptic area, 257
Electrical activity
amygdala, 291
aplysia, 233
arcuate nucleus, 291
cross correlogram, 291
estrous cycle, 291
intracellular recording, 233
LHRH, 233
preoptic area, 291
white cells, 233
Electrical stimulation
cerebellum, b747
CSF, b747
epilepsy, b747
seizure type, b747
Electroacupuncture
caudal spinal trigeminal nucleus, 751
jaw opening, 751
Electrochemical stimulation
atropine, a33
chlorpromazine, a33
cimetidine, a33
gastric mucosal ulceration, a33
medial amygdaloid nucleus, a33
Electrode-cannula
bicuculline, b275
intracerebral infusion, b275
motor activity, b275
muscimol, b275
self-stimulation, b275
Electrode implant
brain temperature, 479
EEG, 479
EMG, 479
small animals, 479
Electrode placement
rat, 135
stereotaxic variability, 135
Electron microscope
degenerated nerve elements, 13
medial forebrain bundle, 13
medial hypothalamus, 13
surgical transections, 13
Electronic switch
amplifier overload prevention, 765
neurophysiology, 765
Electromicroscopic autoradiography
benzodiazepine receptors, b155
flunitrazepam, b155
photoaffinity labeling, b155
Electromyographical activity
caudate nucleus, b891
dopamine, b891
opioids, b891
rigidity, b891
Electroosmosis
chemosensitive neurons, 153
eating, 153
gastric acid secretion, 153
gastrin, 153
lateral hypothalamus, 153
neuron population, 153
Electroshock
baclofen, b519
GABA mimetics, b519
kainic acid, b519
rotorod, b519
Electrophysiology
benzodiazepine receptor affinity, b849
cortical inhibition, b849
glial cells, b397
neurone-glia interaction, b397
nigrothalamic pathway, b7
thalamus, b7
tissue culture, b397

EMG
brain temperature, 479
EEG, 479
electrode implant, 479
small animals, 479
Emotion
current research, a51
future implications, a51
history, a51
restraint ulcer, a51
stress, a51
β-Endorphin
(Des-Tyr¹)-leu-enkephalin, 415
(D-Ala²)-met-enkephalinamide, 415
kyotorphin, 415
naloxone, 415
opioid receptors, 415
thermoregulation, 415
Endoscopy
gastric-kinetics, a59
gastroduodenal mucosa, a59
multiple stress procedure, a59
peptic ulcer, a59
Endothelial pump
deturgescence, b485
glucose, b485
insulin, b485
rabbit corneal, b485
Energy homeostasis
^{14}C-deoxyglucose, d43
diaphragm, d43
glycolysis, d43
hunger, d43
metabolism, d43
optical density, d43
streptozotocin-diabetes, d43
ventromedial hypothalamus, d43
(Des-Tyr¹)-Leu-Enkephalin
β-endorphin, 415
(D-Ala²)-met-enkephalinamide, 415
kyotorphin, 415
naloxone, 415
opioid receptors, 415
thermoregulation, 415
Enkephalin analogues
FK 33-824, 47
peptidase degradation, 47
(D-Ala²)-Met-Enkephalinamide
β-endorphin, 415
(Des-Tyr¹)-leu-enkephalin, 415
kyotorphin, 415
naloxone, 415
opioid receptors, 415
thermoregulation, 415
Enriched environment
acetylcholine, 9
biorhythms, 105
impoverished environment, 9, 105
long-term recall, 9
memory storage processes, 9, 105
paradoxical sleep, 9, 105
sleep circadian rhythmicity, 105
slow-wave sleep, 9, 105
Entopeduncular nucleus
GABA system, b1
mammalian habenula, b1
Enzyme kinetics
blood platelets, b115
GABA-T, b115
human brain, b115
Enzyme turnover
γ-acetylenic GABA, b375
GABA-T, b375
GAD, b375
γ-vinyl GABA, b375
Enzymes
2-deoxy-D-glucose, d37
eating, d37
galactose, d37
glucoprivation, d37
glucose, d37
insulin, d37
metabolism, d37
ontogenesis, d37
phloridzin, d37
Epilepsy
allylglycine, b605
anticonvulsant, b685
cerebellum, b747
CSF, b747
depression, b411
electrical stimulation, b747
GABA agonists, b685
GABA mimetic, b411
GABA uptake blockade, b685
GAD inhibitors, b605
Huntington's chorea, b411
isoniazid, b605
muscimol, b685
nipecotic acid, b685
seizure type, b747
schizophrenia, b411
SL 76 002, b411
spasticity, b411
thiosemicarbazide, b605
Epinephrine
blood-brain barrier, 251
cerebrovascular permeability, 251
glucose, d75
glycerol, d75
hyperactivity, d75
immobilization, 251
malnutrition, 251
mesencephalic rats, d75
norepinephrine, 251
protein deprivation, 251
stress, 251
^{14}C-sucrose permeability, 251
Essential tremor
cerebellar degeneration, b741
CSF GABA levels, b741
extrapyrimidal system, b741
Huntington's disease, b741
involuntary movement disorders, b741
Parkinson's disease, b741
Estrogen
apomorphine, 679
dopamine, 679
stereotypy, 679

Estrous cycle
amygdala, 291
angiotensin, 501
arcuate nucleus, 291
carbachol, 501
chemical brain stimulation, 501
cross correlogram, 291
drinking, 501
electrical activity, 291
hypothalamus, 531
knife cuts, 531
preoptic area, 291
sexual behavior, 531
sodium appetite, 501

Ethanol
allylglycine, b815
amino acid transmitters, b647
audiogenic seizures, b815
cerebral cortex, b643
CSF, b809
dopamine, b643
GABA-T inhibitors, b815
GABAergic neurotransmission, b643
gangliosides, b647
glutamate, b647
inequality testing, 297
information processing, 297
noise, 297
receptor binding, b809, b815
serotonin, b643
stress, b809
synaptic membrane, b647
unit activity, 297
variability, 297
withdrawal, b809
Ethanolamine-O-sulfate
aminooxyacetic acid, b595
anorexia, b595
body weight, b595
dopamine synthesis, b633
GABA metabolism, b621
GABA-T inhibitors, b621, b633
GAD, b621
haloperidol, b633
muscimol, b595
penicillin G, b621
sodium valproate, b621
Ethylketocyclazocine
naloxone, 615
opioid receptors, 615
pentazocine, 615
thermoregulation, 615
Event-related potentials
frontal cortex, 199
visual cortex, 199
Evoked potential
centrifugal modulation, 383
horseradish peroxidase, 383
locus coeruleus, 383
olfactory system, 383
olfactory tubercle, 383
unit activity, 383
Evoked potentials
anterior commissure, 437
anterior olfactory nucleus, 437
chemencephalon, 437
dentate gyrus, 437
diagonal band, 437
hippocampus, 437
lateral olfactory tract, 437
olfactory cortex, 437
olfactory tubercle, 437
perforant path, 437
prepyriform cortex, 437
pyriform cortex, 437
rhinencephalon, 437
septum, 437
Evoked response
pain, 547
thalamus, 547
tooth pulp, 547
Excitability
antidromic activity, 345
lateral geniculate, 345
rebound excitation, 345
Excitation
anticonvulsants, b43
convulsants, b43
inhibition, b43
spinal neurons, b43
Excitatory amino acids
arcuate nucleus, b361
inhibitory amino acids, b361
neuroendocrine interactions, b361
Extracellular recording
laminectomy, 87
spinal investigation unit, 87
Extrapyramidal system
acetylcholine, b487
benzodiazepines, b673
cerebellar degeneration, b741
CSF GABA levels, b741
diazepam, b673
dipropylacetamide, b421
dopamine, b421, b487
dyskinesia, b487
essential tremor, b741
GABA-dopamine interactions, b421
GABA mechanisms, b673
GAD, b131
Huntington's chorea, b487
Huntington's disease, b741
involuntary movement disorders, b741
kainic acid, b131
limbic system, b421, b487, b673
muscimol, b421
neuroanatomical model, b673
Parkinson's disease, b487, b741
pathogenesis, b673
schizophrenia, b487
SL 76 002, b421
striatum, b131
tardive dyskinesia, b673
treatment, b673
tyrosine hydroxylase, b421

Fear
psychological stress, a67
ulcers, a67
Feedback inhibition
dopamine cells, b109
haloperidol, b109
muscimol, b109
noxious stimulus, b109
peripheral and striatal influences, b109
single-unit recording, b109
substantia nigra, b109
Feedback loops
baclofen, b537
dose-response, b537
haloperidol, b537
Parkinsonian side effects, b537
potentiation, b537
single unit recording, b537
specificity, b537
substantia nigra, b537
Female rats
muscimol, b355
prolactin, b355
Fever
amino acids, 653
antipyresis, 69
bacterial infection, 69
hypothermia, 653
mortality rate, 69
preoptic-anterior hypothalamus, 69
serine, 653
sodium salicylate, 69
thermoregulation, 653

Fink-Heimer method
anterior cingulate cortex, 425
bed nucleus of stria terminalis, 425
dopaminergic terminals, 425
6-hydroxydopamine, 425
lateral septal nucleus, 425
parabrachial nucleus, 425
FK 33-824
enkephalin analogues, 47
peptidase degradation, 47
Flunitrazepam
autoradiography, b149
benzodiazepine receptors, b155, b857
cerebellum, b149
development, b857
electronmicroscopic autoradiography, b155
GABA receptors, b149
photoaffinity labeling, b155
spinal cord, b149
tissue cultures, b149
Food deprivation
blood glucose levels, d17
eating, d17
liver glycogen levels, d17
pancreatic glucagon, d17
short-term food intake regulation, d17
Forebrain
glycoprotein sugars, 31
radiolabelled sugars, 31
synaptic junctional macromolecules, 31
Free fatty acids
aphagia, d109
blood glucose, d109
body weight regulation, d109
2-deoxy-D-glucose, d109
eating, d23
gas chromatography-mass spectrometry, d23
gastric pathology, d109
insulin, d109
lateral hypothalamus, d109
lesions, d109
organic acids, d23
parasagittal knife cuts, d109
starvation, d23
triglycerides, d109
twilight Zeitgebers, d23
Freeze-dried tissue
monoamines, 599
neuronal interactions, 599
neuropeptides, 599
simultaneous histofluorescence-immunocytochemistry, 599
Frontal cortex
brain-stimulation reward, 111
event-related potentials, 199
orbitofrontal cortex, 111
self-stimulation, 111
visual cortex, 199
Future implications
restraint ulcer: history and current research, a51
stress, a51

GABA
activation, 745
apomorphine, 745
dopamine, 239
hypothalamus, 239
lateralization, 745
LHRH, 239
norepinephrine, 239
perioral biting reflex, 745
pituitary, 239
prolactin, 239
sensorimotor field, 745
GABA activation
benzodiazepine receptors, b853
triton-treated membranes, b853
GABA agonists
acetylcholine levels and utilization, b223
anticonvulsant, b685
benzodiazepine, b701, b705
benzodiazepine interactions, b867
bicuculline, b223
catalepsy, b439
cholinergic inhibition, b223
cortico-striatal tract, b223
diazepam, b705
dopamine neurons, b465
epilepsy, b685
GABA antagonists, b223
GABA-dopamine interactions, b439
GABA receptor model, b867
GABA uptake blockade, b685
limbic system, b223
motion sickness, b705
muscimol, b223, b465, b685
nigrostriatal dopamine pathway, b439
nipecotic acid, b685
picrotoxin, b223
pituitary action of GABA, b701
prolactin, b701
prolactin release inhibition, b701
receptor supersensitivity, b439
stereotyped behavior, b439
striatum, b223
substantia nigra, b465
THIP, b465
ventral tegmental area, b465
vestibuloocular reflexes, b705
GABA analogues
cultured astrocytes, b403
GABA transport, b403
GABA transport inhibitors, b403
GABA antagonists
acetylcholine levels and utilization, b223
bicuculline, b223
cholinergic inhibition, b223
corticostriatal tract, b223
GABA agonists, b223
limbic system, b223
muscimol, b223
picrotoxin, b223
striatum, b223
GABA binding
acute, b913
amino acids, b83
cAMP, b347
baclofen, b503
chronic, b913
dorsal root ganglia, b83
GABA receptor, b201
GABA-T, b913
GABA transport, b83
GABA uptake, b347
GAD, b913
ganglionectomy, b347
glia, b201
glial GABA, b342
glutamate, b913
cGMP, b347
Huntington's disease, b825
kainic acid, b825
lysine residue, b101
muscimol, b201, b503

GABA binding (continued)
norepinephrine, b179
pentobarbital, b913
peripheral glia, b83
pineal glands, b179, b347
pyridoxal phosphate, b101
rotational behavior, b503
serotonin N-acetyltransferase, b179
striatonigral GABA pathway, b825
substantia nigra, b503, b825
supersensitivity, b825
tissue culture, b201
transporter, b101
GABA concentration
CSF, b725
stability, b725
GABA content
central vagal outflow, b325
nucleus ambiguus, b325
specific ^{3}H-GABA binding, b325
GABA degradation
anesthetic agents, b909
brain slices, b909
branched-chain fatty acids, b797
GABA "disposal," b909
GABA-T, b909
GABA uptake, b909
morphine abstinence syndrome, b797
synaptosomes, b909
valproate, b797
GABA depolarization
GABA transport, b291
olfactory cortex, b291
GABA "disposal"
anesthetic agents, b909
brain slices, b909
GABA degradation, b909
GABA-T, b909
GABA uptake, b909
synaptosomes, b909
GABA-dopamine interactions
catalepsy, b439
dipropylacetamide, b421
dopamine, b421
dyskinesias, b269
extrapyramidal system, b421
GABA agonists, b439
limbic system, b421
locomotion, b269
movement disorders, b269
muscimol, b421
nigrostriatal dopamine pathway, b439
primates, b269
receptor hypersensitivity, b269
receptor supersensitivity, b439
schizophrenia, b269
SL 76 002, b431
stereotyped behavior, b439
stereotypy, b269
tyrosine hydroxylase, b421
GABA efflux
glutamate, b127
glutamine, b127
mass fragmentography, b127
GABA levels
CSF, b111
origin, b111
rostrocaudal concentration, b111
GABA mechanisms
benzodiazepines, b673
diazepam, b673
extrapyramidal system, b673
limbic system, b673
neuroanatomical model, b673
pathogenesis, b673
tardive dyskinesia, b673
treatment, b673
GABA-mediated vasodilation
cerebral arteries, b335
cerebral blood flow, b335
cerebrovascular GABA receptor, b335
GABA metabolism
convulsions, b789
ethanolamine sulfate, b621
GABA-T inhibitors, b621
GAD, b621
oxygen, b789
penicillin G, b621
sodium valproate, b621
GABA mimetics
baclofen, b519
depression, b411
dorsal root ganglion, b471
electroshock, b519
epilepsy, b411
GABA-responses, b471
Huntington's chorea, b411
kainic acid, b519
rotorod, b519
schizophrenia, b411
sensory neurones, b471
SL 76 002, b411
spasticity, b411
GABA neurons
amacrine cell, b21
development, b37
GABA-release, b37
GABA-uptake, b37
glutamate decarboxylase, b21
immunohistochemistry localization, b21
retina, b21
GABA receptor model
benzodiazepine interactions, b867
GABA agonists, b867
GABA receptor
allosteric preconditioning, b161
antihypertensive agents, b317
autoradiography, b145, b149
bicuculline-methiodide, b149
blood pressure, b317
central control, b317
cerebellum, b149
convulsion, b209
desensitization, b161
diazepam receptors, b879
flunitrazepam, b149
GABA binding, b201
glia, b201
Huntington's chorea, b285
hysteric properties, b161
mammalian retina, b189
muscimol, b149, b201, b317
phospholipids, b285
primary brain cultures, b195
Purkinje cell, b879
sensitization, b161
spinal cord cultures, b195
spinal cord, b149
synaptosomes, b209
tissue culture, b149, b201
GABA-release
development, b37
GABA neurons, b37
GABA-uptake, b37

GABA-responses
dorsal root ganglion, b471
GABA-mimetics, b471
sensory neurones, b471
GABA synthesis
γ-butyrolactone, b89
glutamate decarbosylase, b89
muscimol, b89
pyridoxal-5′-phosphate, b89
synaptosomes, b89
GABA system
entopeduncular nucleus, b1
globus pallidus, b1
glutamate decarboxylase, b1
lateral habenular nucleus, b1
mammalian habenula, b1
medial habenular nucleus, b1
nucleus diagonal band (Broca), b1
stria medullaris, b1
GABA transaminase
amphetamine, b609
anticonvulsant, b579
brain, b245
cellular localization, b71
characterization, b71
dietary GABA, b245
dietary protein, b245
eating, b245
growth, b245
kidney, b245
liver, b245
monoamine metabolism, b579
muscimol, b461
seizures, b461
stereotypy, b609
subcellular localization, b71
valproate, b579
γ-vinyl GABA, b609
GABA transport
amino acids, b83
astrocytes, b95
brain development, b121
cell fractions, b95
cultured astrocytes, b403
dorsal root ganglia, b83
GABA analogues, b403
GABA binding, b83, b101
GABA depolarization, b291
GABA transport inhibitors, b403
GABA uptake, b121
glia, b95
ions, b95
lysine residue, b101
nerve terminals, b95
olfactory cortex, b291
peripheral glia, b83
pyridoxal phosphate, b101
sodium dependence, b121
synaptosomes, b121
GABA transport inhibitors
GABA analogues, b403
cultured astrocytes, b403
GABA transport, b403
GABA uptake
cAMP, b347
anesthetic agents, b909
anticonvulsants, b821
brain development, b121
brain slices, b909
convulsions, b209
development, b37
GABA binding, b347
GABA degradation, b909
GABA "disposal," b909
GABA neurons, b37
GABA receptors, b209
GABA release, b37
GABA-T, b909
GABA transport, b121
ganglionectomy, b347
glial GABA, b347
cGMP, b347
pineal, b347
sodium dependence, b121
synaptosomes, b121, b209, b821, b909
GABA uptake blockade
anticonvulsant, b685
epilepsy, b685
GABA agonists, b685
muscimol, b685
nipecotic acid, b685
Gabaculine
γ-acetylenic GABA, b627
GABA-T activity, b627
GAD activity, b627
isogabaculine, b627
mouse brain GABA, b627
γ-vinyl GABA, b627
GABAergic horizontal cell
goldfish, b137
neurotransmitter, b137
teleost retina, b137
GABAergic neurons
anticonvulsants, b833
benzodiazepine binding, b833
diphenylhydantoin, b833
GABAergic neurotransmission
cerebral cortex, b643
dopamine, b643
ethanol, b643
serotonin, b643
GABAergic transmission
anticonvulsant activity, b873
barbiturates, b873
benzodiazepines, b873
postsynaptic inhibition, b873
presynaptic inhibition, b873
GABAergics
antihistamines, b639
benzodiazepines, b639
bicuculline, b639
neuroleptics, b639
seizures, b639
tricyclic antidepressants, b639

GABA-T
acute, b913
γ-acetylenic GABA, b375
anesthetic agents, b909
blood platelets, b115
brain slices, b909
chronic, b913
enzyme kinetics, b115
enzyme turnover, b375
GABA bindings, b913
GABA degradation, b909
GABA "disposal," b909
GABA uptake, b909
GAD, b375, b913
glutamate, b913
human brain, b115
pentobarbital, b913
synaptosomes, b909
γ-vinyl GABA, b375

GABA-T activity
γ-acetylenic GABA, b627
gabaculine, b627
GAD activity, b627
isogabaculine, b627
mouse brain GABA, b627
γ-vinyl GABA, b627
GABA-T inhibitors
allylglycine, b815
audiogenic seizures, b815
cortex, b613
dopamine synthesis, b633
dyskinesia, b613
ethanol, b815
ethanolamine sulfate, b621, b633
GABA metabolism, b621
GAD, b621
haloperidol, b633
penicillin G, b621
picrotoxin, b613
receptor binding, b815
sodium valproate, b621
striatum, b613
GAD
γ-acetylenic GABA, b375
acute, b913
chronic, b913
enzyme turnover, b375
ethanolamine sulfate, b621
extrapyramidal systems, b131
GABA bindings, b913
GABA metabolism, b621
GABA-T, b375, b913
GABA-T inhibitors, b621
glutamate, b913
kainic acid, b131
penicillin G, b621
pentobarbital, b913
sodium valproate, b621
striatum, b131
γ-vinyl GABA, b375
GAD activity
γ-acetylenic GABA, b627
gabaculine, b627
GABA-T activity, b627
isogabaculine, b627
mouse brain GABA, b627
γ-vinyl GABA, b627
GAD inhibitors
allylglycine, b605
epilepsy, b605
isoniazid, b605
thiosemicarbazide, b605
Galactose
2-deoxy-D-glucose, d37
eating, d37
enzymes, d37
glucoprivation, d37
glucose, d37
insulin, d37
metabolism, d37
ontogenesis, d37
phloridzin, d37
Ganglionectomy
cAMP, b347
GABA binding, b347
GABA uptake, b347
glial GABA, b347
cGMP, b347
pineal, b347
Gangliosides
amino acid transmitters, b647
glutamate, b647
ethanol, b647
synaptic membrane, b647
Gas chromatography-mass spectrometry
eating, d23
free fatty acids, d23
organic acids, d23
starvation, d23
twilight Zeitgebers, d23
Gastric acid
autonomic hypothesis, d119
dopamine-β-hydroxylase, d119
hyperinsulinemia, d119
lipoprotein lipase, d119
pyruvate dehydrogenase, d119
salivary glands, d119
sympathetic suppression, d119
vagal hyperactivity, d119
ventromedial hypothalamic obesity, d119
Gastric acid secretion
autonomic nervous system, a19
bombesin, d133
central nervous system, d63
chemosensitive neurons, 153
2-deoxy-D-glucose, d133
dorsal nucleus of the vagus, 245
duodenal ulcer, a37
eating, d63, 153
electroosmosis, 153
gastric emptying, a37
gastric pathology, a19
gastrin, a37, 153
gastrointestinal motility, a19
hypoglycemia, d63
hypothalamus, a19
insulin, d63, d133
lateral hypothalamus, d133, 153, 245
liver, d63
medulla oblongata, 245
neuron population, 153
neurotensin, d133
physiological abnormalities, a37
physiological and morphological changes, a19
plasma pepsinogen, a37
vagal discharge, 245
vagus, 245
Gastric bicarbonate secretion
calcium, a15
carbachol, a15
dibutyryl-cGMP, a15
16-16 dimethyl prostaglandin E_2, a15
gastric mucosal protection, a15
Gastric emptying
acute and chronic stress, a63
duodenal ulcer, a37
gastric acid secretion, a37
gastric secretion, a63
gastrin, a37
habituation, a63
physiological abnormalities, a37
plasma pepsinogen, a37
unavoidable shock, a63
Gastric erosion
acid secretion, a43
developmental disturbances, a43
early life events, a43
maternal separation, a43
peptic ulcer susceptibility, a43
restraint stress, a43
temperature regulation, a43
Gastric kinetics
endoscopy, a59

gastroduodenal mucosa, a59
multiple stress procedure, a59
peptic ulcer, a59
Gastric mucosa
anti-ulcer, a7
mucosal blood flow, a7
prostacyclin, a7
prostaglandin, a7
Gastric mucosal barrier
gastric ulceration, a3
Gastric mucosal protection
calcium, a15
carbachol, a15
dibutyryl-cGMP, a15
16-16 dimethyl prostaglandin E_2, a15
gastric bicarbonate secretion, a15
Gastric mucosal ulceration
atropine, a33
chlorpromazine, a33
cimetidine, a33
electrochemical stimulation, a33
medial amygdaloid nucleus, a33
Gastric pathology
aphagia, d109
autonomic nervous system, a19
blood glucose, d109
body weight regulation, d109
2-deoxy-D-glucose, d109
free fatty acids, d109
gastric acid secretion, a19
gastrointestinal motility, a19
hypothalamus, a19
insulin, d109
lateral hypothalamus, d109
lesions, d109
parasagittal knife cuts, d109
physiological and morphological changes, a19
triglycerides, d109
Gastric secretion
acute and chronic stress, a63
gastric emptying, a63
habituation, a63
unavoidable shock, a63
Gastric ulceration
gastric mucosal barrier, a3
Gastrin
chemosensitive neurons, 153
duodenal ulcer, a37
eating, 153
electroosmosis, 153
gastric acid secretion, a37, 153
gastric emptying, a37
lateral hypothalamus, 153
neuron population, 153
physiological abnormalities, a37
plasma pepsinogen, a37
Gastroduodenal mucosa
endoscopy, a59
gastric kinetics, a59
multiple stress procedure, a59
peptic ulcer, a59
Gastrointestinal motility
autonomic nervous system, a19
gastric acid secretion, a19
gastric pathology, a19
hypothalamus, a19
physiological and morphological changes, a19
Genetic obesity
body weight, d69
eating, d69
hypothalamic obesity, d69
jejunoileal bypass, d69
spontaneous obesity, d69
Glia
astrocytes, b95
cell fractions, b95
GABA binding, b201
GABA receptor, b201
GABA transport, b95
ions, b95
muscimol, b201
nerve terminals, b95
tissue culture, b201
Glial cells
electrophysiology, b397
neurone-glia interaction, b397
tissue culture, b397
Glial GABA
cAMP, b347
GABA binding, b347
GABA uptake, b347
ganglionectomy, b347
cGMP, b347
pineal, b347
Glial GABA transport
astrocytes, b389
glutamate, b389
glutamine, b389
neuronal GABA transport, b389
neuronal-glial interactions, b389
Glial GABA uptake
autoradiography, b77
dorsal root ganglia, b77
Globus pallidus
GABA system, b1
mammalian habenula, b1
Glucagon
anticipatory reflexes, d97
diuresis, d97
gustatory projections, d97
insulin, d97
integration, d97
osmosensitive neurons, d97
satiation, d97
Glucoprivation
2-deoxy-D-glucose, d37, 593
drinking, 593
eating, d37, 593
enzymes, d37
galactose, d37
glucose, d37
insulin, d37, 593
kainic acid, 593
metabolism, d37
ontogenesis, d37
osmoregulation, 593
phloridzin, d37
zona incerta, 593
Glucose
acetylcholine, 325
affective disorders, b731
bicuculline, b453
CSF GABA levels, b731
2-deoxy-D-glucose, d37
deturgescence, b485
eating, d29, d37, b453
endothelial pump, b485
enzymes, d37
epinephrine, d75
galactose, d37
glucoprivation, d37
glutamate, 325
glycerol, d29, d75
hyperactivity, d75

Glucose (continued)
insulin, d37, b485
lateral hypothalamus, 325
lateral preoptic area, 325
medial forebrain bundle, 325
mesencephalic rats, d75
metabolism, d37
meal patterns, d29
microiontophoresis, 325
norepinephrine, 325
ontogenesis, d37
phloridzin, d37
rabbit corneal, b485
schizophrenia, b731
sodium, 325
ventromedial hypothalamus, b453
weight regulation, d29
Glucose homeostasis
endocrine pancreatic function, b341
Islets of Langerhans tissue, b341
peripheral tissues, b341
Glucose sensitive afferents
adrenal efferents, d175
adrenal nerve, d175
intraportal venous infusion, d175
pancreatic branch of the vagus nerve, d175
vagal pancreatic efferents, d175
Glutamate
acetylcholine, 325
acute, b913
amino acid transmitters, b647
astrocytes, b389
baclofen, b507
baclofen derivatives, b507
chronic, b913
EEG, b507
ethanol, b647
GABA bindings, b913
GABA efflux, b127
GABA-T, b913
GAD, b913
gangliosides, b647
glial GABA transport, b389
glucose, 325
glutamine, b127, b389
lateral hypothalamus, 325
lateral preoptic area, 325
mass fragmentography, b127
medial forebrain bundle, 325
microiontophoresis, 325, b501
neuronal GABA transport, b389
neuronal-glial interactions, b389
norepinephrine, 325
pentobarbital, b913
serotonin, b507
sodium, 325
synaptic membrane, b647
Glutamate apodecarboxylase
glutamate decarboxylase, b57
pyridoxal phosphate, b57
regulation of GABA synthesis, b57
Glutamate decarboxylase
amacrine cell, b21
antiserum production, b713
γ-butyrolactone, b89
cerebral blood vessels, b173
cerebrovascular GABA receptor, b173
cysteine sulfinate decarboxylase, b713
GABA neurons, b21
GABA system, b1
GABA synthesis, b89
glutamate apodecarboxylase, b57
immunocytochemistry, b713
immunoelectrophoresis, b713
immunohistochemistry localization, b21
mammalian habenula, b1
muscimol, b89
muscimol binding, b173
non-neuronal tissues, b31
pyridoxal phosphate, b57, b89
purification, b63
regulation, b63
regulation of GABA synthesis, b57
retina, b21
suicide substrate, b713
synaptosomes, b89
Glutamic acid decarboxylase
choline acetyltransferase, 461
dopamine, 461
monkey brain, 461
newborn monkey, 461
norepinephrine, 461
pubescent monkey, 461
Glutamine
astrocytes, b389
GABA efflux, b127
glial GABA transport, b389
glutamate, b127, b389
mass fragmentography, b127
neuronal GABA transport, b389
neuronal-glial interactions, b389
Glycerol
eating, d29
epinephrine, d75
glucose, d29, d75
hyperactivity, d75
meal patterns, d29
mesencephalic rats, d75
weight regulation, d29
Glycine
amino acids, 661
serine, 661
thermoregulation, 661
Glycolysis
^{14}C-deoxyglucose, d43
diaphragm, d43
energy homeostasis, d43
hunger, d43
metabolism, d43
optical density, d43
streptozotocin-diabetes, d43
ventromedial hypothalamus, d43
Glycoprotein sugars
forebrain, 31
radiolabelled sugars, 31
synaptic junctional macromolecules, 31
cGMP
cAMP, b347, b585
CSF, b585
GABA binding, b347
GABA uptake, b347
ganglionectomy, b347
glial GABA, b347
homovanillic acid, b585
pineal, b347
sodium valproate, b585
Goldfish
GABA-ergic horizontal cell, b137
neurotransmitter, b137
teleost retina, b137
Gonadal steroids
amphetamine, 539
dopamine, 539
lateralization, 539

rotational behavior, 539
sex differences, 539
striatum, 539
Graft-versus-host disease
Purkinje cell malformation, 673
Growth
brain, b245
dietary GABA, b245
dietary protein, b245
eating, b245
GABA transaminase, b245
kidney, b245
liver, b245
Growth hormone
apomorphine, b427
baclofen, b427
haloperidol, b427
L-dopa, b427
prolactin, b427
sodium valproate, b427
tardive dyskinesia, b427
Guinea pig
autoradiography, 257
efferents, 257
hypothalamus, 257
preoptic area, 257
Gustatory
eating, d169
inhibition, d169
morphine, d169
naloxone, d169
reversible, d169
Gustatory projections
anticipatory reflexes, d97
diuresis, d97
glucagon, d97
insulin, d97
integration, d97
osmosensitive neurons, d97
satiation, d97

Habituation
acute and chronic stress, a63
gastric emptying, a63
gastric secretion, a63
unavoidable shock, a63
Haloperidol
acetylcholine, b549
aminooxyacetic acid, b433
apomorphine, b427
apomorphine induced climbing, b433
baclofen, b427, b433, b537, b549
bicuculline, b433
dopamine cells, b109
dopamine synthesis, b633
dose-response, b537
ethanolamine-O-sulfate, b633
feedback inhibition, b109
feedback loops, b537
GABA-T inhibition, b633
growth hormone, b427
L-dopa, b427
muscimol, b109, b433
noxious stimulus, b109
Parkinsonian side effects, b537
peripheral and striatal influences, b109
picrotoxin, b433
potentiation, b537
prolactin, b427
single-unit recording, b109, b537
sodium valproate, b427
specificity, b537
striatum, b549
substantia nigra, b537
tardive dyskinesia, b427
Halothane
C-6 astrocytoma cells, b477
C-1300 neuroblastoma cells, b477
rabbit head holder, 619
stereotaxic surgery, 619
Harmaline
brain catecholamines, 589
brain epinephrine, 589
monoamine oxidase, 589
pargyline, 589
Ro4-1284, 589
Heart rate
arterial pressure, b303
bicuculline, b303
cardiovascular reflexes, b303
muscimol, b303
nucleus ambiguus, b303
picrotoxin, b303
Hepatic osmoregulation
antidiuretic hormone, d189
horseradish peroxidase, d189
ingestive behavior, d189
single-unit recording, d189
visceral afferents, d189
Heterotypical isocortex
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
High fixed ratio schedule
eating, d151
lateral hypothalamus, d151
motor cortex, d151
orbitofrontal cortex, d151
pyramidal tract neurons, d151
Hind brain
cerebellum, 421
6-hydroxydopa, 421
morphine, 421
neural regenerative sprouting, 421
noradrenergic system, 421
Hippocampal formation
differential distribution, 771
dorsal-ventral axis, 771
horseradish peroxidase, 285
norepinephrine, 771
serotonin, 771
squirrel monkey, 285
Hippocampus
adenylate cyclase, 649
afterdischarge, 505
afterdischarge threshold, 505
anterior commissure, 437
anterior olfactory nucleus, 437
brain development, 51
brain slice, 391
chemencephalon, 437
cortex, 121
dentate gyrus, 437
diagonal band, 437
EEG ontogeny, 51
evoked potentials, 437
lateral olfactory tract, 437
morphine, 121
neuroexcitability, 505
norepinephrine, 649
olfactory cortex, 437
olfactory tubercle, 437
paralysis, 121
perforant path, 437

Hippocampus (continued)
postictal depression, 505
power spectral analysis of EEG, 51
prepyriform cortex, 437
protein malnutrition, 51
pyriform cortex, 437
rhinencephalon, 437
septum, 437
slow-wave sleep, 51
succinylcholine, 121
thalamus, 121
theta activity, 51
urethane, 121
x-irradiation, 649
Histochemistry
acetylcholinesterase, 127
central nervous system, 575
immunocytochemistry, 575
locus ceruleus, 127
monoclonal antibodies, 575
norepinephrine, 127
substance P, 575
History
restraint ulcer: current research and future implications, a51
stress, a51
Homocarnosine
CSF, b761, b905
Huntington's disease, b761
vinyl GABA, b905
Homotaurine
acute epileptic foci, b691
cortico-reticular epilepsy, b691
kainic acid, b691
Homotypical isocortex
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Homovanillic acid
cAMP, b585
CSF, b585
cGMP, b585
sodium valproate, b585
Hormone
$ACTH_{4-9}$, 509
angiotensin, 501
antidiuretic hormone, d189
bombesin, d1, d133
cholecystokinin, d1
corticosterone, 451
estrogen, 679
glucagon, d17, d97
growth hormone, b427
insulin, d1, d7, d37, d63, d97, d103, d109, d127, d133, 593
LHRH, 233, 239, 307
α-MSH, 375
prolactin, 23, 239, b355, b425, b701
somatostatin, d1, 353
thyroid hormones, 1
vasopressin, 353
Horseradish peroxidase
acetylcholinesterase, 519
afferent projections, 365
anteroventral thalamic nucleus, 519
antidiuretic hormone, d189
centrifugal modulation, 383
cerebellum, 267
cholinergic pathway, 519
crus I, 267
crus II, 267
cytology, 563
diazepam, 61
dorsal accessory olive, 267
dorsal motor nucleus of vagus, 365
evoked potential, 383
hepatic osmoregulation, d189
hippocampal formation, 285
hypothalamic interconnections, d181
hypothalamus, 473
inferior olive, 267
ingestive behavior, d189
intrajugular injections, 473
kainic acid lesions, 61
lateral hypothalamus, d181
lateral preoptic area, d181
locus coeruleus, 383
magnocellular neurons, 473
medial accessory olive, 267
medial forebrain bundle, d181
morphological and behavioral changes, 61
morphology, 563
neurophysial injections, 473
olfactory system, 383
olfactory tubercle, 383
paraventricular nucleus, 473
paravermis, 267
parvocellular neurons, 473
Purkinje cells, 563
retrograde transport, 473
single-unit recording, d189
squirrel monkey, 285
stomach distention, d181
thalamus, 61
unit activity, 383
vagus nerve stimulation, d187
vermis, 267
visceral afferents, d189
Human
amplitude-intensity function, 207
auditory evoked potential, 207
EEG, 207
latency-intensity function, 207
reliability, 207
Human brain
blood platelets, b115
enzyme kinetics, b115
GABA-T, b115
hypothalamus, 307
LHRH, 307
neuronal peptide, 307
neurotransmitter, 307
subcellular fractionation, 307
subcellular morphology, 307
synaptosomes, 307
Humoral factors
body weight, d13
drinking, d13
eating, d13
parabiotic rats, d13
regulation, d13
Hunger
^{14}C-deoxyglucose, d43
diaphragm, d43
energy homeostasis, d43
glycolysis, d43
metabolism, d43
optical density, d43
streptozotocin-diabetes, d43
ventromedial hypothalamus, d43
Huntington's chorea
acetylcholine, b487
benzodiazepines, b773
depression, b411
dopamine, b487
dyskinesia, b487
epilepsy, b411

extrapyramidal system, b487
GABA mimetic, b411
GABA receptor, b285
limbic system, b487
Parkinson's disease, b487
phospholipids, b285
receptors, b773
schizophrenia, b411, b487
SL 76 002, b411
spasticity, b411
Huntington's disease
cerebellar degeneration, b741
CSF, b761
CSF GABA levels, b741
essential tremor, b741
extrapyramidal system, b741
GABA binding, b825
homocarnosine, b761
involuntary movement disorders, b741
kainic acid, b825
Parkinson's disease, b741
striatonigral GABA pathway, b825
substantia nigra, b825
supersensitivity, b825
6-Hydroxydopa
cerebellum, 421
hindbrain, 421
morphine, 421
neural regenerative sprouting, 421
noradrenergic system, 421
6-Hydroxydopamine
anterior cingulate cortex, 425
bed nucleus of stria terminalis, 425
dopaminergic terminals, 425
Fink-Heimer method, 425
lateral septal nucleus, 425
parabrachial nucleus, 425
L-5-Hydroxytryptophan
dipsogenic effect, 719
drinking, 719
Hyperactivity
epinephrine, d75
glucose, d75
glycerol, d75
mesencephalic rats, d75
Hyperinsulinemia
autonomic hypothesis, d119
dopamine-β-hydroxylase, d119
gastric acid, d119
lipoprotein lipase, d119
pyruvate dehydrogenase, d119
salivary glands, d119
sympathetic suppression, d119
vagal hyperactivity, d119
ventromedial hypothalamic obesity, d119
Hyperphagia
eating, b793
hypothalamus, b793
lesion, b793
obesity, b793
Hypertension
peptides, 353
somatostatin, 353
stress, 353
vasopressin, 353
Hyperthermia
amino acids, 653
fever, 653
serine, 653
thermoregulation, 653
Hypoglycemia
central nervous system, d63
eating, d63
gastric acid secretion, d63
insulin, d63
liver, d63
Hypotension
bradycardia, b329
cardiac output, b329
intravenous GABA, b329
vascular resistance, b329
Hypothalamic hyperphagia
cephalic phase insulin response, d127
hypothalamic obesity, d127
quinine, d127
saccharin, d127
VMH procainization, d127
Hypothalamic interconnections
horseradish peroxidase, d181
lateral hypothalamus, d181, 315
lateral preoptic area, d181, 315
medial forebrain bundle, d181, 315
single unit activity, 315
stomach distension, d181
vagus nerve stimulation, d181
Hypothalamus
A23187 ionophore, 715
amygdala, 683
arousal, 227
autonomic nervous system, a19
autoradiography, 257
body temperature, 75
bradycardia, 227
brain slice, 405
calcium, 75
constant superfusion, 405
defense reaction, 227
diencephalon, 227
dopamine, 239
eating, b793
efferents, 257
estrous cycle, 531
GABA, 239
gastric acid secretion, a19
gastric pathology, a19
gastrointestinal motility, a19
guinea pig, 257
horseradish peroxidase, 473
human brain, 307
hyperphagia, b793
intrajugular injections, 473
knife cuts, 531
lesion, b793
LHRH, 239, 307
magnocellular neurons, 473
neurohypophyseal injections, 473
neuronal peptide, 307
neurosecretory neurons, 405
neurotransmitter, 307
norepinephrine, 239, 683
obesity, b793
olfactory bulbectomy, 683
osmotic pressure, 405
ouabain, 75
paraventricular nucleus, 405, 473
parvocellular neurons, 473
physiological and morphological changes, a19
pituitary, 239
preoptic area, 257
prolactin, 239
prostaglandins, 735
protein synthesis, 735
pyrogen fever, 735
rabbit, 227

Hypothalamus (continued)
retrograde transport, 473
sexual behavior, 531
stimulation, 227
subcellular fractionation, 307
subcellular morphology, 307
synaptosomes, 307
tetrodotoxin, 75
thermoregulation, 75, 735
ultrastructure, 405
Hypothalamic obesity
body weight, d69
cephalic phase insulin response, d127
eating, d69
genetic obesity, d69
hypothalamic hyperphagia, d127
jejunoileal bypass, d69
quinine, d127
saccharin, d127
spontaneous obesity, d69
VMH procainization, d127
Hysteric properties
allosteric preconditioning, b161
desensitization, b161
GABA receptor, b161
sensitization, b161

ICS stimulator
intracranial self-stimulation, 483
Y-maze, 483
Immobilization
blood-brain barrier, 251
cerebrovascular permeability, 251
epinephrine, 251
malnutrition, 251
norepinephrine, 251
protein deprivation, 251
stress, 251
^{14}C-sucrose permeability, 251
Immunocytochemistry
antiserum production, b713
central nervous system, 575
cysteine sulfinate decarboxylase, b713
histochemistry, 575
immunoelectrophoresis, b713
monoclonal antibodies, 575
substance P, 575
suicide substrate, b713
Immunoelectrophoresis
antiserum production, b713
cysteine sulfinate decarboxylase, b713
glutamate decarboxylase, b713
immunocytochemistry, b713
suicide substrate, b713
Immunofluorescence
carotid body, 195
chemoreceptor, 195
substance P, 195
Immunohistochemistry localization
amacrine cell, b21
GABA neurons, b21
glutamate decarboxylase, b21, b713
retina, b21
Implants
afferent lamination, 217
dentate gyrus, 217
development, 217
septohippocampal system, 217
Impoverished environment
acetylcholine, 9
biorhythms, 105
enriched environment, 9, 105
long-term recall, 9
memory storage processes, 9, 105
paradoxical sleep, 9, 105
sleep circadian rhythmicity, 105
slow-wave sleep, 9, 105
Induction
development, b381
metamorphosis, b381
stereochemical specificity, b381
Inequality testing
ethanol, 297
information processing, 297
noise, 297
unit activity, 297
variability, 297
Inferior olive
cerebellum, 267
crus I, 267
crus II, 267
dorsal accessory olive, 267
horseradish peroxidase, 267
medial accessory olive, 267
paramedian, 267
vermis, 267
Information processing
ethanol, 297
inequality testing, 297
noise, 297
unit activity, 297
variability, 297
Ingestion and rejection responses
chronic decerebrate, d79
regulatory responses, d79
sympathoadrenal response, d79
Ingestive behavior
antidiuretic hormone, d189
hepatic osmoregulation, d189
horseradish peroxidase, d189
single unit recording, d189
visceral afferents, d189
Inhibition
anticonvulsants, b43
convulsants, b43
eating, d169
excitation, b43
gustatory, d169
morphine, d169
naloxone, d169
reversible, d169
spinal neurons, b43
Inhibitory action
baclofen, b565
cardiovascular and respiratory neurons, b565
vagus nerve, b565
vasomotor reflex, b565
Inhibitory amino acids
arcuate nucleus, b361
excitatory amino acids, b361
neuroendocrine interactions, b361
Inia geoffrensis
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Insula
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Insulin
anticipatory reflexes, d97
aphagia, d109
blood glucose, d109
body weight, d7
body weight regulation, d109

bombesin, d1, d33
central nervous system, d63
cholecystokinin, d1
2-deoxy-D-glucose, d37, d109, d133, 593
deturgescence, b485
diuresis, d97
drinking, d7, 593
eating, d1, d7, d37, d63, 593
endothelial pump, b485
enzymes, d37
free fatty acids, d109
galactose, d37
gastric acid secretion, d63, d133
gastric pathology, d109
glucagon, d97
glucoprivation, d37, 593
glucose, d37, b485
gustatory projections, d97
hypoglycemia, d63
integration, d97
kainic acid, 593
lateral hypothalamus, b109, b133
lesions, b109
liver, d63
long-term satiety signals, d1
meal patterns, d7
metabolism, d37
minipump, d7
neuroendocrine regulation, d1
neurotensin, d133
ontogenesis, d37
osmoregulation, 593
osmosensitive neurons, d97
parasagittal knife cuts, d109
phloridzin, d37
rabbit corneal, b485
satiation, d97
satiety, d7
satiety signals, d1
short-term satiety signals, d1
somatostatin, d1
streptozotocin-diabetes, d7
triglycerides, d109
zona incerta, 593
Insulin secretion
autonomic nervous system, d103
body weight, d103
eating, d103
parasympathetic neural input, d103
sympathetic neural input, d103
Integrated circuits
wire-wrapped, dual-in-line chronic electrodes, 95
wire wrapped, 95
Integration
anticipatory reflexes, d97
diuresis, d97
glucagon, d97
gustatory projections, d97
insulin, d97
osmosensitive neurons, d97
satiation, d97
Interaction
anticholinergic, b885
benzodiazepines, b885
dopamine, b885
neuroleptics, b885
stereotypies, b885
Intracellular analysis
cerebral cortex, 725
neostriatum, 725
stimulation, 725
substantia nigra, 725
thalamus, 725
Intracellular recording
aplysia, 233
electrical activity, 233
LHRH, 233
white cells, 233
Intracerebral infusion
bicuculline, b275
electrode-cannula, b275
motor activity, b275
muscimol, b275
self-stimulation, b275
Intracerebroventricular
antihypertensive properties, b491
kojic amine baroreceptor reflexes, b491
muscimol, b491
Intracranial self-stimulation
baclofen, b559
ICS stimulator, 483
rate dependency, b559
Sidman avoidance, b559
Y-maze, 483
Intrajugular injections
horseradish peroxidase, 473
hypothalamus, 473
magnocellular neurons, 473
neurohypophysial injections, 473
paraventricular nucleus, 473
parvocellular neurons, 473
retrograde transport, 473
Intranuclear vacuoles
dehydration, 301
dense core vesicles, 301
neuronal cilia, 301
neuronal membrane appositions, 301
neuroplasticity, 301
neurosecretion, 301
paraventricular nucleus, 301
Intraportal adrenaline
anorexia, d59
intraportal glucose, d59
satiation, d59
Intraportal glucose
anorexia, d59
intraportal adrenaline, d59
satiation, d59
Intraportal venous infusion
adrenal efferents, d175
adrenal nerve, d175
glucose sensitive afferents, d175
pancreatic branch of the vagus nerve, d175
vagal pancreatic efferents, d175

Intravenous GABA
bradycardia, b329
cardiac output, b329
hypotension, b329
vascular resistance, b329
Involuntary movement disorders
cerebellar degeneration, b741
CSF GABA levels, b741
essential tremor, b741
extrapyramidal system, b741
Huntington's disease, b741
Parkinson's disease, b741
Ionophore
benzodiazepine, b829
convulsants, b213
depressants, b213
dihydropicrotoxinin, b213
phospholipid methylation, b829
receptor, b213, b829

Ions
astrocytes, b95
cell fractions, b95
GABA transport, b95
glia, b95
nerve terminals, b95
Islets of Langerhans tissue
endocrine pancreatic function, b341
glucose homeostasis, b341
peripheral tissues, b341
Isocortex
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Isogabaculine
γ-acetylenic GABA, b627
gabaculine, b627
GABA-T activity, b627
GAD activity, b627
mouse brain GABA, b627
γ-vinyl GABA, b627
Isoguvacine
binding, b141
brain synaptosomal membranes, b141
picrotoxin, b141
Isolation-induced aggression
alpha-methyl-para-tyrosine, 81
catecholamine variations, 81
discrete brain areas, 81
dopamine, 81
norepinephrine, 81
Isoniazid
allylglycine, b605
benzodiazepines, b861
bicuculline, b861
convulsions, b861
epilepsy, b605
GAD inhibitors, b605
thiosemicarbazide, b605
triazolopyridazines, b861

Jaw movement
current spread, 487
substantia nigra, 487
Jaw opening
caudal spinal trigeminal nucleus, 751
electroacupuncture, 751
Jejunoileal bypass
body weight, d69
eating, d69
genetic obesity, d69
hypothalamic obesity, d69
spontaneous obesity, d69

Kainic acid
acute epileptic foci, b691
baclofen, b519
cortico-reticular epilepsy, b691
2-deoxy-D-glucose, 593
drinking, 593
eating, 593
electroshock, b519
extrapyramidal systems, b131
GABA binding, b825
GABA mimetics, b519
GAD, b131
glucoprivation, 593
homotaurine, b691
Huntington's disease, b825
insulin, 593
osmoregulation, 593
rotorod, b519
striatonigral GABA pathway, b825
striatum, b131
substantia nigra, b825
supersensitivity, b825
zona incerta, 593
Kainic acid lesions
diazepam, 61
horseradish peroxidase, 61
morphological and behavioral changes, 61
thalamus, 61
Kidney
brain, b245
dietary GABA, b245
dietary protein, b245
eating, b245
GABA transaminase, b245
growth, b245
liver, b245
Kindling
analog switch, 485
multiple-unit recording, 485
stimulation, 485
Knife cuts
estrous cycle, 531
hypothalamus, 531
sexual behavior, 531
Kojic amine baroreceptor reflexes
antihypertensive properties, b491
intracerebroventricular, b491
muscimol, b491
Kyotorphin
β-endorphin, 415
(Des-Try^1)-Leu-enkephalin, 415
(D-Ala^2)-Met-enkephalinamide, 415
naloxone, 415
opioid receptors, 415
thermoregulation, 415

Laminectomy
extracellular recording, 87
spinal investigation, 87
Latency-intensity function
amplitude-intensity function, 207
auditory evoked potential, 207
EEG, 207
human, 207
reliability, 207
Lateral geniculate
antidromic activity, 345
central projection, 687
conduction velocity, 687
excitability, 345
rebound excitation, 345
retinofugal axons, 687
superior colliculus, 687
Lateral habenular nucleus
GABA system, b1
mammalian habenula, b1
Lateral hypothalamus
acetylcholine, 325
amygdala, d143
aphagia, d109
bar press, d143
blood glucose, d109
body weight, 525
body weight regulation, d109
bombesin, d133
cell density, 643
chemosensitive neurons, 153
2-deoxy-D-glucose, d109, d133

discrimination, d143
dorsal nucleus of the vagus, 245
drinking, d237
drive, d143
drugs, d237
eating, d143, d151, b237, 153
electroosmosis, 153
free fatty acids, d109
gastric acid secretion, d133, 153, 245
gastric pathology, d109
gastrin, 153
glucose, 325
glutamate, 325
high fixed ratio schedule, d151
horseradish peroxidase, d181
hypothalamic interconnections, d181, 315
insulin, d109, d133
lateral preoptic area, 315, 325
lesions, d109, 525
locus coeruleus, 637
medial forebrain bundle, d181, 315, 325
medulla oblongata, 245
microiontophoresis, 325
motor cortex, d151
neuron population, 325
neurotensin, d133
norepinephrine, 325
orbitofrontal cortex, d151
pancreas, d163
parasagittal knife cuts, d109
paraventricular hypothalamus, b237
pontine tegmentum, 637
propantheline bromide, 525
pyramidal tract neurons, 151
recovery of function, 525
reward, d143
self stimulation, 637
single unit activity, 315
sodium, 325
splanchnic nerve, d163
stomach distention, d181
synaptic density, 643
triglycerides, d109
unit activity, d143
vagal discharge, 245
vagus nerve, d163, 245
vagus nerve stimulation, d181
Ventro-M. H., d237
visceral-afferent column, 637

Lateral olfactory tract
anterior commissure, 437
anterior olfactory nucleus, 437
chemencephalon, 437
dentate gyrus, 437
diagonal band, 437
evoked potentials, 437
hippocampus, 437
lesions, 141
olfactory cortex, 437
olfactory discrimination, 141
olfactory peduncle, 141
olfactory tubercle, 437
perforant path, 437
prepyriform cortex, 437
pyriform cortex, 437
rhinencephalon, 437
septum, 437

Lateral preoptic area
acetylcholine, 325
glucose, 325
glutamate, 325
horseradish peroxidase, d181
hypothalamic interconnections, d181, 315
lateral hypothalamus, d181, 315, 325
medial forebrain-bundle, d181, 315, 325
microiontophoresis, 325
norepinephrine, 325
single unit activity, 315
sodium, 325
stomach distension, d181
vagus nerve stimulation, d181

Lateral reticular nucleus
cats, b295
dorsal nucleus of the vagus, b295
nucleus ambiguus, b295
nucleus of the tractus solitarius, b295
nucleus raphe dorsalis, b295
periaqueductal gray, b295
stereotaxic atlas, b295

Lateral septal nucleus
anterior cingulate cortex, 425
bed nucleus of stria terminalis, 425
dopaminergic terminals, 425
Fink-Heimer method, 425
6-hydroxydopamine, 425
parabrachial nucleus, 425

Lateralization
activation, 745
amphetamine, 539
apomorphine, 745
dopamine, 539
GABA, 745
gonadal steroids, 539
perioral biting reflex, 745
rotational behavior, 539
sensorimotor field, 745
sex differences, 539
striatum, 539

Lergotrile
CSF, b769
DOPA, b769
Parkinson's disease, b769

Lesions
aphagia, d109
blood glucose, d109
body weight, 525
body weight regulation, d109
computer modeling, d89
2-deoxy-D-glucose, d109
diet dilution, d89
dorsal midbrain, 359
eating, d89, 525, b793
free fatty acids, d109
gastric pathology, d109
hyperphagia, b793
hypothalamus, b793
insulin, d109
lateral hypothalamus, d109, 525
lateral olfactory tract, 141
lordosis, 359
meal patterns, d89
obesity, b793
olfactory discrimination, 141
olfactory peduncle, 141
parasagittal knife cuts, d109
propantheline bromide, 525
recovery of function, 525
septum, d89
triglycerides, d109

Leucine incorporation
brain and liver cell-free protein synthesis, 1
brain microsomes, 1
neonatal hypothyroidism, 1
postnatal brain development, 1

Leucine incorporation (continued)
thyroid hormones, 1
LHRH
Aplysia, 233
dopamine, 239
electrical activity, 233
GABA, 239
human brain, 307
hypothalamus, 239, 307
intracellular recording, 233
neuronal peptide, 307
neurotransmitter, 307
norepinephrine, 239
pituitary, 239
prolactin, 239
subcellular fractionation, 307
subcellular morphology, 307
synaptosomes, 307
white cells, 233
Limbic cleft
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Limbic lobe
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Limbic system
acetylcholine, b487
acetylcholine levels and utilization, b223
basal ganglia, b261
behavior, b261
benzodiazepines, b673
bicuculline, b223
catalepsy, b261
cholinergic inhibition, b223
cortico-striatal tract, b223
diazepam, b673
dipropylacetamide, b421
dopamine, b261, b421, b487
dyskinesia, b487
extrapyramidal system, b421, b487, b673
GABA agonists, b223
GABA antagonists, b223
GABA-dopamine interactions, b421
GABA mechanisms, b673
Huntington's chorea, b487
muscimol, b223, b421
neuroanatomical model, b673
Parkinson's disease, b487
pathogenesis, b673
picrotoxin, b223
schizophrenia, b261, b487
SL 76 002, b421
stereotyped behavior, b261
striatum, b223
tardive dyskinesia, b673
treatment, b673
tyrosine hydroxylase, b421
Limulus ventral photoreceptor
chlorobutanol, 469
receptor potential, 469
Lipoprotein lipase
autonomic hypothesis, d119
dopamine-β-hydroxylase, d119
gastric acid, d119
hyperinsulinemia, d119
pyruvate dehydrogenase, d119
salivary glands, d119
sympathetic suppression, d119
vagal hyperactivity, d119
ventromedial hypothalamic obesity, d119
Liquid chromatography
CSF GABA, b737
high performance, b737
neurological patients, b737
Liver
brain, b245
central nervous system, d63
dietary GABA, b245
dietary protein, b245
eating, d63, b245
GABA transaminase, b245
gastric acid secretion, d63
growth, b245
hypoglycemia, d63
insulin, d63
kidney, b245
Liver cell-free protein synthesis
brain cell-free protein synthesis, 1
brain microsomes, 1
leucine incorporation, 1
neonatal hypothyroidism, 1
postnatal brain development, 1
thyroid hormones, 1
Liver glycogen levels
blood glucose levels, d17
eating, d17
food deprivation, d17
pancreatic glucagon, d17
short-term food intake regulation, d17
Locomotion
Aplysia, 169, 179
dyskinesias, b269
GABA-dopamine interrelationships, b269
motor neuron, 179
motor program, 169
movement disorders, b269
pedal waves, 169, 179
primates, b269
receptor hypersensitivity, b269
schizophrenia, b269
stereotypy, b269
Locomotor activity
axian nocturnal hyperactivity, b369
basal ganglia, b369
neurotransmitter metabolism, b369
Locus coeruleus
acetylcholinesterase, 127
centrifugal modulation, 383
evoked potential, 383
histochemistry, 127
horseradish peroxidase, 383
lateral hypothalamus, 637
norepinephrine, 127
olfactory system, 383
olfactory tubercle, 383
pontine tegmentum, 637
self-stimulation, 637
unit activity, 383
visceral-afferent column, 637
Long-term recall
acetylcholine, 9
enriched environment, 9
impoverished environment, 9
memory storage processes, 9
paradoxical sleep, 9
slow-wave sleep, 9
Long-term satiety signals
bombesin, d1
cholecystokinin, d1
eating, d1
insulin, d1
neuroendocrine regulation, d1
satiety signals, d1
short-term satiety signals, d1

somatostatin, d1
Lordosis
dorsal midbrain, 359
lesions, 359
Lung damage
ammonia, b781
ascorbic acid, b781
convulsions, b781
oxygen toxicity, b781
pargyline, b781
succinic acid, b781
Lysine residue
GABA binding to transporter, b101
pyridoxal phosphate, b101

Magnocellular neurons
horseradish peroxidase, 473
hypothalamus, 473
intrajugular injections, 473
neurohypophysial injections, 437
paraventricular nucleus, 473
parvocellular neurons, 473
retrograde transport, 473
Malnutrition
blood-brain barrier, 251
cerebrovascular permeability, 251
epinephrine, 251
immobilization, 251
norepinephrine, 251
protein deprivation, 251
stress, 251
^{14}C-sucrose permeability, 251
Mammalian habenula
entopeduncular nucleus, b1
GABA system, b1
globus pallidus, b1
glutamate decarboxylase, b1
lateral habenular nucleus, b1
medial habenular nucleus, b1
nucleus diagonal band (Broca), b1
stria medullaris, b1
Mammalian retina
GABA receptor, b189
Mania
amine metabolism, b755
CSF GABA, b755
depression, b755
Mass-fragmentography
GABA efflux, b127
glutamate, b127
glutamine, b127
Maternal separation
acid secretion, a43
developmental disturbances, a43
early life events, a43
gastric erosion, a43
peptic ulcer susceptibility, a43
restraint stress, a43
temperature regulation, a43
Meal patterns
body weight, d7
computer modeling, d89
diet dilution, d89
drinking, d7
eating, d7, d29, d89
glucose, d29
glycerol, d29
insulin, d7
lesions, d89
minipump, d7
satiety, d7
septum, d89
streptozotocin-diabetes, d7
weight regulation, d29
Medial accessory olive
cerebellum, 267
crus I, 267
crus II, 267
dorsal accessory olive, 267
horseradish peroxidase, 267
inferior olive, 267
paramedian, 267
vermis, 267
Medial amygdaloid nucleus
atropine, a33
chlorpromazine, a33
cimetidine, a33
electrochemical stimulation, a33
gastric mucosal ulceration, a33
Medial forebrain bundle
acetylcholine, 325
cell density, 643
degenerated nerve elements, 13
electron microscope, 13
glucose, 325
glutamate, 325
horseradish peroxidase, d181
hypothalamic interconnections, d181, 315
lateral hypothalamus, d181, 315, 325, 643
lateral preoptic area, d181, 315, 325
medial hypothalamus, 13
microiontophoresis, 325
norepinephrine, 325
single unit activity, 315
sodium, 325
stomach distension, d181
surgical transections, 13
synaptic density, 643
vagus nerve stimulation, d181
Medial habenular nucleus
GABA system, b1
mammalian habenula, b1
Medial hypothalamus
degenerated nerve elements, 13
electron microscope, 13
medial forebrain bundle, 13
surgical transections, 13
Mediobasal hypothalamus
autocorrelation, 759
deafferentiation, 759
single cell activity, 759
spontaneous activity, 759
Medulla
noxious stimuli, 203
thalamus, 203
tooth pulp, 203
Medulla oblongata
dorsal nucleus of the vagus, 245
gastric acid secretion, 245
lateral hypothalamus, 245
vagal discharge, 245
vagus, 245
Memory storage processes
acetylcholine, 9
biorhythms, 105
enriched environment, 9, 105
impoverished environment, 9, 105
long-term recall, 9
paradoxical sleep, 9, 105
sleep circadian rhythmicity, 105
slow-wave sleep, 9, 105

Mesencephalic rats
epinephrine, d75
glucose, d75
glycerol, d75
hyperactivity, d75
Mesolimbic system
dopamine, b231
GABA, b231
schizophrenia, b231
Metabolic compartmentation
amino-oxyacetic acid, b13
anticonvulsants, b13
n-dipropylacetate, b13
γ-vinyl-GABA, b13
Metabolism
2-deoxy-D-glucose, d37
^{14}C-deoxyglucose, d43
diaphragm, d43
eating, d37, b253
energy homeostasis, d43
enzymes, d37
galactose, d37
glucoprivation, d37
glucose, d37
glycolysis, d43
hunger, d43
insulin, d37
ontogenesis, d37
optical density, d43
phloridzin, d37
push-pull perfusion, b253
regulation, b253
streptozotocin-diabetes, d43
ventromedial hypothalamus, d43, b253
Metamorphosis
development, b381
induction, b381
stereochemical specificity, b381
Methobromide
binding, b141
brain synaptosomal membranes, b141
picrotoxin, b141
Method
autoradiography, b77, b145, b149, 257, 509, 693
brain slice preparation: hippocampus, 391
brain slice preparation: hypothalamus, 405
comparison of two techniques for analyzing neuronal interspike intervals: autocorrelation and relative interval coding, 147
design for a rat spinal investigation unit and a procedure for laminectomy in the rat, 87
discrete regional analysis of norepinephrine, dopamine, choline acetyltransferase and glutamic acid decarboxylase in the brain of the newborn and pubescent monkey, 461
Fink-Heimer method, 425
histochemistry, 575
histofluorescence, 599
horseradish peroxidase, 61, 267, 285, 365, 383, 473, 519, 563
immunocytochemistry, 575, 599
improved technique for recording single unit activity in awake animals, 91
information coding system that seems to be independent of noise and variability, 297
kainic acid, 61
radioenzymatic assay with thin-layer chromatography, 609
technique for separating succinic semialdehyde dehydrogenase from γ-aminobutyric acid transaminase, b51
use of monoclonal antibodies in immunocytochemistry with special reference to the central nervous system, 575
Methylphenidate
activity, b525, b585
baclofen, b525, b585
ontogenesis, b525, b585
stereotypy, b525, b585
temperature, b525, b585
Microiontophoresis
acetylcholine, 325
baclofen, b507
baclofen derivatives, b507
EEG, b507
glucose, 325
glutamate, 235, b507
lateral hypothalamus, 325
lateral preoptic area, 325
medial forebrain bundle, 325
norepinephrine, 325
serotonin, b507
sodium, 325
Minipump
body weight, d7
drinking, d7
eating, d7
insulin, d7
meal patterns, d7
satiety, d7
streptozotocin-diabetes, d7
Monkey brain
choline acetyltransferase, 461
dopamine, 461
glutamic acid decarboxylase, 461
newborn monkey, 461
norepinephrine, 461
pubescent monkey, 461
Monoamine metabolism
anticonvulsant, b579
GABA transaminase, b579
valproate, b579
Monoamine oxidase
brain catecholamines, 589
brain epinephrine, 589
harmaline, 589
pargyline, 589
Ro4-1284, 589
Monoamines
freeze-dried tissue, 599
neuronal interactions, 599
neuropeptides, 599
simultaneous histofluorescence immunocytochemistry, 599
Monoclonal antibodies
central nervous system, 575
histochemistry, 575
immunocytochemistry, 575
substance P, 575
Morphine
antinociception, b553
baclofen, b553
cerebellum, 421
cortex, 121
drug discrimination, b553
eating, d169
gustatory, d169
hindbrain, 421
hippocampus, 121
6-hydroxydopa, 421
inhibition, d169
mouse jumping, b553
naloxone, d169
neural regenerative sprouting, 421
noradrenergic system, 421
paralysis, 121
phenylquinone writhing, b553
pinch response, b553
reversible, d169
succinylcholine, 121
tail-flick, b553

thalamus, 121
urethane, 121
Morphine abstinence syndrome
branched-chain fatty acids, b797
GABA degradation, b797
valproate, b797
Morphine withdrawal
body shakes, b805
gamma-vinyl-GABA, b805
Morphology
cytology, 563
diazepam, 61
horseradish peroxidase, 61, 563
kainic acid lesions, 61
Purkinje cells, 563
thalamus, 61
Mortality rate
antipyresis, 69
bacterial infection, 69
fever, 69
preoptic-anterior hypothalamus, 69
sodium salicyte, 69
Motion sickness
benzodiazepines, b705
diazepam, b705
GABA agonists, b705
vestibuloocular reflexes, b705
Motor activity
bicuculline, b275
electrode-cannula, b275
intracerebral infusion, b275
muscimol, b275
self-stimulation, b275
Motor behavior
dexetimide, 223
neuroleptic inhibition, 223
prefrontal cortex, 223
self-stimulation, 223
spiroperidol, 223
Motor cortex
eating, d151
high fixed ratio schedule, d151
lateral hypothalamus, d151
orbitofrontal cortex, d151
pyramidal tract neurons, d151
Motor neuron
Aplysia, 179
locomotion, 179
pedal waves, 179
Motor program
Aplysia, 169
locomotion, 169
pedal waves, 169
Mouse brain GABA
γ-acetylenic GABA, b627
gabaculine, b627
GABA-T activity, b627
GAD activity, b627
isogabaculine, b627
γ-vinyl GABA, b627
Mouse jumping
antinociception, b553
baclofen, b553
drug discrimination, b553
morphine, b553
phenylquinone writhing, b553
pinch response, b553
tail-flick, b553
Moveable chronic microelectrode
awake animals, 91
chronic unit recording, 91
single unit activity, 91
Movement disorders
dyskinesias, b269
GABA-dopamine interrelationships, b269
locomotion, b269
primates, b269
receptor hypersensitivity, b269
schizophrenia, b269
stereotypy, b269
α-MSH
blood-CSF barrier, 375
cerebrospinal fluid, 375
Mucosal blood flow
anti-ulcer, a7
gastric mucosa, a7
prostacyclin, a7
prostaglandin, a7
Multiple-unit recording
analog switch, 485
kindling, 485
stimulation, 485
Muricide
nipecotamide, b601
valproic acid, b601
Muscarinic receptors
acetylcholine, 703
biochemical characterization, 703
digitonin, 703
Muscimol
acetylcholine levels and utilization, b223
ACTH release, b447
aminooxyacetic acid, b415, b433, b595
analgesia, b415
anorexia, b595
antianxiety, b839
anticonvulsant, b685
antihypertensive agents, b317
antihypertensive properties, b491
apomorphine induced climbing, b433
arterial pressure, b303
autoradiography, b149
baclofen, b433, b447, b503
benzodiazepine receptor, b167
benzodiazepines, b839
bicuculline, b223, b275, b303, b415, b433, b447
binding, b167
blood pressure, b317
body weight, b595
γ-butyrolactone, b89
cardiovascular reflexes, b303
central control, b317
cerebellum, b149
cholinergic inhibition, b223
conflict behavior, b839
cortico-striatal tract, b223
diazepam, b839
dipropylacetate, b421
dopamine, b421
dopamine cells, b109
dopamine neurons, b465
electrode-cannula, b275
epilepsy, b685
ethanolamine-o-sulfate, b595
extrapyramidal system, b421
feedback inhibition, b109
female rats, b355
GABA agonists, b223, b465, b685
GABA antagonists, b223
GABA binding, b201, b503
GABA-dopamine interactions, b421
GABA receptor, b149, b201, b317
GABA synthesis, b89
GABA transaminase, b461

Muscimol (continued)
GABA uptake blockade, b685
glia, b201
glutamate decarboxylase, b89
^{3}H-GABA binding, 503
haloperidol, b109, b433
heart rate, b303
intracerebral infusion, b275
intracerebroventricular, b491
kojic amine baroreceptor, b491
limbic system, b223, b421
motor activity, b275
nipecotic acid, b685
noxious stimulus, b109
nucleus ambiguus, b303
peripheral and striatal influences, b109
phylogenetic characteristics, b167
picrotoxin, b223, b303, b415, b433, b447
prolactin, b355
punishment, b839
pyridoxal-5′-phosphate, b89
receptors, b839
reflexes, b491
rotational behavior, b503
seizures, b461
self-stimulation, b275
single-unit recording, b109
spinal cord, b149
SL 76 002, b421
substantia nigra, b109, b465, b503
suppressed responding, b839
striatum, b223
synaptosomes, b89
tail flick, b415
THIP, b465
tissue cultures, b149, b201
tyrosine hydroxylase, b421
ventral tegmental area, b465
writhing, b415
Muscimol binding
cerebral blood vessels, b173
cerebrovascular GABA receptor, b173
glutamate decarboxylase, b173

Naloxone
eating, d169
β-endorphin, 415
(Des-Tyr^1)-Neu-enkephalin, 415
(D-Ala^2)-Met-enkephalinamide, 415
ethylketocyclazocine, 615
gustatory, d169
inhibition, d169
kyotorphin, 415
morphine, d169
opioid receptors, 415, 615
pentazocine, 615
reversible, d169
thermoregulation, 415, 615
Neocortex
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Neonatal hypothyroidism
brain and liver cell-free protein synthesis, 1
brain microsomes, 1
leucine incorporation, 1
neonatal hypothyroidism, 1
postnatal brain development, 1
thyroid hormones, 1
Neonatal rodent
animal heater, 491
temperature regulation, 491

Neostriatum
cerebral cortex, 725
intracellular analysis, 725
stimulation, 725
substantia nigra, 725
thalamus, 725
Nerve endings
convulsions, b925
Nerve terminals
astrocytes, b95
(Baclofen), b497
cell fractions, b95
GABA transport, b95
glia, b95
ions, b95
novel GABA receptor, b497
selective ligand, b497
Neural regenerative sprouting
cerebellum, 421
hindbrain, 421
6-hydroxydopa, 421
morphine, 421
noradrenergic system, 421
Neuroanatomical model
benzodiazepines, b673
diazepam, b673
extrapyramidal system, b673
GABA mechanisms, b673
limbic system, b673
pathogenesis, b673
tardive dyskinesia, b673
treatment, b673
C-1300 Neuroblastoma cells
C-6 astrocytoma cells, b477
halothane, b477
Neuroendocrine interactions
arcuate nucleus, b361
excitatory amino acids, b361
inhibitory amino acids, b361
Neuroendocrine regulation
bombesin, d1
cholecystokinin, d1
eating, d1
insulin, d1
long-term satiety signals, d1
satiety signals, d1
short-term satiety signals, d1
somatostatin, d1
Neuroexcitability
afterdischarge, 505
afterdischarge threshold, 505
hippocampus, 505
postictal depression, 505
Neurohypophysial injections
horseradish peroxidase, 473
hypothalamus, 473
intrajugular injections, 473
magnocellular neurons, 473
paraventricular nucleus, 473
parvocellular neurons, 473
retrograde transport, 473
Neuroleptic inhibition
dexetimide, 223
motor behavior, 223
prefrontal cortex, 223
self-stimulation, 223
spiroperidol, 223
Neuroleptics
anticholinergic, b885
antihistamines, b639
benzodiazepines, b639, b885
bicuculline, b639

dopamine, b885
GABAergics, b639
interaction, b885
seizures, b639
stereotypies, b885
tricyclic antidepressants, b639
Neurological patients
CSF GABA, b737
high performance liquid chromatography, b737
Neuron population
chemosensitive neurons, 153
eating, 153
electroosmosis, 153
gastric acid secretion, 153
gastrin, 153
lateral hypothalamus, 153
Neuronal cilia
dehydration, 301
dense core vesicles, 301
intranuclear vacuoles, 301
neuronal membrane appositions, 301
neuroplasticity, 301
neurosecretion, 301
paraventricular nucleus, 301
Neuronal GABA transport
astrocytes, b389
glial GABA transport, b389
glutamate, b389
glutamine, b389
neuronal-glial interactions, b389
Neuronal interactions
freeze-dried tissue, 599
monoamines, 599
neuropeptides, 599
simultaneous histofluorescence-immunocytochemistry, 599
Neuronal interspike intervals
autocorrelation, 147
relative interval coding, 147
serial order analysis, 147
Neuronal membrane appositions
dehydration, 301
dense core vesicles, 301
intranuclear vacuoles, 301
neuronal cilia, 301
neuroplasticity, 301
neurosecretion, 301
paraventricular nucleus, 301
Neuronal peptide
human brain, 307
hypothalamus, 307
LHRH, 307
neurotransmitter, 307
subcellular fractionation, 307
subcellular morphology, 307
synaptosomes, 307
Neuronal RNA content
aging, 117
rhesus monkey, 117
Neurone-glia interaction
astrocytes, b389
electrophysiology, b397
glial cells, b397
glial GABA transport, b389
glutamate, b389
glutamine, b389
neuronal GABA transport, b389
tissue culture, b397
Neuropeptides
freeze-dried tissue, 599
monoamines, 599
neuronal interactions, 599
simultaneous histofluorescence-immunocytochemistry, 599
Neurophysiological effects
capsaicin, 755
thermoregulation, 755
Neurophysiology
amplifier overload prevention, 765
electronic switch, 765
Neuroplasticity
dehydration, 301
dense core vesicles, 301
intranuclear vacuoles, 301
neuronal cilia, 301
neuronal membrane appositions, 301
neurosecretion, 301
paraventricular nucleus, 301
Neurosecretion
dehydration, 301
dense core vesicles, 301
intranuclear vacuoles, 301
neuronal cilia, 301
neuronal membrane appositions, 301
neuroplasticity, 301
paraventricular nucleus, 301
Neurosecretory neurons
brain slice, 405
constant superfusion, 405
hypothalamus, 405
osmotic pressure, 405
paraventricular nucleus, 405
ultrastructure, 405
Neurotensin
bombesin, d133
2-deoxy-D-glucose, d133
gastric acid secretion, d133
insulin, d133
lateral hypothalamus, d133
Neurotransmitter
GABA-ergic horizontal cells, b137
goldfish, b137
human brain, 307
hypothalamus, 307
LHRH, 307
neuronal peptide, 307
subcellular fractionation, 307
subcellular morphology, 307
synaptosomes, 307
teleost retina, b137
Neurotransmitter metabolism
avian nocturnal hyperactivity, b369
basal ganglia, b369
locomotor activity, b369
Newborn monkey
choline acetyltransferase, 461
dopamine, 461
glutamic acid decarboxylase, 461
monkey brain, 461
norepinephrine, 461
pubescent monkey, 461
Nigrostriatal dopamine pathway
catalepsy, b439
GABA agonists, b439
GABA-dopamine interactions, b439
receptor supersensitivity, b439
stereotyped behavior, b439
Nigrothalamic pathway
electrophysiology, b7
thalamus, b7
Nipecotamide
muricide, b601
valproic acid, b601
Nipecotic acid
anticonvulsant, b685
epilepsy, b685

Nipecotic acid (continued)
GABA agonists, b685
GABA uptake blockade, b685
muscimol, b685
Noise
ethanol, 297
inequality testing, 297
information processing, 297
unit activity, 297
variability, 297
Nonesterified fatty acids
bilateral adrenalectomy, 451
brain indoleamine metabolism, 451
developmental protein malnutrition, 451
plasma corticosterone concentrations, 451
systemic tryptophan metabolism, 451
tryptophan hydroxylase activity, 451
tryptophan pyrrolase activity, 451
Non-neuronal tissues
L-glutamate decarboxylase, b31
Noradrenergic system
cerebellum, 421
hindbrain, 421
6-hydroxydopa, 421
morphine, 421
neural regenerative sprouting, 421
Norepinephrine
acetylcholine, 325
acetylcholinesterase, 127
adenylate cylcase, 649
aggression, 81
alpha-methyl-para-tyrosine, 81
amygdala, 683
amyotrophic lateral sclerosis, b765
autoreceptors, b531
baclofen, b531
blood brain barrier, 251
catecholamine variations, 81
cerebrovascular permeability, 251
choline acetyltransferase, 461
CSF, b765
differential distribution, 771
discrete brain areas, 81
dopamine, 239, 461, 531
dorsal-ventral axis, 771
epinephrine, 251
GABA, 239
GABA binding sites, b179
glutamate, 325
glutamic acid decarboxylase, 461
glucose, 325
hippocampal formation, 771
hippocampus, 649
histochemistry, 127
hypothalamus, 239, 683
immobilization, 251
isolation-induced aggression, 81
lateral hypothalamus, 325
lateral preoptic area, 325
LHRH, 239
locus ceruleus, 127
malnutrition, 251
medial forebrain bundle, 325
microiontophoresis, 325
monkey brain, 461
newborn monkey, 461
olfactory bulbectomy, 683
picrotoxin, b531
pineal glands, b179
pituitary, 239
preoptic area, 515
prolactin, 239
protein deprivation, 251
pubescent monkey, 461
serotonin, 515, 771
serotonin N-acetyltransferase, b179
single unit activity, 515
sodium, 325
stress, 251
^{14}C-sucrose permeability, 251
thermoregulation, 515
x-irradiation, 649
Novel GABA receptor
β-chlorophenyl GABA (Baclofen), b497
nerve terminals, b497
selective ligand, b497
Noxious stimulus
dopamine cells, b109
feedback inhibition, b109
haloperidol. b109
medulla, 203
muscimol, b109
nucleus centrum medianum, 41
peripheral and striatal influences, b109
single-unit recording, b109
substantia nigra, b109
thalamus, 203
tooth pulp, 203
tooth pulp stimulation, 41
NREM sleep
REM sleep, b279
wakefulness, b279
Nucleus ambiguus
arterial pressure, b303
bicuculline, b303
cardiovascular reflexes, b303
cats, b295
central vagal outflow, b325
dorsal nucleus of the vagus, b295
GABA content, b325
heart rate, b303
lateral reticular nucleus, b295
muscimol, b303
nucleus of the tractus solitarius, b295
nucleus raphe dorsalis, b295
periaqueductal gray, b295
picrotoxin, b303
specific ^{3}H-GABA binding, b325
stereotaxic atlas, b295
Nucleus centrum medianum
noxious stimuli, 41
tooth pulp stimulation, 41
Nucleus diagonal band (Broca)
GABA system, b1
mammalian habenula, b1
Nucleus of the tractus solitarius
cats, b295
dorsal nucleus of the vagus, b295
lateral reticular nucleus, b295
nucleus ambiguus, b295
nucleus raphe dorsalis, b295
periaqueductal gray, b295
stereotaxic atlas, b295
Nucleus raphe dorsalis
cats, b295
dorsal nucleus of the vagus, b295
lateral reticular nucleus, b295
nucleus ambiguus, b295
nucleus of the tractus solitarius, b295
periaqueductal gray, b295
stereotaxic atlas, b295

Obesity
eating, b793

hyperphagia, b793
hypothalamus, b793
lesion, b793
Olfactory bulbectomy
amygdala, 683
behavioral responses, 711
brain stimulation, 711
hypothalamus, 683
norepinephrine, 683
pressor response, 711
Olfactory cortex
anterior commissure, 437
anterior olfactory nucleus, 437
chemencephalon, 437
dentate gyrus, 437
diagonal band, 437
evoked potentials, 437
GABA depolarization, b291
GABA transport, b291
hippocampus, 437
lateral olfactory tract, 437
olfactory tubercle, 437
perforant path, 437
prepyriform cortex, 437
pyriform cortex, 437
rhinencephalon, 437
septum, 437
Olfactory discrimination
lateral olfactory tract, 141
lesions, 141
olfactory peduncle, 141
Olfactory lobe
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Olfactory peduncle
lateral olfactory tract, 141
lesions, 141
olfactory discrimination, 141
Olfactory system
centrifugal modulation, 383
evoked potential, 383
horseradish peroxidase, 383
locus coeruleus, 383
olfactory tubercle, 383
rat brain, e1
stereotaxic atlas, e1
stereotaxic variability, e1
unit activity, 383
Olfactory tubercle
anterior commissure, 437
anterior olfactory nucleus, 437
centrifugal modulation, 383
chemencephalon, 437
dentate gyrus, 437
diagonal band, 437
evoked potential, 383, 487
hippocampus, 437
horseradish peroxidase, 383
lateral olfactory tract, 437
locus coeruleus, 383
olfactory cortex, 437
olfactory system, 383
perforant path, 437
prepyriform cortex, 437
pyriform cortex, 437
rhinencephalon, 437
septum, 437
unit activity, 383
Ontogenesis
activity, b525, b585
baclofen, b525, b585
2-deoxy-D-glucose, d37
eating, d37
enzymes, d37
galactose, d37
glucoprivation, d37
glucose, d37
insulin, d37
metabolism, d37
methylphenidate, b525, b585
phloridzin, d37
stereotypy, b525, b585
temperature, b525, b585
Opioid receptors
β-endorphin, 415
(Des-Tyr^1)-Leu-enkephalin, 415
(D-Ala^2)-Met-enkephalinamide, 415
ethylketocyclazocine, 615
kyotorphin, 415,
naloxone, 415, 615
pentazocine, 615
thermoregulation, 415, 615
Opioids
caudate nucleus, b891
dopamine, b891
electromyographical activity, b891
rigidity, b891
Optical density
^{14}C-deoxyglucose, d43
diaphragm, d43
energy homeostasis, d43
glycolysis, d43
hunger, d43
metabolism, d43
streptozotocin-diabetes, d43
ventromedial hypothalamus, d43
Orbitofrontal cortex
brain-stimulation reward, 111
eating, d151
frontal cortex, 111
high fixed ratio schedule, d151
lateral hypothalamus, d151
motor cortex, d151
pyramidal tract neurons, d151
self-stimulation, 111
Organic acids
eating, d23
free fatty acids, d23
gas chromatography-mass spectrometry, d23
starvation, d23
twilight Zeitgebers, d23
Origin
CSF GABA levels, b111
rostrocaudal concentration, b111
Osmoregulation
2-deoxy-D-glucose, 593
drinking, 593
eating, 593
glucoprivation, 593
insulin, 593
kainic acid, 593
zona incerta, 593
Osmosensitive neurons
anticipatory reflexes, d97
diuresis, d97
glucagon, d97
gustatory projections, d97
insulin, d97
integration, d97
satiation, d97
Osmotic pressure
brain slice, 405
constant superfusion, 405
hypothalamus, 405

Osmotic pressure (continued)
neurosecretory neurons, 405
paraventricular nucleus, 405
ultrastructure, 405
Ouabain
A23187 ionophore, 75
body temperature, 75
calcium, 75
hypothalamus, 75
tetrodotoxin, 75
thermoregulation, 75
Ovariectomy
acetylcholine, 23
dopaminergic receptors, 23
plasma gonadotropin, 23
prolactin, 23
Oxygen
convulsions, b789
GABA metabolism, b789
Oxygen consumption
apomorphine, 349
dopamine, 349
pimozide, 349
primate, 349
temperature regulation, 349
Oxygen toxicity
ammonia, b781
ascorbic acid, b781
convulsions, b777, b781
lung damage, b781
pargyline, b781
succinic acid, b781
Oxygen uptake
astrocytes, b653
barbiturates, b653
diazepam, b653
phenobarbital, b653
potassium uptake, b653

Pain
evoked response, 547
thalamus, 547
tooth pulp, 547
Paleocortex
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Pancreas
lateral hypothalamus, d163
splanchnic neurve, d163
stimulation, d163
vagus nerve, d163
Pancreatic branch of the vagus nerve
adrenal efferents, d175
adrenal nerve, d175
glucose sensitive afferents, d175
intraportal venous infusion, d175
vagal pancreatic efferents, d175
Pancreatic glucagon
blood glucose levels, d17
eating, d17
food deprivation, d17
liver glycogen levels, d17
short-term food intake regulation, d17
Parabiotic rats
body weight, d13
drinking, d13
eating, d13
humoral factors, d13
regulation, d13
Parabrachial nucleus
anterior cingulate cortex, 425
bed nucleus of stria terminalis, 425
dopaminergic terminals, 425
Fink-Heimer method, 425
6-hydroxydopamine, 425
lateral septal nucleus, 425
Paradoxical sleep
acetylcholine, 9
biorhythms, 105
enriched environment, 9, 105
impoverished environment, 9, 105
long-term recall, 9
memory storage processes, 9, 105
sleep circadian rhythmicity, 105
slow-wave sleep, 9, 105
Paralimbic cleft
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Paralimbic lobe
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Paralysis
cortex, 121
hippocampus, 121
morphine, 121
succinylcholine, 121
thalamus, 121
urethane, 121
Paramedian
cerebellum, 267
crus I, 267
crus II, 267
dorsal accessory olive, 267
horseradish peroxidase, 267
inferior olive, 267
medial accessory olive, 267
vermis, 267
Parasagittal knife cuts
aphagia, d109
blood glucose, d109
body weight regulation, d109
2-deoxy-D-glucose, d109
free fatty acids, d109
gastric pathology, d109
insulin, d109
lateral hypothalamus, d109
lesions, d109
triglycerides, d109
Parasympathetic neural input
autonomic nervous system, d103
body weight, d103
eating, d103
insulin secretion, d103
sympathetic neural input, d103
Paraventricular hypothalamus
drinking, b237
drugs, b237
eating, b237
lateral hypothalamus, b237
ventromedial hypothalamus, b237
Paraventricular nucleus
brain slice, 405
constant superfusion, 405
dehydration, 301
dense core vesicles, 301
horseradish peroxidase, 473
hypothalamus, 405, 473
intranuclear vacuoles, 301
intrajugular injections, 473
magnocellular neurons, 473
neurohypophysial injections, 473
neuronal cilia, 301
neuronal membrane appositions, 301

neuroplasticity, 301
neurosecretion, 301
neurosecretory neurons, 405
osmotic pressure, 405
parvocellular neurons, 473
retrograde transport, 473
ultrastructure, 405
Pargyline
ammonia, b781
ascorbic acid, b781
brain catecholamines, 589
brain epinephrine, 589
convulsions, b781
harmaline, 589
lung damage, b781
monoamine oxidase, 589
oxygen toxicity, b781
Ro4-1284, 589
succinic acid, b781
Parkinsonian side effects
baclofen, b537
dose-response, b537
feedback loops, b537
haloperidol, b537
potentiation, b537
single unit recording, b537
specificity, b537
substantia nigra, b537
Parkinson's disease
acetylcholine, b487
cerebellar degeneration, b741
CSF, b769
CSF GABA levels, b741
L-DOPA, b589, b769
dopamine, b487
dyskinesia, b487, b589
essential tremor, b741
extrapyrimidal system, b487, b741
Huntington's chorea, b487, b741
involuntary movement disorders, b741
lergotrile, b769
limbic system, b487
schizophrenia, b487
sodium valproate, b589
Parvocellular neurons
horseradish peroxidase, 473
hypothalamus, 473
intrajugular injections, 473
magnocellular neurons, 473
neurohypophysial injections, 473
paraventricular nucleus, 473
retrograde transport, 473
Pathogenesis
benzodiazepines, b673
diazepam, b673
extrapyramidal system, b673
GABA mechanisms, b673
limbic system, b673
neuroanatomical model, b673
tardive dyskinesia, b673
treatment, b673
Pedal waves
Aplysia, 169, 179
locomotion, 169, 179
motor neuron, 179
motor program, 169
Penicillin G
ethanolamine sulfate, b621
GABA metabolism, b621
GABA-T inhibitors, b621
GAD, b621
sodium valproate, b621
Pentazocine
ethylketocyclazocine, 615
naloxone, 615
opioid receptors, 615
thermoregulation, 615
Pentobarbital
action, b659
acute, b913
amino acid release, b659
cerebral cortex slices, b659
chronic, b913
GABA bindings, b913
GABA-T, b913
GAD, b913
glutamate, b913
potassium, b665
primary afferent depolarization, b665
spinal cord, b665
Pentylenetetrazol
anxiety, b575
conflict behavior, b575
diazepam, b575
drug discrimination, b575
valproic acid, b575
Peptic ulcer
endoscopy, a59
gastric kinetics, a59
gastroduodenal mucosa, a59
multiple stress procedure, a59
Peptic ulcer susceptibility
acid secretion, a43
developmental disturbances, a43
early life events, a43
gastric erosions, a43
maternal separation, a43
restraint stress, a43
temperature regulation, a43
Peptidase degradation
enkephalin analogues, 47
FK 33-824, 47
Peptides
hypertension, 353
somatostatin, 353
stress, 353
vasopressin, 353
Perforant path
anterior commissure, 437
anterior olfactory nucleus, 437
chemencephalon, 437
dentate gyrus, 437
diagonal band, 437
evoked potentials, 437
hippocampus, 437
lateral olfactory tract, 437
olfactory cortex, 437
olfactory tubercle, 437
prepyriform cortex, 437
pyriform cortex, 437
rhinencephalon, 437
septum, 437
Periaqueductal gray
cats, b295
dorsal nucleus of the vagus, b295
lateral reticular nucleus, b295
nucleus ambiguus, b295
nucleus of the tractus solitarius, b295
nucleus raphe dorsalis, b295
stereotaxic atlas, b295
Perioral biting reflex
activation, 745
apomorphine, 745
GABA, 745

Perioral biting reflex (continued)
lateralization, 745
sensorimotor field, 745
Peripheral and striatal influences
dopamine cells, b109
feedback inhibition, b109
haloperidol, b109
muscimol, b109
noxious stimulus, b109
single-unit recording, b109
substantia nigra, b109
Peripheral glia
amino acids, b83
dorsal root ganglia, b83
GABA binding, b83
GABA transport, b83
Peripheral tissues
endocrine pancreatic function, b341
glucose homeostasis, b341
Islets of Langerhans tissue, b341
Phenobarbital
astrocytes, b653
barbiturates, b653
diazepam, b653
oxygen uptake, b653
potassium uptake, b653
Phenylquinone writhing
antinociception, b553
baclofen, b553
drug discrimination, b553
morphine, b553
mouse jumping, b553
pinch response, b553
tail-flick, b553
Phloridzin
2-deoxy-D-glucose, d37
eating, d37
enzymes, d37
galactose, d37
glucoprivation, d37
glucose, d37
insulin, d37
metabolism, d37
ontogenesis, d37
Phocaena phocaena
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Phospholipid methylation
benzodiazepine, b829
ionophore, b829
receptor, b829
Phospholipids
GABA receptor, b285
Huntington's chorea, b285
Photoaffinity labeling
benzodiazepine receptors, b155
electronmicroscopic autoradiography, b155
flunitrazepam, b155
Phylogenetic characteristics
benzodiazepine receptors, b167
binding, b167
muscimol, b167
Physiological abnormalities
duodenal ulcer, a37
gastric acid secretion, a37
gastric emptying, a37
gastrin, a37
plasma pepsinogen, a37
Physiological and morphological changes
autonomic nervous system, a19
gastric acid secretion, a19
gastric pathology, a19
gastrointestinal motility, a19
hypothalamus, a19
Picrotoxin
acetylcholine levels and utilization, b223
ACTH release, b447
aminooxyacetic acid, b415, b433
analgesia, b415
apomorphine induced climbing, b433
arterial pressure, b303
autoreceptors, b531
baclofen, b433, b447, b531
barbiturates, b919
bicuculline, b141, b223, b303, b415, b433, b447
brain synaptosomal membranes, b141
t-butylbicyclophosphate, b141
cardiovascular reflexes, b303
chloride ionophores, b919
cholinergic inhibition, b223
cortex, b613
cortico-striatal tract, b223
depressant, b919
dopamine, b531
dyskinesia, b613
GABA agonists, b223
GABA antagonists, b223
GABA-T inhibitors, b613
haloperidol, b433
heart rate, b303
isoguvacine, b141
limbic system, b223
methobromide, b141
muscimol, b223, b303, b415, b433, b447
norepinephrine, b531
nucleus ambiguus, b303
stereoisomers, b919
striatum, b223, b613
tail flick, b415
writhing, b415
Pimozide
apomorphine, 349
dopamine, 349
oxygen consumption, 349
primate, 349
temperature regulation, 349
Pinch response
antinociception, b553
baclofen, b553
drug discrimination, b553
morphine, b553
mouse jumping, b553
phenylquinone writhing, b553
tail-flick, b553
Pineal glands
cAMP, b347
GABA binding, b347
GABA binding sites, b179
GABA uptake, b347
ganglionectomy, b347
glial GABA, b347
cGMP, b347
norepinephrine, b179
serotonin N-acetyltransferase, b179
Pituitary
dopamine, 239
GABA, 239
hypothalamus, 239
LHRH, 239
norepinephrine, 239
prolactin, 239
Pituitary action of GABA
benzodiazepine, b701
GABA agonists, b701
prolactin, b701
prolactin release inhibition, b701

Plasma corticosterone concentrations
bilateral adrenalectomy, 451
brain indoleamine metabolism, 451
developmental protein malnutrition, 451
nonesterified fatty acids, 451
systemic tryptophan metabolism, 451
tryptophan hydroxylase activity, 451
tryptophan pyrrolase activity, 451
Plasma gonadotropin
acetylcholine, 23
dopaminergic receptors, 23
prolactin, 23
ovariectomy, 23
Plasma-pepsinogen
duodenal ulcer, a37
gastric acid secretion, a37
gastric emptying, a37
gastrin, a37
physiological abnormalities, a37
Pontine tegmentum
lateral hypothalamus, 637
locus coeruleus, 637
self-stimulation, 637
visceral-afferent column, 637
Pontocerebellar system
basilar pontine nuclei, 277
cerebro-cerebellar systems, 277
croticopontine system, 277
development, 277
Posterior vermis
Purkinje cells, 159
saccadic eye movement, 159
simple spike activity, 159
Postictal depression
afterdischarge, 505
afterdischarge threshold, 505
hippocampus, 505
neuroexcitability, 505
Postnatal brain development
brain and liver cell-free protein synthesis, 1
brain microsomes, 1
leucine incorporation, 1
neonatal hypothyroidism, 1
thyroid hormones, 1
Postsynaptic inhibition
anticonvulsant activity, b873
barbiturates, b873
benzodiazepines, b873
GABAergic transmission, b873
presynaptic inhibition, b873
Potassium
pentobarbital, b665
primary afferent depolarization, b665
spinal cord, b665
Potassium uptake
astrocytes, b653
barbiturates, b653
diazepam, b653
oxygen uptake, b653
phenobarbital, b653
Potentiation
baclofen, b537
dose-response, b537
feedback loops, b537
haloperidol, b537
Parkinsonian side effects, b537
single unit recording, b537
specificity, b537
substantia nigra, b537
Power spectral analysis of EEG
brain development, 51
EEG ontogeny, 51
hippocampus, 51
protein malnutrition, 51
slow-wave sleep, 51
theta activity, 51
Prefrontal cortex
dexetimide, 223
motor behavior, 233
neuroleptic inhibition, 223
self-stimulation, 223
spiroperidol, 223
Preoptic-anterior hypothalamus
antipyresis, 69
bacterial infection, 69
fever, 69
mortality rate, 69
sodium salicyte, 69
Preoptic area
amygdala, 291
arcuate nucleus, 291
autoradiography, 257
cross correlogram, 291
efferents, 257
electrical activity, 291
estrous cycle, 291
guinea pig, 257
hypothalamus, 257
norepinephrine, 515
serotonin, 515
single unit activity, 515
thermoregulation, 515
Prepyriform cortex
anterior commissure, 437
anterior olfactory nucleus, 437
chemencephalon, 437
dentate gyrus, 437
diagonal band, 437
evoked potentials, 437
hippocampus, 437
lateral olfactory tract, 437
olfactory cortex, 437
olfactory tubercle, 437
perforant path, 437
pyriform cortex, 437
rhinencephalon, 437
septum, 437
Pressor responses
behavioral responses, 711
brain stimulation, 711
olfactory bulbectomy, 711
Presynaptic inhibition
anticonvulsant activity, b873
barbiturates, b873
benzodiazepines, b873
GABAergic transmission, b873
postsynaptic inhibition, b873
Primary afferent depolarization
pentobarbital, b665
potassium, b665
spinal cord, b665
Primary brain cultures
GABA receptors, b195
spinal cord cultures, b195
Primate
apomorphine, 349
dopamine, 349
dyskinesias, b269
GABA-dopamine interrelationships, b269
locomotion, b269
movement disorders, b269
oxygen consumption, 349
pimozide, 349
receptor hypersensitivity, b269
schizophrenia, b269
stereotypy, b269

Primate (continued)
temperature regulation, 349
Prolactin
acetylcholine, 23
apomorphine, b427
baclofen, b427
benzodiazepine, b701
dopamine, 239
dopaminergic receptors, 23
female rats, b355
GABA, 239
GABA agonists, b701
growth hormone, b427
haloperidol, b427
hypothalamus, 239
levodopa, b427
LHRH, 239
muscimol, b355
norepinephrine, 239
pituitary, 239
pituitary action of GABA, b701
plasma gonadotropin, 23
prolactin release inhibition, b701
ovariectomy, 23
sodium valproate, b427
tardive dyskinesia, b427
Prolactin release inhibition
benzodiazepine, b701
GABA agonists, b701
pituitary action of GABA, b701
prolactin, b701
Propantheline bromide
body weight, 525
eating, 525
lateral hypothalamus, 525
lesions, 525
recovery of function, 525
Prostacyclin
anti-ulcer, a7
gastric mucosa, a7
mucosal blood flow, a7
prostaglandin, a7
Prostaglandin
anti-ulcer, a7
gastric mucosa, a7
hypothalamus, 735
mucosal blood flow, a7
prostacyclin, a7
protein synthesis, 735
pyrogen fever, 735
thermoregulation, 735
Protein deprivation
blood-brain barrier, 251
cerebrovascular permeability, 251
epinephrine, 251
immobilization, 251
malnutrition, 251
norepinephrine, 251
stress, 251
^{14}C-sucrose permeability, 251
Protein malnutrition
brain development, 51
EEG ontogeny, 51
hippocampus, 51
power spectral analysis of EEG, 51
slow-wave sleep, 51
theta activity, 51
Protein synthesis
hypothalamus, 735
prostaglandins, 735
pyrogen fever, 735
thermoregulation, 735
Protocerebrum
circadian rhythms, 667
visual rhythm, 667
Psychological stress
activity-stress, a79
anger, a67
conflict, a67
fear, a67
stress ulcer review, a79
ulcers, a67, 79
Psychosomatic model
duodenal ulcer disease, a39
specificity hypothesis, a39
ulcer personality, a39
Pubescent monkey
choline acetyltransferase, 461
dopamine, 461
glutamic acid decarboxylase, 461
monkey brain, 461
newborn monkey, 461
norepinephrine, 461
Punishment
antianxiety, b839
benzodiazepines, b839
conflict behavior, b839
diazepam, b839
muscimol, b839
receptors, b839
suppressed conditioning, b839
Purification
l-glutamate decarboxylase, b63
regulation, b63
Purkinje cell
diazepam receptors, b879
GABA receptors, b879
Purkinje cell malformations
graft-versus-host disease, 673
Purkinje cells
cytology, 563
horseradish peroxidase, 563
morphology, 563
posterior vermis, 159
saccadic eye movement, 159
simple spike activity, 159
Push-pull perfusion
eating, b253
metabolism, b253
regulation, b253
ventromedial hypothalamus, b253
Pylorus
cuff, d55
duodenum, d55
satiety, d55
stomach, d55
Pyramidal tract neurons
eating, d151
high fixed ratio schedule, d151
lateral hypothalamus, d151
motor cortex, d151
orbitofrontal cortex, d151
Pyridoxal phosphate
γ-butyrolactone, b89
GABA binding to transporter, b101
GABA synthesis, b89
glutamate apodecarboxylase, b57
glutamate decarboxylase, b57, b89
lysine residue, b101
muscimol, b89
regulation of GABA synthesis, b57
synaptosomes, b89
Pyriform cortex
anterior commissure, 437

anterior olfactory nucleus, 437
chemencephalon, 437
dentate gyrus, 437
diagonal band, 437
evoked potentials, 437
hippocampus, 437
lateral olfactory tract, 437
olfactory cortex, 437
olfactory tubercle, 437
perforant path, 437
prepyriform cortex, 437
rhinencephalon, 437
septum, 437
Pyrogen fever
hypothalamus, 735
prostaglandins, 735
thermoregulation, 735
protein synthesis, 735
Pyruvate dehydrogenase
autonomic hypothesis, d119
dopamine-β-hydroxylase, d119
gastric acid, d119
hyperinsulinemia, d119
lipoprotein lipase, d119
salivary glands, d119
sympathetic suppression, d119
vagal hyperactivity, d119
ventromedial hypothalamic obesity, d119

Quinine
cephalic phase insulin response, d127
hypothalamic hyperphagia, d127
hypothalamic obesity, d127
saccharin, d127
VMH procainization, d127

Rabbit
arousal, 227
bradycardia, 227
defense reaction, 227
diencephalon, 227
hypothalamus, 227
stimulation, 227
Rabbit corneal
deturgescence, b485
endothelial pump, b485
glucose, b485
insulin, b485
Rabbit head holder
halothane, 619
stereotaxic brain surgery, 769
stereotaxic surgery, 619
Radioenzymatic assay
cerebral cortex, 609
serotonin, 609
thin-layer chromatography, 609
Radiolabelled sugars
forebrain, 31
glycoprotein sugars, 31
synaptic junctional macromolecules, 31
Rapid perfusion
brain slice technique, 481
tissue slice recording chamber, 481
Rat
electrode placement, 135
stereotaxic variability, 135
Rat brain
olfactory system, e1
stereotaxic atlas, e1
stereotaxic variability, e1

Rate dependency
baclofen, b559
intracranial self-stimulation, b559
Sidman avoidance, b559
Rebound excitation
antidromic activity, 345
excitability, 345
lateral geniculate, 345
Receptor binding
allylglycine, b815
audiogenic seizures, b815
CSF, b809
ethanol, b809, b815
GABA-T inhibitors, b815
stress, b809
withdrawal, b809
Receptor hypersensitivity
dyskinesias, b269
GABA-dopamine interrelationships, b269
locomotion, b269
movement disorders, b269
primates, b269
schizophrenia, b269
stereotypy, b269
Receptor potential
chlorobutanol, 469
Limulus ventral photoreceptor, 469
Receptor supersensitivity
catalepsy, b439
GABA agonists, b439
GABA-dopamine interactions, b439
nigrostriatal dopamine pathway, b439
stereotyped behavior, b439
Receptors
antianxiety, b839
antischizophrenic drugs, b897
benzodiazepines, b773, b829, b839
chronic drug treatment, b897
conflict behavior, b839
contralateral turning behavior, b897
convulsants, b213
depressants, b213
diazepam, b839
dihydropicrotoxinin, b213
dopamine, b897
Huntington's chorea, b773
ionophore, b213, b829
muscimol, b839
phospholipid methylation, b829
punishment, b839
side effects, b897
suppressed responding, b839
Recovery of function
body weight, 525
eating, 525
lateral hypothalamus, 525
lesions, 525
propantheline bromide, 525
Regulation
body weight, d13
drinking, d13
eating, d13, b253
l-glutamate decarboxylase, b63
humoral factors, d13
metabolism, b253
parabiotic rats, d13
purification, b63
push-pull perfusion, b253
ventromedial hypothalamus, b253
Regulation of GABA synthesis
glutamate apodecarboxylase, b57
glutamate decarboxylase, b57

Regulation of GABA synthesis (continued)
pyridoxal phosphate, b57
Relative interval coding
autocorrelation, 147
neuronal interspike intervals, 147
serial order analysis, 147
Regulatory responses
chronic decerebrate, d79
ingestion and rejection responses, d79
sympathoadrenal response, d79
Reliability
amplitude-intensity function, 207
auditory evoked potential, 207
EEG, 207
human, 207
latency-intensity function, 207
REM sleep
NREM sleep, b279
wakefulness, b279
Restraint stress
acid secretion, a43
developmental disturbances, a43
early life events, a43
gastric erosion, a43
maternal separation, a43
peptic ulcer susceptibility, a43
temperature regulation, a43
Restraint ulcer
current research, a51
emotion, a51
future implications, a51
history, a51
stress, a51
Retina
amacrine cell, b21
GABA neurons, b21
glutamate decarboxylase, b21
immunohistochemistry localization, b21
Retinofugal axons
central projection, 687
conduction velocity, 687
lateral geniculate nucleus, 687
superior colliculus, 687
Retrograde transport
horseradish peroxidase, 473
hypothalamus, 473
intrajugular injections, 473
magnocellular neurons, 473
neurohypophysial injections, 473
paraventricular nucleus, 473
parvocellular neurons, 473
Reversible
eating, d169
gustatory, d169
inhibition, d169
morphine, d169
naloxone, d169
Reward
amygdala, d143
bar press, d143
discrimination, d143
drive, d143
eating, d143
lateral hypothalamus, d143
unit activity, d143
Rhesus monkey
aging, 117
neuronal RNA content, 117
Rhinencephalon
anatomy of bottlenose dolphin brain, c1
anterior commissure, 437
anterior olfactory nucleus, 437
chemencephalon, 437
comparative anatomy—cetacean species, c1
dentate gyrus, 437
diagonal band, 437
evoked potentials, 437
hippocampus, 437
lateral olfactory tract, 437
olfactory cortex, 437
olfactory tubercle, 437
perforant path, 437
prepyriform cortex, 437
pyriform cortex, 437
septum, 437
Rigidity
caudate nucleus, b891
dopamine, b891
electromyographical activity, b891
opioids, b891
Ro4-1284
brain catecholamines, 589
brain epinephrine, 589
harmaline, 589
monoamine oxidase, 589
pargyline, 589
Rostrocaudal concentration
CSF GABA levels, b111
origin, b111
Rotational behavior
amphetamine, 539
baclofen, b503
dopamine, 539
^{3}H-GABA binding, b503
gonadal steroids, 539
lateralization, 539
muscimol, b503
sex differences, 539
striatum, 539
substantia nigra, b503
Rotorod
baclofen, b519
electroshock, b519
GABA mimetics, b519
kainic acid, b519

Saccadic eye movement
posterior vermis, 159
Purkinje cells, 159
simple spike activity, 159
Saccharin
cephalic phase insulin response, d127
hypothalamic hyperphagia, d127
hypothalamic obesity, d127
quinine, d127
VMH procainization, d127
Salivary glands
autonomic hypothesis, d119
dopamine-β-hydroxylase, d119
gastric acid, d119
hyperinsulinemia, d119
lipoprotein lipase, d119
pyruvate dehydrogenase, d119
sympathetic suppression, d119
vagal hyperactivity, d119
ventromedial hypothalamic obesity, d119
Satiation
anorexia, d59
anticipatory reflexes, d97
diuresis, d97
glucagon, d97
gustatory projections, d97
insulin, d97
integration, d97

intraportal adrenaline, d59
intraportal glucose, d59
osmosensitive neurons, d97
Satiety
body weight, d7
cuff, d55
drinking, d7
duodenum, d55
eating, d7
insulin, d7
meal patterns, d7
minipump, d7
pylorus, d55
stomach, d55
streptozotocin-diabetes, d7
Satiety signals
bombesin, d1
cholecystokinin, d1
eating, d1
insulin, d1
long-term satiety signals, d1
neuroendocrine regulation, d1
short-term satiety signals, d1
somatostatin, d1
Schizophrenia
acetylcholine, b487
affective disorder, b731
basal ganglia, b261
behavior, b261
catalepsy, b261
CSF GABA levels, b731
depression, b411
dopamine, b231, b261, b487
dyskinesias, b269, b487
epilepsy, b411
extrapyramidal system, b487
GABA, b231
GABA-dopamine interrelationships, b269
GABA mimetic, b411
glucose, b731
Huntington's chorea, b411, b487
limbic system, b261, b487
locomotion, b269
mesolimbic system, b231
movement disorders, b269
Parkinson's disease, b487
primates, b269
receptor hypersensitivity, b269
SL 76 002, b411
spasticity, b411
stereotyped behavior, b261
stereotypy, b269
Seizures
antihistamines, b639
benzodiazepines, b639
bicuculline, b639
GABA transaminase, b461
GABAergics, b639
muscimol, b461
neuroleptics, b639
tricyclic antidepressants, b639
Seizure type
cerebellum, b747
CSF, b747
electrical stimulation, b747
epilepsy, b747
Selective ligand
β-chlorophenyl GABA (Baclofen), b497
nerve terminals, b497
novel GABA receptor, b497
Self-stimulation
bicuculline, b275
brain-stimulation reward, 111
dexetimide, 223
electrode-cannula, b275
frontal cortex, 111
intracerebral infusion, b275
lateral hypothalamus, 637
locus coeruleus, 637
motor activity, b275
motor behavior, 223
muscimol, b275
neuroleptic inhibition, 223
orbitofrontal cortex, 111
pontine tegmentum, 637
prefrontal cortex, 223
sprioperidol, 223
visceral-afferent column, 637
Sensitization
allosteric preconditioning, b161
desensitization, b161
GABA receptors, b161
hysteric properties, b161
Sensorimotor field
activation, 745
apomorphine, 745
GABA, 745
lateralization, 745
perioral biting reflex, 745
Sensory neurones
dorsal root ganglion, b471
GABA-mimetics, b471
GABA-responses, b471
Septohippocampal system
afferent lamination, 217
dentate gyrus, 217
development, 217
implants, 217
Septum
anterior commissive, 437
anterior olfactory nucleus, 437
chemencephalon, 437
computer modeling, d89
dentate gyrus, 437
diagonal band, 437
diet dilution, d89
eating, d89
evoked potentials, 437
hippocampus, 437
lateral olfactory tract, 437
lesions, d89
meal patterns, d89
olfactory cortex, 437
olfactory tubercle, 437
perforant path, 437
prepyriform cortex, 437
pyriform cortex, 437
rhinencephalon, 437
Serial order analysis
autocorrelation, 147
neuronal interspike intervals, 147
relative interval coding, 147
Serine
amino acids, 653, 661
fever, 653
glycine, 661
hyperthermia, 653
thermoregulation, 653, 661
Serotonin
baclofen, b507, b545
baclofen derivatives, b507
cerebral cortex, 609, b643
differential distribution, 771
dopamine, b545, b643
dorsal-ventral axis, 771
EEG, b507

Serotonin (continued)
ethanol, b643
GABAergic neurotransmission, b643
glutamate, b507
hippocampal formation, 771
microiontophoresis, b507
norepinephrine, 515, 771
preoptic area, 515
radioenzymatic assay, 609
single unit activity, 515
striatum, 545
thermoregulation, 515
thin-layer chromatography, 609
Serotonin N-acetyltransferase
GABA binding sites, b179
norepinephrine, b179
pineal glands, b179
Sex differences
amphetamine, 539
dopamine, 539
gonadal steroids, 539
lateralization, 539
rotational behavior, 539
striatum, 539
Sexual behavior
estrous cycle, 531
hypothalamus, 531
knife cuts, 531
Short-term food intake regulation
blood glucose levels, d17
eating, d17
food deprivation, d17
liver glycogen levels, d17
pancreatic glucagon, d17
Short-term satiety signals
bombesin, d1
cholecystokinin, d1
eating, d1
insulin, d1
long-term satiety signals, d1
neuroendocrine regulation, d1
satiety signals, d1
somatostatin, d1
Side effects
antischizophrenic drugs, b897
chronic drug treatment, b897
contralateral turning behavior, b897
dopamine, b897
receptors, b897
Sidman avoidance
baclofen, b559
intracranial self-stimulation, b559
rate dependency, b559
Simple spike activity
posterior vermis, 159
Purkinje cells, 159
saccadic eye movement, 159
Simultaneous histofluorescence-immunocytochemistry
freeze-dried tissue, 599
monoamines, 599
neuronal interactions, 599
neuropeptides, 599
Single cell activity
autocorrelation, 759
deafferentiation, 759
mediobasal hypothalamus, 759
spontaneous activity, 759
Single unit activity
awake animals, 91
chronic unit recording, 91
hypothalamic interconnections, 315
lateral hypothalamus, 315
lateral preoptic area, 315
medial forebrain bundle, 315
moveable chronic microelectrode, 91
norepinephrine, 515
preoptic area, 515
serotonin, 515
thermoregulation, 515
Single-unit recording
antidiuretic hormone, d189
baclofen, b537
dopamine cells, b109
dose-response, b537
feedback inhibition, b109
feedback loops, b537
haloperidol, b109, b537
hepatic osmoregulation, d189
horseradish peroxidase, d189
ingestive behavior, d189
muscimol, b109
noxious stimulus, b109
Parkinsonian side effects, b537
peripheral and striatal influences, b109
potentiation, b537
specificity, b537
substantia nigra, b109, b537
visceral afferents, d189
SL 76 002
depression, b411
dipropylacetamide, b421
dopamine, b421
epilepsy, b421
extrapyramidal system, b421
GABA-dopamine interactions, b421
GABA mimetic, b411
Huntington's chorea, b411
limbic system, b421
muscimol, b421
schizophrenia, b411
spasticity, b411
tyrosine hydroxylase, b421
Sleep
cortical responsiveness, 553
thalamic transmission, 553
waking, 553
Sleep circadian rhythmicity
biorhythms, 105
enriched environment, 105
impoverished environment, 105
memory storage processes, 105
paradoxical sleep, 105
slow-wave sleep, 105
Slow-wave sleep
acetylcholine, 9
biorhythms, 105
brain development, 51
EEG ontogeny, 51
enriched environment, 9, 105
hippocampus, 51
impoverished environment, 9, 105
long-term recall, 9
memory storage processes, 9, 105
paradoxical sleep, 9, 105
power spectral analysis of EEG, 51
protein malnutrition, 51
sleep circadian rhythmicity, 105
Theta activity, 51
Small animals
brain temperature, 479
EEG, 479
electrode implant, 479
EMG, 479
Sodium
acetylcholine, 325
glucose, 325

glutamate, 325
lateral hypothalamus, 325
lateral preoptic area, 325
medial forebrain bundle, 325
microiontophoresis, 325
norepinephrine, 325
Sodium appetite
amygdala, 35
angiotensin, 501
carbachol, 501
chemical brain stimulation, 501
colchicine-induced disruption, 35
drinking, 501
estrous cycle, 501
Sodium dependence
brain development, b121
GABA transport, b121
GABA uptake, b121
synaptosomes, b121
Sodium salicyte
antipyresis, 69
bacterial infection, 69
fever, 69
mortality rate, 69
preoptic-anterior hypothalamus, 69
Sodium valproate
apomorphine, b427
baclofen, b427
cAMP, b585
CSF, b585
cGMP, b585
dyskinesias, b589
ethanolamine sulfate, b621
GABA metabolism, b621
GABA-T inhibitors, b621
GAD, b621
growth hormone, b427
haloperidol, b427
homovanillic acid, b585
l-dopa, b427, b589
Parkinsonism, b589
penicillin G, b621
prolactin, b427
tardive dyskinesia, b427
Somatostatin
bombesin, d1
cholecystokinin, d1
eating, d1
hypertension, 353
insulin, d1
long-term satiety signals, d1
neuroendocrine regulation, d1
peptides, 353
satiety signals, d1
short-term satiety signals, d1
stress, 353
vasopressin, 353
Spasticity
depression, b411
epilepsy, b411
GABA mimetic, b411
Huntington's chorea, b411
schizophrenia, b411
SL 76 002, b411
Specific ^{3}H-GABA binding
central vagal outflow, b325
GABA content, b325
nucleus ambiguus, b325
Specificity
baclofen, b537
dose-response, b537
feedback loops, b537
haloperidol, b537
Parkinsonian side effects, b537
potentiation, b537
single unit recording, b537
substantia nigra, b537
Specifity hypothesis
duodenal ulcer disease, a39
psychosomatic model, a39
ulcer personality, a39
Spinal cord
autoradiography, b149
bicuculline-methiodide, b149
cerebellum, b149
flunitrazepam, b149
GABA receptors, b149
muscimol, b149
pentobarbital, b665
potassium, b665
primary afferent depolarization, b665
tissue culture, b149
Spinal cord cultures
GABA receptors, b195
primary brain cultures, b195
Spinal investigation unit
extracellular recording, 87
laminectomy, 87
Spinal neurons
anticonvulsants, b43
convulsants, b43
excitation, b43
inhibition, b43
Spiroperidol
dexetimide, 223
motor behavior, 223
neuroleptic inhibition, 223
prefrontal cortex, 223
self-stimulation, 223
Splanchnic nerve
lateral hypothalamus, d163
pancreas, d163
stimulation, d163
vagus nerve, d163
Spontaneous activity
autocorrelation, 759
deafferentiation, 759
mediobasal hypothalamus, 759
single cell activity, 759
Spontaneous obesity
body weight, d69
eating, d69
genetic obesity, d69
hypothalamic obesity, d69
jejunoileal bypass, d69
Squirrel monkey
hippocampal formation, 285
horseradish peroxidase, 285
Stability
CSF, b725
GABA concentration, b725
Starvation
eating, d23
free fatty acids, d23
gas chromatography-mass spectrometry, d23
organic acids, d23
twilight Zeitgebers, d23
Stereochemical specificity
development, b381
induction, b381
metamorphosis, b381
Stereoisomers
barbiturates, b919
chloride ionophores, b919
convulsant, b919
depressant, b919

Stereoisomers (continued)
picrotoxinin, b919
Stereoselective GABA agonists
benzodiazepine receptors, b681
diazepam, b681
strychnine, b681
Stereotaxic atlas
cats, 295
dorsal nucleus of the vagus, b295
lateral reticular nucleus, b295
nucleus ambiguus, b295
nucleus of the tractus solitarius, b295
nucleus raphe dorsalis, b295
olfactory system, e1
periaqueductal gray, b295
rat brain, e1
stereotaxic variability, e1
Stereotaxic brain surgery
rabbit head holder, 769
Stereotaxic surgery
halothane, 619
rabbit head holder, 619
Stereotaxic variability
electrode placement, 135
olfactory system, e1
rat, 135
rat brain, e1
stereotaxic atlas, e1
Stereotyped behavior
basal ganglia, b261
behavior, b261
catalepsy, b261, b439
dopamine, b261
GABA agonists, b439
GABA-dopamine interactions, b439
limbic system, b261
nigrostriatal dopamine pathway, b439
receptor supersensitivity, b439
schizophrenia, b261
Stereotypies
anticholinergic, b885
benzodiazepines, b885
dopamine, b885
interaction, b885
neuroleptics, b885
Stereotypy
activity, b525, b585
amphetamine, b609
apomorphine, 679
baclofen, b525, b585
dopamine, 679
estrogen, 679
dyskinesias, b269
GABA-dopamine interrelationships, b269
GABA transaminase, b609
locomotion, b269
methylphenidate, b525, b585
movement disorders, b269
ontogenesis, b525, b585
primates, b269
receptor hypersensitivity, b269
schizophrenia, b269
temperature, b525, b585
γ-vinyl GABA, b609
Stimulation
analog switch, 485
arousal, 227
bradycardia, 227
cerebral cortex, 725
defense reaction, 227
diencephalon, 227
hypothalamus, 227
kindling, 485
lateral hypothalamus, d163
multiple-unit recording, 485
neostriatum, 725
pancreas, d163
rabbit, 227
splanchnic nerve, d163
substantia nigra, 725
thalamus, 725
vagus nerve, d163
Stomach
cuff, d55
duodenum, d55
pylorus, d55
satiety, d55
Stomach distension
horseradish peroxidase, d181
hypothalamic interconnections, d181
lateral hypothalamus, d181
lateral preoptic area, d181
medial forebrain bundle, d181
vagus nerve stimulation, d181
Streptozotocin-diabetes
body weight, d7
14C-deoxyglucose, d43
diaphragm, d43
drinking, d7
eating, d7
energy homeostasis, d43
glycolysis, d43
hunger, d43
insulin, d7
meal patterns, d7
metabolism, d43
minipump, d7
optical density, d43
satiety, d7
ventromedial hypothalamus, d43
Stress
blood-brain barrier, 251
cerebrovascular permeability, 251
CSF, b809
endoscopy, a59
epinephrine, 251
ethanol, b809
gastric-kinetics, a59
gastroduodenal mucosa, a59
hypertension, 353
immobilization, 251
malnutrition, 251
multiple stress procedures, a59
norepinephrine, 251
peptic ulcer, a59
peptides, 353
protein deprivation, 251
receptor binding, b809
restraint ulcer: history, current research and future implications, a51
somatostatin, 353
^{14}C-sucrose permeability, 251
vasopressin, 353
withdrawal, b809
Stress ulcer review
activity-stress, a73
psychological stress, a73
ulcer, a73
Stria medullaris
GABA system, b1
mammalian habenula, b1
Striatonigral GABA pathway
GABA binding, b825
Huntington's disease, b825

kainic acid, b825
substantia nigra, b825
supersensitivity, b825
Striatum
acetylcholine, b549
acetylcholine levels and utilization, b223
amphetamine, 539
baclofen, b545, b549
bicuculline, b223
cholinergic inhibition, b223
cortex, b613
cortico-striatal tract, b223
dopamine, 539, b545
dyskinesia, b613
extrapyramidal systems, b131
GABA agonists, b223
GABA antagonists, b223
GABA-T inhibitors, b613
GAD, b131
gonadal steroids, 539
haloperidol, b549
kainic acid, b131
lateralization, 539
limbic system, b223
muscimol, b223
picrotoxin, b223, b613
rotational behavior, 539
serotonin, b545
sex differences, 539
Strychnine
benzodiazepine receptors, b681
diazepam, 681
stereoselective GABA agonists, b681
Subcellular fractionation
human brain, 307
hypothalamus, 307
LHRH, 307
neuronal peptide, 307
neurotransmitter, 307
subcellular morphology, 307
synaptosomes, 307
Subcellular localization
GABA-transaminase, b71
Subcellular morphology
human brain, 307
hypothalamus, 307
LHRH, 307
neuronal peptide, 307
neurotransmitter, 307
subcellular fractionation, 307
synaptosomes, 307
Substance P
carotid body, 195
central nervous system, 575
chemoreceptor, 195
histochemistry, 575
immunocytochemistry, 575
immunofluorescence, 195
monoclonal antibodies, 575
Substantia nigra
baclofen, b503, b537
cerebral cortex, 725
current spread, 487
dopamine cells, b109
dopamine neurons, b465
dose-response, b537
feedback inhibition, b109
feedback loops, b537
GABA agonists, b465
^{3}H-GABA binding, b503, b825
haloperidol, b109, b537
Huntington's disease, b825
intracellular analysis, 725
jaw movement, 487
kainic acid, b825
muscimol, b109, b465, b503
neostriatum, 725
noxious stimulus, b109
Parkinsonian side effects, b537
peripheral and striatal influences, b109
potentiation, b537
rotational behavior, b503
single-unit recording, b109, b537
specificity, b537
stimulation, 725
striatonigral GABA pathway, b825
supersensitivity, b825
thalamus, 725
THIP, b465
ventral tegmential area, b465
Succinic acid
ammonia, b781
ascorbic acid, b781
convulsions, b781
lung damage, b781
oxygen toxicity, b781
pargyline, b781
Succinic semialdehyde
γ-aminobutyric acid transaminase, b51
assay, b51
GABA, b51
succinic semialdehyde dehydrogenase, b51
Succinic semialdehyde dehydrogenase
γ-aminobutyric acid transaminase, b51
assay, b51
GABA, b51
succinic semialdehyde, b51
Succinylcholine
cortex, 121
hippocampus, 121
morphine, 121
paralysis, 212
thalamus, 121
urethane, 121

^{14}C-Sucrose permeability
blood-brain barrier, 251
cerebrovascular permeability, 251
epinephrine, 251
immobilization, 251
malnutrition, 251
norepinephrine, 251
protein deprivation, 251
stress, 251
Suicide substrate
antiserum production, b713
cysteine sulfinate decarboxylase, b713
glutamate decarbosylase, b713
immunocytochemistry, b713
immunoelectrophoresis, b713
Sulci and gyri of whale brain
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Superior colliculus
central projections, 687
conduction velocity, 687
lateral geniculate nucleus, 687
retinofugal axons, 687
Supersensitivity
GABA binding, b825
Huntington's disease, b825
kainic acid, b825
striatonigral GABA pathway, b825
substantia nigra, b825

Suppressed responding
antianxiety, b839
benzodiazepines, b839
conflict behavior, b839
diazepam, b839
muscimol, b839
punishment, b839
receptors, b839
Supralimbic lobe
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Surgical transections
degenerated nerve elements, 13
electron microscope, 13
medial forebrain bundle, 13
medial hypothalamus, 13
Sympathetic neural imput
autonomic nervous system, d103
body weight, d103
eating, d103
insulin secretion, d103
parasympathetic neural input, d103
Sympathetic suppression
autonomic hypothesis, d119
dopamine-β-hydroxylase, d119
gastric acid, d119
hyperinsulinemia, d119
lipoprotein lipase, d119
pyruvate dehydrogenase, d119
salivary glands, d119
vagal hyperactivity, d119
ventromedial hypothalamic obesity, d119
Sympathoadrenal response
chronic decerebrate, d79
ingestion and rejection responses, d79
regulatory responses, d79
Synaptic density
cell density, 643
lateral hypothalamus, 643
medial forebrain bundle, 643
Synaptic junctional macromolecules
forebrain, 31
glycoprotein sugars, 31
radiolabelled sugars, 31
Synaptic membranes
amino acid transmitters, b647
gangliosides, b647
glutamate, b647
ethanol, b647
Synaptosomes
anesthetic agents, b909
anticonvulsants, b821
brain development, b121
brain slices, b909
γ-butyrolactone, b89
convulsion, b209
GABA degradation, b909
GABA "disposal," b909
GABA receptors, b209
GABA synthesis, b89
GABA-T, b909
GABA transport, b121
GABA uptake, b121, b209, b821, b909
glutamate decarboxylase, b89
human brain, 307
hypothalamus, 307
LHRH, 307
muscimol, b89
neuronal peptide, 307
neurotransmitter, 307
pyridoxal-5'-phosphate, b89
sodium dependence, b121
subcellular fractionation, 307
subcellular morphology, 307
Systemic tryptophan metabolism
bilateral adrenalectomy, 451
brain indoleamine metabolism, 451
developmental protein malnutrition, 451
nonesterified fatty acids, 451
plasma corticosterone concentrations, 451
tryptophan hydroxylase activity, 451
tryptophan pyrrolase activity, 451

Tail flick
aminooxyacetic acid, b415
analgesia, b415
antinociception, b553
baclofen, b553
bicuculline, b415
drug discrimination, b553
morphine, b553
mouse jumping, b553
muscimol, b415
phenylquinone writhing, b553
picrotoxin, b415
pinch response, b553
writhing, b415
Tardive dyskinesia
apomorphine, b427
baclofen, b427
benzodiazepines, b673
diazepam, b673
extrapyramidal system, b673
GABA mechanisms, b673
growth hormone, b427
haloperidol, b427
l-dopa, b427
limbic system, b673
neuroanatomical model, b673
pathogenesis, b673
prolactin, b427
sodium valproate, b427
treatment, b673
Telencephalon
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Teleost retina
GABA-ergic horizontal cell, b137
goldfish, b137
neurotransmitter, b137
Temperature
activity, b525, b585
baclofen, b525, b585
methylphenidate, b525, b585
ontogenesis, b525, b585
stereotypy, b525, b585
Temperature regulation
acid secretion, a43
animal heater, 491
apomorphine, 349
developmental disturbances, a43
dopamine, 349
early life events, a43
gastric erosion, a43
maternal separation, a43
neonatal rodent, 491
oxygen consumption, 349
peptic ulcer susceptibility, a43
pimozide, 349
primate, 349
restraint stress, a43
Tetrodotoxin
A23187 ionophore, 75

body temperature, 75
calcium, 75
hypothalamus, 75
ouabain, 75
thermoregulation, 75
Thalamic transmission
cortical responsiveness, 553
sleep, 553
waking, 553
Thalamus
cerebral cortex, 725
cortex, 121
diazepam, 61
electrophysiology, b7
evoked response, 547
hippocampus, 121
horseradish peroxidase, 61
intracellular analysis, 725
kainic acid lesions, 61
medulla, 203
morphine, 121
morphological and behavioral changes, 61
neostriatum, 725
nigrothalamic pathway, b7
noxious stimuli, 203
pain, 547
paralysis, 121
stimulation, 725
substantia nigra, 725
succinylcholine, 121
tooth pulp, 203, 547
urethane, 121
Thermoregulation
A23187 ionophore, 75
amino acids, 661, 653
body temperature, 75
calcium, 75
capsaicin, 755
β-endorphin, 415
(Des-Tyr^1)-Leu-enkephalin, 415
(D-Ala^2)-Met-enkephalinamide, 415
ethylketocyclazocine, 615
fever, 653
glycine, 661
hyperthermia, 653
hypothalamus, 75, 735
kyotorphin, 415
naloxone, 415, 615
neurophysiological effects, 755
norepinephrine, 515
opioid receptors, 415, 615
ouabain, 75
pentazocine, 615
preoptic area, 515
prostaglandins, 735
protein synthesis, 735
pyrogen fever, 735
serine, 653, 661
serotonin, 515
single unit activity, 515
tetrodotoxin, 75
Theta activity
brain development, 51
EEG ontogeny, 51
hippocampus, 51
power spectral analysis of EEG, 51
protein malnutrition, 51
slow wave sleep, 51
Thin-layer chromatography
cerebral cortex, 609
radioenzymatic assay, 609
serotonin, 609
Thiosemicarbazide
allylglycine, b605
epilepsy, b605
GAD inhibitors, b605
igoniazid, b605
THIP
dopamine neurons, b465
GABA agonists, b465
muscimol, b465
substantia nigra, b465
ventral tegmental area, b465
Thyroid hormones
brain and liver cell-free protein synthesis, 1
brain microsomes, 1
leucine incorporation, 1
neonatal hypothyroidism, 1
postnatal brain development, 1
Tissue culture
autoradiography, b149
bicuculline-methiodide, b149
binding, b201
cerebellum, b149
electrophysiology, b397
flunitrazepam, b149
GABA receptors, b149, b201
glia, b201
glial cells, b397
muscimol, b149, b201
neurone-glia interaction, b397
spinal cord, b149
Tissue slice recording chamber
brain slice technique, 481
rapid perfusion, 481
Tooth pulp
evoked response, 547
medulla, 203
noxious stimuli, 203
pain, 547
thalamus, 203, 547
Tooth pulp stimulation
noxious stimuli, 41
nucleus centrum medianum, 41
Treatment
benzodiazepines, b673
diazepam, b673
extrapyramidal system, b673
GABA mechanisms, b673
limbic system, b673
neuroanatomical model, b673
pathogenesis, b673
tardive dyskinesia, b673
Triazolopyridazines
benzodiazepines, b861
bicuculline, b861
convulsions, b861
isoniazid, b861
Tricyclic antidepressants
antihistamines, b639
benzodiazepines, b639
bicuculline, b639
GABAergics, b639
neuroleptics, b639
seizures, b639
Trigeminal nucleus
caudal spinal, 751
electroacupuncture, 751
jaw opening, 751
Triglycerides
aphagia, d109
blood glucose, d109
body weight regulation, d109
2-deoxy-D-glucose, d109

Triglycerides (continued)
free fatty acids, d109
gastric pathology, d109
insulin, d109
lateral hypothalamus, d109
lesions, d109
parasagittal knife cuts, d109
Triton-treated membranes
benzodiazepine receptors, b853
GABA activation, b853
Tryptophan hydroxylase activity
bilateral adrenalectomy, 451
brain indoleamine metabolism, 451
developmental protein malnutrition, 451
nonesterified fatty acids, 451
plasma corticosterone concentrations, 451
systemic tryptophan metabolism, 451
tryptophan pyrrolase activity, 451
Tryptophan pyrrolase activity
bilateral adrenalectomy, 451
brain indoleamine metabolism, 451
developmental protein malnutrition, 451
neoesterified fatty acids, 451
plasma corticosterone concentrations, 451
systemic tryptophan metabolism, 451
tryptophan hydroxylase activity, 451
Tursiops truncatus
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1
Tyrosine hydroxylase
dipropylacetamide, b421
dopamine, b421
extrapyramidal system, b421
GABA-dopamine interactions, b421
limbic system, b421
muscimol, b421
SL 76 002, b421
Twilight Zeitgebers
eating, d23
free fatty acids, d23
gas chromatography-mass spectrometry, d23
organic acids, d23
starvation, d23

Ulcer personality
duodenal ulcer disease, a39
psychosomatic model, a39
specificity hypothesis, a39
Ulcers
activity-stress, a73
anger, a67
conflict, a67
fear, a67
psychological stress, a67, 73
stress ulcer review, a73
Ultrastructure
brain slice, 405
constant superfusion, 405
hypothalamus, 405
neurosecretory neurons, 405
osmotic pressure, 405
paraventricular nucleus, 405
Unavoidable shock
acute and chronic stress, a63
gastric emptying, a63
gastric secretion, a63
habituation, a63
Unit activity
amygdala, d143
bar press, d143
centrifugal modulation, 383
discrimination, d143
drive, d143
eating, d143
ethanol, 297
evoked potential, 383
horseradish peroxidase, 383
inequality testing, 297
information processing, 297
lateral hypothalamus, d143
locus coeruleus, 383
noise, 297
olfactory system, 383
olfactory tubercle, 383
reward, d143
variability, 297
Urethane
cortex, 121
hippocampus, 121
morphine, 121
paralysis, 121
succinylcholine, 121
thalamus, 121

Vagal discharge
dorsal nucleus of the vagus, 245
gastric acid secretion, 245
lateral hypothalamus, 245
medulla oblongata, 245
vagus, 245
Vagal hyperactivity
autonomic hypothesis, d119
dopamine-β-hydroxylase, d119
gastric acid, d119
hyperinsulinemia, d119
liproprotein lipase, d119
pyruvate dehydrogenase, d119
salivary glands, d119
sympathetic suppression, d119
ventromedial hypothalamic obesity, d119
Vagal outflow
central, b325
GABA content, b325
nucleus ambiguus, b325
specific ^{3}H-GABA binding, b325
Vagal pancreatic efferents
adrenal efferents, d175
adrenal nerve, d175
glucose sensitive afferents, d175
intraportal venous infusion, d175
pancreatic branch of the vagus nerve, d175
Vagus
dorsal nucleus of the vagus, 245
gastric acid secretion, 245
lateral hypothalamus, 245
medulla oblongata, 245
vagal discharge, 245
Vagus nerve
baclofen, b565
cardiovascular and respiratory neurons, b565
inhibitory action, b565
lateral hypothalamus, d163
pancreas, d163
splanchnic nerve, d163
stimulation, d163
vasomotor reflex, b565
Vagus nerve stimulation
horseradish peroxidase, d181
hypothalamic interconnections, d181
lateral hypothalamus, d181
lateral preoptic area, d181
medial forebrain bundle, d181

stomach distension, d181
Valproate
anticonvulsant, b579
anxiety, b575
branched-chain fatty acids, b797
conflict behavior, b575
diazepam, b575
drug discrimination, b575
GABA degradation, b797
GABA transaminase, b579
monoamine metabolism, b579
morphine abstinence syndrome, b797
muricide, b601
nipecotamide, b601
pentylenetetrazol, b575
Variability
ethanol, 297
inequality testing, 297
information processing, 297
noise, 297
unit activity, 297
Vascular resistance
bradycardia, b329
cardiac output, b329
hypotension, b329
intravenous GABA, b329
Vasomotor reflex
baclofen, b565
cardiovascular and respiratory neurons, b565
inhibitory action, b565
vagus nerve, b565
Vasopressin
hypertension, 353
peptides, 353
somatostatin, 353
stress, 353
Ventral tegmental area
dopamine neurons, b465
GABA agonists, b465
muscimol, b465
substantia nigra, b465
THIP, b465
Ventromedial hypothalamic obesity
autonomic hypothesis, d119
dopamine-β-hydroxylase, d119
gastric acid, d119
hyperinsulinemia, d119
lipoprotein lipase, d119
pyruvate dehydrogenase, d119
salivary glands, d119
sympathetic suppression, d119
vagal hyperactivity, d119
Ventromedial hypothalamus
bicuculline, b453
^{14}C-deoxyglucose, d43
diaphragm, d43
drinking, b237
drugs, b237
eating, b237, b253, b153
energy homeostasis, d43
glucose, b453
glycolysis, d43
hunger, d43
lateral hypothalamus, b237
metabolism, d43, b253
optical density, d43
paraventricular hypothalamus, b237
push-pull perfusion, b253
regulation, b253
streptozotocin-diabetes, d43
Vermis
cerebellum, 267
crus I, 267
crus II, 267
dorsal accessory olive, 267
horseradish peroxidase, 267
inferior olive, 267
medial accessory olive, 267
paramedian, 267
Vestibuloocular reflexes
benzodiazepines, b705
diazepam, b705
GABA agonists, b705
motion sickness, b705
γ-Vinyl GABA
γ-acetylenic GABA, b375, b627
aminooxyacetic acid, b13
amphetamine, b609
anticonvulsants, b13
body shakes, b805
CSF, b905
enzyme turnover, b375
GABA transaminase, b609
gabaculine, b627
GABA-T, b375
GABA-T activity, b627
GAD, b375
GAD activity, b627
homocarnosine, b905
isogabaculine, b627
metabolic compartmentation, b13
morphine withdrawal, b805
mouse brain GABA, b627
n-dipropylacetate, b13
stereotypy, b609
Visceral afferents
antidiuretic hormone, d189
hepatic osmoregulation, d189
horseradish peroxidase, d189
ingestive behavior, d189
single-unit recording, d189
Visceral-afferent column
lateral hypothalamus, 637
locus coeruleus, 637
pontine tegmental taste area, 637
self-stimulation, 637
Visual cortex
event-related potentials, 199
frontal cortex, 199
Visual system
circadian rhythms, 667
protocerebrum, 667
VMH procainization
cephalic phase insulin response, d127
hypothalamic hyperphagia, d127
hypothalamic obesity, d127
quinine, d127
saccharin, d127

Wakefulness
NREM sleep, b279
REM sleep, b279
Waking
cortical responsiveness, 553
sleep, 553
thalamic transmission, 553
Weight regulation
eating, d29
glucose, d29
glycerol, d29
meal patterns, d29
Whale brain
anatomy of bottlenose dolphin brain, c1
comparative anatomy—cetacean species, c1

White cells
Aplysia, 233
electrical activity, 233
intracellular recording, 233
LHRH, 233
Withdrawal
CSF, b809
ethanol, b809
receptor binding, b809
Writhing
aminooxyacetic acid, b415
analgesia, b415
bicuculline, b415
muscimol, b415
picrotoxin, b415
tail flick, b415

X-irradiation
adenylate cyclase, 649
hippocampus, 649
norepinephrine, 649

Y-Maze
ICS stimulator, 483
intracranial self-stimulation, 483

Zona incerta
2-deoxy-D-glucose, 593
drinking, 593
eating, 593
glucoprivation, 593
insulin, 593
kainic acid, 593
osmoregulation, 593

AUTHOR INDEX

ACKERMAN, S. H., a43
ADAMS, C. E., 277
AGID, Y., b761
AGUILAR-BATURONI, H. U., d181, 383
ALBA, F., 223
ALBANESE, A., 127
ANDERSON, C. H., 257, 693
ANDERSON, K. V., 41, 203
ANDRÈS, P. F., b397
ANLEZARK, G., b685
ANTONACCIO, M. J., b317
AOU, S., d151, d163
ARMSTRONG, W. E., 473
ARNAUD, C., 553
ARNT, J., b261, b867, b885
AVRITH, D. B., 35, 111

BAISDEN, R. H., 519
BALCAR, V. J., b37
BALLENGER, J. C., b721, b731, b747, b755
BARASH, F. E., 315, 325
BARKER, J. L., b43, b195
BARMACK, N. H., b705
BARONE, F. C., d181, 315, 325
BARRERA-MERA, B., 667
BARTHOLINI, G., b223, b411, b421, b439, b487
BATTERSBY, M. K., b155
BEAUMONT, K., b285, b773
BECKER, J. B., 539
BECKER, R. E., b673
BEER, B., b861
BELIEU, R. M., b647
BENCZE, W., b507
BENSON, D. I., b861
BEREITER, D. A., d127
BERMAN, E. J., 141
BERNARD, P. S., b519, b553
BERNASCONI, R., b37
BERTHOUD, H. R., d127
BETHELL, D. R., b477
BIELA, J., 619
BILLINGSLEY, M., b329
BISHOP, G. A., 563
BÖHLEN, P., b761, b905
BORNSCHEIN, R. L., 437
BOSSI, L., b411
BOUMAN, H. J., 375
BOWERY, N. G., b497
BRAESTRUP, C., b681
BRANDON, C., b1, b21, b63, b137
BRAY, G. A., d109, d119
BRONZINO, J. D., 51
BROOKES, N., b161
BROOKS, B. R., b747, b765
BROWMAN, C. P., 207
BROWN, B., 593
BROWN, D. A., b291
BROWN, D. A., b291
BROWN, D. L., 135
BROWN, S. C., b325
BRUINVELS, J., b797
BRUNNER, E. A., b909
BUCK, S. H., 755
BUGGY, J., 501
BUNNEY, B. S., b105, b537
BUNNEY, W. E., JR., b731, b755
BURKS, T. F., 755
BURNS, E. M., 251
BUSH, M. J., d7
BUTCHER, L. L., 127, 365
BYMASTER, F. P., b853

CALNE, D. B., b589
CAMPBELL, G. A., 485
CAMPFIELD, L. A., d103
CASAMENTI, F., b127
CASEY, D. E., b269, b609
CAVENESS, W. F., 461
CEGAVSKE, C. F., 619
CHAN, A., b179
CHARINGTON, C. B., b621
CHAZOT, G., b761
CHENG, S. C., b909
CHIN, C. A., b137
CHIUEH, C. C., 251
CHRISTENSEN, A. V., b261, b885
CHRISTENSON, E., b269
CHRONISTER, R. B., 649
CIBRIAN-TOVAR, J., 667
CLARK, W. G., 415, 615
COLEMAN, J. R., 333
COLLINS, J. F., b141
CONNOR, T. M., 719
COOK, L., b839
COOPER, B. R., b595, b633, b815
COOPER, K. E., 69, 75
COOPER, P. H., 525
COQUILLAT, G., b761
CORBETT, D., 637
CORRIGALL, W. A., 481
COSCINA, D. V., b793
COTMAN, C. W., 217
CRAMER, H., b585
CRAWFORD, I. L., 485
CRITCHETT, D. J., b861
CROM, E. N., 673
CROSS, A. J., b503, b825
CRYDER-MOONEY, E., d37
CUELLO, A. C., 575

DAFNY, N., 755
DANIELSEN, J., 501
DAVIDOFF, R. A., b665
DAWSON, K. M., b519
DE BOER, T., b797
DE CASTRO, J. M., d89
DEFEUDIS, F. V., b201
DEGENER, P., b173
DEMAREST, K. T., b531
DENNER, L., b63
DE ROTTE, A. A., 375
DESARMENIEN, M., b77, b471
DEUTSCH, J. A., d55
DEVITO, J. L., 285
DE WIED, D., 509
DIAS SOUZA, J., b325
DICONTI, M. A., d17
DIKSTEIN, S., b485
DIMICCO, J. A., b303
DIROCCO, R. J., d43
DOBLE, A., b497
DORAN, A. D., 405
DRAY, S. M., d37
DUBOIS, A., a63
DUNCAN, H., b381
DUNN, R. W., b433, 575
DYER, R. S., 505

EARGLE, D., b525
EBADI, M., b179
EDVINSSON, L., b335
EDWARDS-NEALE, S., b549
EGUCHI, K., 547
ENG, N., b89

ENGEL, W. K., b765
ENNA, S. J., b111, b167, b461, b765, 769
ERIKSSON, M. A. E., 673
ESSMAN, E. J., b209, b821
ESSMAN, W. B., b209, b821
ESTBORN, L., b95
EVANS, M. H., 227
EWING, A. T., d37

FAHN, S., b737
FAHY, J. L., 469
FAIMAN, M. D., b789
FAISON, L. D., b115
FARIELLO, R. G., b691
FEHR, B., b545
FELDMAN, E. J., a39
FELDMAN, S., 759
FELDTRAUER, J.-J., b545
FELTZ, P., b77, b471
FERRIS, R. M., b633, b815
FIBIGER, H. C., b131
FIELDING, S., b415, b433, 575
FISCHER, C., b761
FISHBEIN, W., 9, 103
FORBES, W. B., 51
FOX, R., b673
FRANKS, A., b685
FREDMAN, S. M., 169, 179
FREGLY, M. J., 719
FRIEDMAN, M. I., d63
FUKUDA, M., d143
FUKUSHIMA, M., d23
FULLER, R. W., 589

GAGE, F. H., 771
GALE, K. N., b13, b303, b325, b897
GALLAGER, D. W., b833
GALVAN, M., b291
GAME, C. J. A., 87
GANDOLFO, G., 553
GARCÍA-DÍAZ, D. E., 667
GARDNER, C. R., b613
GEEL, S. E., 1
GEISELMAN, P. J., d37
GENC, E., b891
GERBER, J. C., III, b341
GERBRANDT, L., 649
GERLACH, J., b269
GERNER, R. H., b721
GEYER, H. M., III, b433
GILLIS, R. A., b295, b303, b325
GILMAN, R., b329
GIRGIS, M., 769
GISOLFI, C. V., 349
GISPEN, W. H., 509
GLAESER, B. S., b725, b747
GLATT, A., b507
GLAVIN, G. B., a51
GLYN, J. R., 653, 661
GOLD, B. I., b369
GOLDEN, G. T., b691
GOLDSTEIN, J. M., b275
GONZALES, L. W., 1
GONZALEZ, M. F., d55
GOODWIN, F. K., b755
GORDON, C. J., 515
GORDON, J. H., 679
GOTTESFELD, Z., b1, 461
GOTTESMANN, C., 553
GRACE, A. A., 105, 537
GRAF, M., 491
GRANDISON, L., b701
GRAYSON, V., b665
GREGORY, W. A., 301
GRIFFIN, W. S. T., 673
GRIJALVA, C. V., a19, d109, 525
GRILL, H. J., d79
GRINKER, J., d29
GRONKE, L., b609
GROSS, D. M., b491
GROSSMAN, M. H., b725
GROSSMAN, M. I., a1, a37
GROSSMAN, S. P., b237, 593
GROVE, J., b627
GRUBBS, R. D., b647
GUEVARA-AGUILAR, R., d181, 383
GÜNDÜREWA, M., b585
GUTWEIN, B. M., 9, 103
GUYDA, H., b427

HACKMAN, J. C., b665
HAEFELY, W. E., b873
HAMBERGER, A., b95
HAMILTON, B. L., b295, b303, b325
HAMMERSTAD, J. P., b609
HANDLER, P., 95
HANLIN, J., b525
HANSSON, E., b95
HARACZKIEWICZ, E., d17
HARADA, Y., 547
HARE, T. A., b111, b341, b721, b725, b731, b741, b747, b755
HARPER, A. E., b245
HARPER, J. A., 487
HARRIS, D. V., 479
HARSTON, C. T., 421
HASHIMOTO, K., d23
HASSON, R., 451
HATTON, G. I., 301, 405, 473
HAUSER, K., b37
HAVEMANN, U., b891
HAYA, K., b789
HEAD, J. R., 673
HEADLEY, P. M., b77, b471
HEATH, J. E., 515
HEDREEN, J., 425
HELKE, C. J., 195
HENRICK-LUECKE, S. K., 589
HENN, F., b95
HENN, F. A., b879
HENRY, J. F., b411
HERMANN, G., d169
HERSCH, S., e1
HERTZ, E., b653
HERTZ, L., b389, b403, b653
HESS, W. H., b477
HILL, D. R., b497
HIRSCH, J., d29
HO, I. K., b913
HOMMER, D. W., b105
HOOKER, N., b381
HOOVER, D. B., 519
HOROWITZ, J., d29
HORTON, R., b685
HORTON, R. W., b605
HÖSLI, E., b149, b397
HÖSLI, L., b149, b397
HOTTA, F., 547
HOWARD, J. L., b595
HUDSON, A. L., b497
HUOT, S., b905
HUGUENIN, R., 47
HUSTON, J. P., 745
HYNES, M. D., b805

IADAROLA, M. J., b13
IBARZ, J. M., 95
INNES, D. L., a33
INOUE, A., d133
INOUE, S., d119
IRIKI, A., 751
ISHIZUKA, S., d151, d163
ISLAS-CHAIRES, M., d59

JACOBS, M. S., c1
JAHAN-PARWAR, B., 169, 179
JACOBOWITZ, D. M. b1, 81, 195, 461
JALOWIEC, J. E., 35
JAMES, T. A., b7
JEANRENAUD, B., d127
JIMERSON, D. C., b755
JOHNSON, C. T., 505
JONES, D. L., 75
JUNG, M. J., b375
JUNQUERA, J., d75

KARKALAS, J., b673
KATO, M., 461
KATZ, L., b741
KAUFFMAN, G. L., JR., a15
KAWASAKI, H., 711
KELLY, J., b237
KIKTA, D. C., 719
KILPATRICK, I. C., b7
KING, J. S., 563
KITA, H., d151, d163, 365
KITAI, S. T., 725
KIVILAAKSO, E., a3
KLEMM, W. R., 147, 297
KLEPNER, C. A., b861
KLINGMAN, J. D., 31
KOCH-WESER, J., b761
KOOPMANS, H. S., d69
KOPIN, I. J., b713
KOSTRZEWA, R. M., 421
KRAUSE, D. N., b173, b335
KROGSGAARD-LARSEN, P., b403, b653, b867
KRUSE, H., b433, b575
KUCHARSKI, T., b673
KUHAR, M. J., b145
KUHARA, T., d23
KURYLO, E., b925
KUSCHINSKY, K., b891

LAKE, C. R., b755, b765, b769
LAKE, N., b659
LAL, H., b575, b673, b781, b805
LAL, S., b427
LALLEY, P. M., b565
LAM, D. M. K., b21, b63, b137
LAMPASONA, B. A., b355
LANE, P. T., b853
LANGLOIS, E. A., b659
LARSSON, B., b335
LARSSON, O. M., b403, b653
LASATER, E. M., b137
LECAVALIER, D., b659
LEEB-LUNDBERG, F., b217
LÉRÁNTH, C., 13
LERMA, J., 95
LESSARD, I., 687

LESZCZYNSKA, K., b275
LEIBEL, R. L., d29
LEWIS, E. R., 217
LIDSKY, T. I., 487
LIEBMAN, J. M., b559
LINCK, G., 77
LINDHOLM, E., a19
LINSEMAN, M. A., 121
LIPPA, A. S., b861
LIPPERT, B., b375
LIPTON, J. M., 653, 661
LITTLE, J., b415
LLOYD, K. G., b285, b439, b461, b793
LORA-VILCHIS, M. C., d59
LOTTER, E. C., d1
LUCATO, R. M., 481
LYNCH, M. J., 233

McCANN, S. M., 23, 239
McCORMACK, K., b415
McCREA, R. A., 563
McDONALD, J. A., b141
McELLIGOTT, J. G., 159
McFARLAND, W. L., c1
McKAY, L. D., d1
McNEILL, T. H., 599

MacDONALD, J. F., b43
MacLEOD, N. K., b7
MACK, G., b601
MAGELUND, G., b261
MAGGI, A., b167, b461
MAGRUDER, C., b647
MALICK, J. B., b275, b639
MANDEL, P., b201, b601
MANN, E., b167
MANYAM, N. V. B., b111, b721, b725, b741
MARC, R. E., b137
MARDER, S. R., b731
MARKOWITSCH, H. J., 61
MARTIN, D. L., b57, b89
MARTIN, S. B., b57
MASKEN, J. F., 291
MASSARI, V. J., 81
MATHERS, D. A., b43
MATHESON, G. K., b447
MATSUMOTO, I., d23
MATTHIES, H., 703
MAURER, R., 47
MAXWELL, R. A., b595
MEEKER, R. B., b253, b453
MEELEY, M. P., b57
MELDRUM, B., b579, b685
MELLET, M., b905
METCALF, B. W., b375
MEZA-RUÍZ, G., b121
MICHAELIS, E. K., b647
MICHAELIS, M. L., b647
MIHAILOFF, G. A., 277
MIKHAIL, A., a67
MILES, T. S., 87
MILLER, L. P., b89
MILLER, M., 451
MILSTEIN, C., 575
MITCHELL, C. K., b189
MÖHLER, H., b155
MOLOTCHNIKOFF, S., 687
MONETI, G., b127
MOORE, K. E., b531
MORA, F., 111, 223, 349
MORENO, L., 755
MORGAN, R. J., 291
MORGANE, P. J., c1, 51, 451
MORONI, F., b127
MORROW, A., 421
MORROW, T. J., 91
MORSE, D. E., b381
MORSELLI, P. L., b411
MOSS, R. L., 233
MUELLER, J. C., 217
MUNTZ, J. A., 359
MURAMOTO, K.-I., d143
MYERS, R. D., b253, 735

NAGY, J. I., b131
NAHRWOLD, M. L., b477
NAIR, N. P. V., b427
NANCE, D. M., 531
NAPIAS, C., b217
NASRALLAH, H. A., b673
NATELSON, B. H., a56, a63
NEAVES, W. B., 307
NEF, B., 745
NEGRO-VILAR, A., 239, 353
NELSON, L. R., b639
NESTOROS, J. N., b643, b849
NEUWIRTH, O., b485
NEWTON, R. F., b141
NICKOLSON, V. J., 683
NICOLAIDIS, S., d97
NIELSEN, M., b681
NIIJIMA, A., d163, d175
NISHINO, H., d143
NORMAN, W. P., b325
NOVICK, W. J., JR., b433
NOVIN, D., d7, a19, d109, d169, d189, 365, 525
NUTT, J. G., b589, b609

OBERDORFER, M., b167
OERTEL, W. H., b713
OHNO, K., 251
OLIANAS, M., b261
OLNEY, J. W., b361
OLPE, H.-R., b507
OLSEN, R. W., b213, b217
ONDO, J. G., b355
O'NEILL, R. R., 461
ONO, T., d143, d151
OOMURA, Y., d23, d151, d163
OSSOLA, L., b201
OVERMANN, S. R., 437

PALACIOS, J. M., b145
PALFREYMAN, M. G., b613, b905
PALKOVITS, M., 13, 643
PALMER, G. C., 649
PANKSEPP, J., b453
PAPADOPOULOS, G., 745
PAPIR-KRICHELI, D., 759
PARÉ, W. P., a73
PARKER, C. R., JR., 307
PARNAVELAS, J. G., 277
PATEL, J. B., b639
PEARL, G. S., 41, 203
PEDERSEN, S., b57
PEDLEY, T., b685
PEPEU, G., b127
PETTIGREW, K. D., 251
PETTOROSSI, V. E., b705
PHELPS, C. P., 531
PIRCH, J. H., 199
PI-SUNYER, F. X., d7
PITMAN, R. K., b673
PLOUFFE, L., JR., b659
PODDAR, M. K., b279
PONDER, S. W., 415, 615
PORTE, D., JR., d1
PORTER, J. C., 307
POST, R. M., b721, b731, b747, b755
POTASHNER, S. J., b513, b659
PRASAD, A. L. N., b737
PRICE, M. T., b361
PRIESTLEY, J. V., 575
PRITZEL, M., 61
PROWSE, J., b559
PRZEWLOCKA, B., b261

RABE, L. S., 755
RACOTTA, R., d75
RAMIREZ, V. D., 539
RANSOM, D. H., b713
RAPOPORT, S. I., 251
READER, T. A., 609
REBEL, G., b201
REDBURN, D. A., b189
REES, H. D., 509
REGAN, J. W., b857
REISINE, T. D., b773
RENGACHARY, S. S., b51
REPKE, H., 703
RESNICK, O., 51, 451
RICHARDS, J. G., b155
RIEGEL, E. A., b245
RIGTER, H., 683
RIKER, D. K., b369
ROBERTS, E., b173
ROBERTS, P. J., b83
ROBIN, M. M., b613
ROBINSON, T. E., 539
RODRIGUEZ, J. M., 223
ROESKE, W. R., b857
ROGERS, K., b173
ROGERS, R. C., d189, 365
ROLLS, E. T., 111
ROSE, J. D., 359
ROSEN, A. D., 345
ROTH, R. H., b369
ROUSSEL, G., b201
RUSSEK, M., d59
RÜTHER, E., b585
RUWE, W. D., 735

SAAVEDRA, J. M., 353
SAELENS, J. K., b549, b553
SAITO, K., b71
SAKATA, T., d23
SALM, A. K., 405
SANGUINETTI, A. M., 223
SANO, M. C., b861
SANTANGELO, F., b77, b471
SAPORTA, S., 531
SARLIÈVE, L. L., b201
SASAKI, K., d143
SASTRY, B. R., b653
SATOH, T., 547
SATINOVER, J., b167
SCATTON, B., b223, b421, b439
SCHAROUN, S. L., d181
SCHATZ, R., b781
SCHECHTER, P. J., b613, b627, b761
SCHEEL-KRÜGER, J., b261, b291, b885

SCHIESSEL, R., a3
SCHMECHEL, D. E., b713
SCHMITT, G., b201
SCHNEIDER, J. S., 487
SCHOLFIELD, C. N., 291
SCHOUSBOE, A., b71, b389, b403, b653
SCHOWEN, R. L., b789
SCLAFANI, A., d69
SEAMAN, R. L., 233
SELLSTRÖM, A., b95
SEPINWALL, J., b839
SHAH, N. S., b525
SHAHVARI, M., b329
SHAW, J., b497
SHEARMAN, G. T., b575, b805
SHEN, C. L., 257, 693
SHERIDAN, P. J., 291
SHERRY, C. J., 147, 297
SHIMIZU, N., d151
SHIRAISHI, T., d133, 153, 245
SHIPLEY, M. T., 491
SHOKES, L., b329
SHULTS, R. C., 359
SILEN, W., a3
SIMKE, J. P., b549
SIMPSON, A., 153
SINGH, M. M., b673
SINHA, A. K., b279
SKÄRBY, T., b335
SLADEK, J. R., 599
SLOTNICK, B. M., e1, 135, 141
SMITH, F. J., d103
SNYDER, D. W., b317
SOBISKI, R. E., b519
SOLANO-FLORES, L. P., 383
SOROKO, F. E., b595
SPAULING, T. C., b415
SPECIALE, S. G., JR., 461
STAINES, W. A., b131
STEFFENS, A. B., d13
STEIN, L. J., d1
STERNBERG, D. E., b731
STEVENS, J. R., b231
STISSER, P., 51
STRAUGHAN, D. W., b7
STROHMAYER, A. J., d29
SU, Y. Y. T., b21, b63, b137
SULLIVAN, H. T., 207
SURIA, A., b329, b347
SWARTZWELDER, H. S., 505
SWEET, C. S., b491

TABERNER, P. V., b621
TALLMAN, J. F., b829
TANSY, M. F., a33
TAPPAZ, M. L., b713
TAYLOR, D. A., b491
TEELKEN, A. W., b585
TELL, G., b761
TEWS, J. K., b245
TEYCHENNE, P. F., b769
TEYLER, T. J., 391
THEURER, K., 575
THOMPSON, R. G., 771
THREATTE, R. M., 719
TICKU, M. K., b195, b213, b919
TIZABI, Y., 81
TODA, K., 751
TONNAER, J. A. D. M., 683
TRACY, C., 51
TSAI, W. H., 315, 325
TSUTSUI, K., d23
TUNNICLIFF, G., b101
TURBES, C. C., 291
TURNBULL, M. J., b497
TWEEDLE, C. D., 301, 405

UEKI, S., 711
UEMURA, E., 117
UNWIN, J. W., b621
URQUHART, D. A., b279

VAN CUC, H., 13, 643
VAN DER LAAN, J. W., b797
VANDERMAELEN, C. P., 725
VANDERWEELE, D. A., d7, d17, d37
VAN ITALLIE, T. B., d43
VANKAMMEN, D. P., b731
VAN WIMERSMA GREIDANUS, Tj.B., 375
VARGA, V., b201
VAUGHN, L. K., 69
VEALE, W. L., 69, 75
VERHOEF, J., 509
VERSTEEG, D. H. G., 683
VIDAL, R., b485
VIIK, K., b633, b815
VIJAYAN, E., 23, 239
VINCENT, S. R., b131
VIVES, F., 223
VOLICER, L., b809

WADDINGTON, J. L., b503, b825
WALDMEIER, P. C., b545
WALKER, J. M., 479
WALKER, W. W., 291
WALL, P. T., 349
WALTERS, J. R., b89, b465
WANIEWSKI, R. A., b347
WASZCZAK, B. L., b465
WATABE, K., 547
WATANABE, S., 711
WATERHOUSE, B. D., 159
WAYNER, M. J., d181, 315, 325
WEBSTER, J. C., 31
WEGENER, S. T., 505
WELZL, H., 745
WENDEL, A., b485
WENGER, H. C., b491
WERMUTH, C. G., b601
WEST, D. B., d1
WHITE, H. L., b115, b595, b633, b815
WHITTLE, B. J. R., a7
WILLIAMS, A. C., b589
WILLIFORD, D. J., b303
WILSON, D. E., b553
WINKLER, M., b891
WITTER, A., 509
WOLFF, P., b201
WONG, D. T., b853
WONG, E., b173
WOOD, J. D., b777, b925
WOOD, J. H., b111, b721, b725, b747, b765
WOODS, S. C., d1
WOODWARD, D. J., 277
WOOLLEY, D. E., 437
WORMS, P., b439, b461
WU, J.-Y., b1, b21, b31, b63, b71, b137
WULFF, V. J., 469

YANAIHARA, N., d133
YANG, B. I., b51
YATES, J., b525
YAMABE, K., d151, d163
YAMAMURA, H. I., b773, b857
YEANDLE, S., 765
YEOMANS, J. S., d43
YOSHIMATSU, H., d151, d163
YOUNG, W. G., d55, 483

ZARIFIAN, E., b411
ZEMPEL, J. A., b789
ZIELGER, M. G., b765, b769
ZIMMER, R., b585
ZIVKOVIC, B., b421, b439
ZOLOVICK, A. J., 35
ZRAIKA, M., b613